1 from



INDEX

alphabetico - synonymicus

INSECTORUM

HEMIPTERORUM HETEROPTERORUM.

Alphabetisch-synonymisches Verzeichniss

der

wanzenartigen Insecten.

Von

Dr. Herrich-Schäffer.

Regensburg,

in Commission von G. J. Manz.

1953.

L.L.

QU523 H6H6 9601 EA6 ENT Enton.
31/41/15

ENT, 1910

Durch den Separatabdruck des den Schluss meines neunbändigen Werkes über wanzenartige Insecten (Nürnberg Lotzbecks Verlagshandlung) bildenden Verzeichnisses glaube ich den Sammlern dieser Ordnung ein brauchbares Heftchen in die Hand zu geben. Wer das Mühsame einer solchen Arbeit kennt, wird auch gegen deren Mängel nachsichtig seyn.

Möchten die Entomologen auf die Reichhaltigkeit dieser Ordnung aufmerksam gemacht, die Sammler veranlasst werden, ihre Vorräthe zu ordnen. Gerne werde ich über zweiselhafte Arten Aufschluss geben, neue interessante bekannt machen und mir sehlende gegen die im Verzeichnisse mit dem Zeichen = versehene europäische eintauschen. Gegen mir brauchbare exotische Schmetterlinge bin ich erbötig grössere oder kleinere Sammlungen exotischer Hemipteren zu liesen.

Regensburg im November 1853.

Dr. H. S.

INDEX

alphabetico - synonymicus.

Anm. Die mit gewöhnlicher, gesperrter Schrift und grossen Anfangsgesetzten Namen sind angenommene Gattungsnamen; die mit cursiv gesperrter Schrift und grossen Anfangsbuchstaben sind Synonyme der Gattungsnamen; die mit kleinen Anfangsbuchstaben sind Artnamen und zwar jene mit ord. Schrift sind angenommene, jene mit cursiver sind Synonyme. Das Vaterland ist mit deutscher Schrift gesetzt.

Das v. am Ende der Zeile verweist auf die Gattung, in welcher die Art zu suchen ist, sobald das darnachfolgende Wort mit grossem Buchstaben beginnt; beginnt es mit kleinem, so verweist es auf den nun angenommenen Artnamen in der nämlichen Gattung.

Die drei Zahlen am Ende der angenommenen Arten verweisen auf den Band, die Pagina und die Figur des gegenwärtigen Werkes; wo die letzte Nummer fehlt, ist die Art nur beschrieben oder erwähnt, nicht abgebildet.

Das Zeichen = bedeutet, dass ich die Art besitze oder verglichen habe.

Das Zeichen - dass ich nur eine Abbildung kenne.

-- ,, ,, eine bestehende Abbildung nicht sah.

... ,, ,, nur eine Beschreibung kenne.

Acanthaspsis Serv.

Reduvius F. - Hhn.

Platymeris Brm. VIII. t, 259. A-D.

-- bilineolata Pal. pl. 1. f. 5.

= sexguttata F.

flavovarius Hhn. Brf. II. 18. 126. - tergemina Kl. - Brm. - Stoll. 297. Snb. or. Acanthia m.

= intrusa m.

(Fur. mer. VI. 48, 608.

Acanthia F. R. Brm. - Serv. v. Cimex.

- F. E. S. v. F. S. R.

- Rossi v. Aradus.

- Wolff. - Pz. v. Tingidides.

atra Pz. v. Ophthalmic.

capitata Pz. - Wolff v. Zosmerus.

cardui Pz. 3. 23. - L. - W. v. Monanthia.

clavicornis L. - Rossi v. Laccometop.

- Pz. 3. 24. v. Monanth. cardui.

corticalis Wolff v. Aradus.

crassicornis F. E. S. v. Capsus.

crassipes Wolff. - Pz. v. Syrlis.

denticulata F. Spec. cf. Pygolampis.

depressa v. Aradus.

echii W. v. Monanth. wolffii.

erosa v. Syrtis.

fasciata F. E. S. v. Lygaeus. waitings Workers to the

filicis W. v. Capsus.

gibba F. E. S. v. Coreus F. R.

grylloides v. Ophthalmic.

lectularia v. Cimex. del ma del sesti de pristanti and

marginata W. v. Orthosteira.

pallicornis W. v. Capsus.

quadrimaculata W. v. Monanthia. 2 minutes a

serrata F. Spec. - Ross. ? cf. Coreus.

spinosa Ross. v. Tingis.

sylvestris W. v. Anthocoris.

umbraculata F. - Pz. v. Doryderes.

umbraculosa Pz. v. Doryderes.

Acanthischium Serv.
Cap.
Acanthocephalus Lap. v. Diactor.
Acanthocerus Pal. v. Crinocerus.
Acanthocoris Serv. v. Crinocerus.
Acanthosoma Curt. — Brm. — m. — Kol. — Dall.
- & Sastragala Serv Sahlb.
Clinocoris Hhn.
Pentatoma Enc.
affinis Hop. 14 a
agathina F. m. v. grisea.
bispina Pz. m. v. Sastragala ferrugat.
borealis Hop. at the same and the Mm. bor.
and clypeata Brm. v. liturat. And della managla den
coreatum Dall. Ent. Tr. V. pl. 19. f. 6. Nordind.
dentatum Dall. Deg. v. haemagast.
(1) difficile Dall. (?)
J distinctum Dall. Ind.
dubium Dall.
Mordind.
emeritum F (?)
dasciator F. 1 stag and molf mutalinging (?)
forfex Dall. Mordind.
gladiator F Brm. v. Arvelius.
= grisea L. fn Brm Serv zaradiodinos A
interstincta L F and and authors
agathina F m. Dtsch. Ins. 114. 10. 11.
achatina Wolff, f. 55.
collaris F. R. 83?
betulae Deg. III. 261. 8. t. 14. f. 9.
= haematogaster Schrk.
liturata m. in Deutschl. Ins. 115. 13. 14.

C. dentatus Goz Deg Dall. Gur.
= haemorrhoidalis L. Stoll. f. 44. A. Gur. II. 71. 158.
hamata Stoll. 135 Brm. v. Arvelius.
interstincta L. v. grisea.
laevicorne Dall.
linea Dall Reuholf.
= lituratum F Wolff Pz. 40. 19 Fall
Dall m Kol.
Acanthos. clypeata Brm Ramb. And. Eur.
lutea Le Guill. Erichs. B. 1841. p. 115.
Freundschafteins.
luteicornis Hop. v. Arvelius,
megacephalum v. Microdeuter. Dall.
nebulosum Kirb. fn.
notatum Dall. Philip.
nubilum Dall. Songfong.
1 picicolor Hop. (?)
proximum Dall (?)
punctatum Dall Juntantidab Inb.
recurvum Dall. Morbind.
rufescens Dall. (?)
- uniguttatum Don. Ind. pl. 8. f. 5. Mordind.
Jav.
vittatum F. anifaria
Aconthothorax Cost.
- siculus Cost. Ann. Soc. X. 6. 9. Sicil.
Acatalectus Dall.
ater Dall. Reuholl.
piceus Hop. Neuholl.
punctulatus Dall Meuholl.
- rugosus Dall. pl. 2. f. 6. Reuholl.
sepulcralis Erichs. Arch. (?)

Accra Erichs, Ber. 1841 p. 115. addi anorogana	
bucephalus White Entom. p. 136. (Plataspis) (?)	
Aceratodes Serv. — Dall. Of Aceratodes Serv.	
Edessa Brm. — Lep. — m.	
Pentut. Lep. Alle aus dem tropischen Amerika.	
= albirenis Brm. Um. aq. VII. 127. 774.	
carnosa Hopdioxayio .v .goll milmiess Brf.	
cornuta Brm gozide smilgezes Brf.	
= corrosa m. 2m. aq. 1V. 82. 412.	
= cruenta F	
discolor. Dall	
fulvicornis F Dall. 100 or gell and Montevib.	
fulvipes Dall.	
= icterica Hhn. Allessonog A . Brf. II. 126. 206.	
= inconspicua m. Cub. V. 102. 553.	
marginalis Dall. mazev Annaya	
= meditabunda F. Cub. VII. 127. 773.	
= obsoleta m. Um. aq. IV. 82. 413.	
piperitia Hop. dandangan J. MoW aladanan Brf.	
Acinocoris Hhn Spin Serv. v. Largus.	
Acrocoris Hhn. v. Spiniger limb.	
Actorus Brm. v. Micrelytra. all all all all all all all all all a	
Adrisa Serv. cf. Cydnus.	
nigra Serv Suborlat .v . I sobiorbield Java.	
Aednus Dall. Astas v vyse azabai	
- obscurus Dall. pl. 3. f. 5.	
Aegius Dall.	
Cimex mis deserve silesconers at gold alessadel	
= a ereus m	

Aelia F. — Fll. — Zett. — Hhn. — Ramb. — Serv. —

Kol. — Sahlb. — Dall.

Sciocoris Kol. — Serv. —

Eysarcoris Hhn. t. 19. A - D. - & t. 242. toine BetC. DEF a more State walnut and as and a

Neottiglossa Kirb. Bor.

= acuminata L.

Germ. I. 120. 63.

.m san Muftrl.

ilett nolon Subafr.

rostrata Dea.

assimilis Hop. v. Coryssorh.

aegyptiaca v. Schizops.

... atricornis Hop.

caenosa White v. Megarh.

... castra Hop.

conspicua Hop. v. Coryssorh.

crucifera Hop. v. Agonoscel.

depressa Hop. v. Agonoscelis. elliptica m. v. Sciocoris.

erosa Hop. v. Agonosc, versic.

. fuliginosa Kl. Symb.

furcata F. v. Macrina. furcellata Wolff. v. Coryssorhaphis.

gambiensis Hop. v. Agonoscelis vers. - glandulosa Brm. Wolff. 170, gen. propr. Bengal.

... gracilis White Er. Br. 1842. p. 122. Congo.

= hastata F.

Cap. VII. 90. 752.

histeroides F. v. Tetrodus. inflexa Serv. v. Pentat.

= inflexa Wolff. 182. - Sahlb. - Dall. Germ.

. II. 129. 210.

infuscata Hop. v. Agonoscelis versicol. juvencus Brm, v. Tetrodus.

... lanceolata F. R. Matt - alldad - Jan Buin.

melanoleuca Hop. cf. Coryssorhaphis.

nasalis Hop
med neglecta Dall. 28 J A Ja Jan Sieratilus -
acuminata Curt Gall.
going nubila F. v. Agonoscelis. Ig .llast anaoniquedus -
Moder orthacantha Palis
pallens Germ. Ent. Z. S. 68.
alled producta Klug. 2 2 .8 .4 . Ilas antalognil (Meg.)
pugnax F. v. Pentat Serv Jenson 41A
dependentata F. Brm. v. Megarh. I d. and asbiozil -
similis Hop. v. Coryssorh. myd gwild awarnan
sparsa Hop. v. Coryssorh. S and asbiening
spiniceps m. v. Platistus. adll - and - A subylA
20.1 spinicollis Hope and angologue I tim . Ne W . gy 1 (?)
strigosa Kl. Brm. cum glandulosa gen. propr. Cap.
demonstricornis Hop. v. alicornis. de A. A einstable 15
trilineata Kirb. Bor. pl. 6. f. 6.
typhoeus F. Wolff. v. Pentat
M ?varicornis Hop
= virgata Kl. Symb. Spr. VI 67. 632.
Agramma Westw. — Fieb. Piesma Lap.
Piesma Lan stiassolus I .7 . Testalonero
Serenthia Spin m. IV. 47. t. 122. A-F.
Serenthia Spin. — m. IV. 47. t. 122. A.—F atricapilla Spin gibba Fieb. Snb. or.
gibba Fieb. mf Jamilesdan us 1.11) erqila Snb. or.
= lasta Fall Grm. III. 49, 388, t. 125, C.
Loscus M. (Camplep.)
C T T T T T T T T T T T T T T T T T T T
tricolor Lap. v. laeta.
Agroecus Dall. , Corizus. , Alla Schill. v. Corizus.
griseus Dall. pl. 7, f.7. H. al and allarotal Brf.
Odd. Auridus Dalle and (.golgond) vill eileaig Brf.

Alathetus Dall
- rufitarsis Dall. pl. 4. f. 3
Alcaeus Dall.
- subspinosus Dall. pl. 4. f. 6
(1) varicornis Hop alle a alta and Reuholl.
Alcimus Dall. 2. S. 68 Saellag
lineolatus Dall. pl. 8. f. 2 ald aloabor Philip.
Alphocoris Grm Serv. Jalan Y A zanguq
- lixoidea Grm. t. 1. f. 3. M. v and I stanf Senegal.
mucoreus Klug. Symb. t. 43. f. 45.
larinoides Grm. Z. Aresayro'
Alydus F Lep Hhn. &c. Half .v .m agening
(1) Lyg. Wolff. mit Camptopus Serv. I. p. 196. t. 32.
462
??acicularis F. R. eher Reduvin. Tranqueb.
dnold apterus L. v. Micrelytra. and dail ataanilist
arcuatus F Brm. (Campt.) Sele be fr.
du atratus F
= brevipes m. (Campt.) Turc. V. 101. 551.
= calcaratus L. Eur. I. 198. 101.
crenulatas F. v. Leptoscelis.
= cruentus m. 21m. fpt. VIII. 100. 868.
dentatus F. V. Hyalimen. — dentipes (F.? zu unbestimmt.)m. (Campt.) Java.
VIII. 90. 867.
VIII. 90. 867.
gerant Brm. Dut. v, lateralis. — hirsutus Klii. t, S. f. S. Ruff. mer.
histrio F. Copius.
hyoscyami Schill. v. Corizus.
= lateralis Grm. fn. 8. 21. geranii Duf Brm mar-
ginalis Oliv. (Camptop.) Eur. m. V. 99, 549. 550.

= limbatus Kl. Dtschl. Ins. 135. 12.
linearis F. (Campt.) China.
= lineola m. (Campt.) Turc.
marginalis Ol. v. lateralis.
pallidus Gray v. Hyalimenus vespif.
?pedestris F. Snb. or.
= pilosulus m. Um. fpt. VIII. 101. 870.
quadrispinosus F. v. Zelus.
= recurvus m. (Campt.) Brf. VIII. 98. 866.
serripes F. (Campt.)
= sinuatus F. (Campt.) Brf. VIII. 98. 865.
= tarsatus F. (Campt.) Mer. VIII. 101. 869.
?tibialis F
- tragacanthae Kolti t. S. f. 7. (Campt.) Ruff. m.
- ?trispinus Deg. f. 19. (Cim.) Surin.
vespiformis F. v. Hyalimenus.
Amaurus Brm. etc. v. Megymenum.
Amblyottus Serv.
dufourii Serv.
Amblythyreus Westw. Trans. ent. Soc. III. pl. 11.
angustus W. de et al dicher. Ind. or.
quadratus W. in Malan in Annavignb. or.
rhombiventris W. f. 8. A section of the section 2
Amnestus Dall.
- spinifrons Dall. p. 3. f. 2 Say Journ. New-York.
Amphaces Dall.
- ferruginea Dall. pl. 10. f. 2. Neuholl.
proxima Dall ifell a je Menholl.
Amphilobus Klug. v. Harpact.
Anasa Serv. of Programmer and rile models.
= apicalis m
cornuta Serv. De ing il agell abait pogite Brf.
9

= puncticornis m. (Gonoc.) Cuba. VII. 12. 689. Ancyrosoma Serv. (1 mg and) . 1 . ita test ... Tetyra F. - Ventocoris Hahn. - Trigonos. Brm. - Graphosoma Grm. = albolincata F. Stoll. f. 168? Eur. mer. II. 37. 135. Aneurus Curt. Lap. - Serv. IX. t. 310. A-D. . Aradus F. ... = laevis F. IX. 141. 951. leptopterus Grm. v. Aradus. ... subdipterus Kl. - Brm. ign Gr. I gangtager . Brf. Anischys Dall. Rhaphigaster m. - luteovaris Hop. - Dall. pl. 10. f. 5. Reuholl. = sparsus Grm. Silb. m. Cap. VIII. 7. 786. Anisops Spin. - Serv. IX. t. 291. B-D. Notonecta F. - Brm. = dominicanus m. St. Dom. IX. 41. 905. elegans Fieb. femoralis Fieb. hvalinus Fieb. macrophthalmus Fieb. ... niveus F. cf. scutellaris. - Costa cent. n. 7. platycnemis Fieb. productus Fieb. IX. 41. 904. = sardens D. compressa Waltl: Was ille and Garb. Meg. Ind or. IX. 41. 906. = scutellaris Billb. varius Fieb. Anisoscelis Ltr. - Brm. - m. - Sery. Lyg. F. - Wolff. - alipes Guér. Mag. 3. pl. 75. 2fm.

= antiga m. e einterelige einentung Brfanilli 92. 316.
bilineata v. Diactor.
cincta m. v. Phyllopus.
divisa m. v. Leptoscel. crenulatus.
= fasciatus m. Santi. IX. 277
fastuosa v. Leptoscel.
flavipes Brm. v. Lept.
flavoscutellatá d'Orb. Voy. M. N. woland Um. m.
gonagra F. cf. antica
haemorrhoidalis Brm. v. Lept:
latifolia v. Diactor bilin.
lunata F. v. Lept,
lunata Ltr. v. Lept.
lunatus (Cor.) Latr. in Humb. Illi and i Am. m.
- membranaceus F. Wolff 22. Stoll 73. Ufr. Uf.
= phyllopus L F Wolff. 191 Stoll. 51.
cincta m
pulverulentus m. v. Leptoscelis. VII. 9. —
ruficrus v. Nematop.
- rubrobalteatus Deg. t. 34. f. 15.
scriptus v. Hypselop.
= scrratulus m. 21m. m. VII. 11. 687. 688.
tibialis m. Alaid Almi fpt. VII. 12. —
nomaloptera Perris. — Serv.
helianthum Perr. 3 3 amminteren A Gall. m.
uthocoris Fall Brm.
Phyllocoris Costa.
Hylophila Westw.
Lygaeus et Salda F.
Rhinarius Hhn.
- albinannia m

Germ. II. 108. 58.

= austriacus: H.

nemoralis, pratensis, sylvestris et campestris F. austriacus F. v. nemorum.

bicuspis m. Nomel. v. domesticus.

cursitans Fll. cf. fruticum.

= domesticus H.

Grm. IX. 228, 243.

bicuspis m. Nomcl.

= exilis Fll. - m. Dtschl. Ins. 135. 7.

tenellus Zett. Fn. 1. 178. 3. Germ.

= fasciatus m.

Grm. IX. 225. 975.

var. nemorum sec. Scholtz.

... formice torum Boheman Vetensk. akad. H. 1811. p. 158. - Erichs. Ber. 1844. p. 97.

Grm. In Umeifenneftern.

= fruticum Fll.

minutus Fil. - L. Fn. - Hhn. I. 111. 60. ? alter sexus: cursitans.

?parvicornis Costa. Neap. t. 3. f. 6. Grm.

=: lucorum Fll.

Lyg. pygmaeus Fll. 21.

par. nigra. Germ.

= nemoralis F. Rh. pratensis Hahn. IX. 226. —

= nemorum Fll. - Cim. L.

Ac. sylv. W. 81.

R. austriacus F. R.

R. silv. H.

Eur. I. 105, 56.

Berm. I. 107. 57.

= obscurus H.

Gur. I. 110. 59.

Salda nigr. W. 161.

· parvicornis Costa Neap. cf. frutic.

pratensis H. v. nemoral.

punctum album Rossi 1337. hujus gen. at species dubia.

= pusillus m.

Germ. IX. 225. 977.

= reduvinus m. Selvet. IX. 222. 973. rusescens Costa var. austriaci? oder Microphysa test. m. silvarum Rossi 1350. spec. dubia. In continue tardus m. Nomel. v. Xylocoris. = truncatulus m. Delv. IX. 228. 974. Antiteuchus Dall. Pentatoma Palis. Empicoris Spin. Cataulax Servi Empicoris m. VII. = annulatus m. macraspis Serv. HL 66, 279, ... griseus Dall. melanoleucus Hop. v. renggeri. ... obscurus Dall. ... piceus Pal. unicolor Hop. Um ag. ... punctipe's Hop. Um. aa. = renggeri m. (melanoleucus Hop.) Brf. VII. 45, 733. ... variegatus Dall. Para. - variolosus Hop. - Stoll. f. 173. Benez. Apateticus Dall. - halys Dall. pl. 2. f. 2. Aphanosoma Cost. ... italicum Costa. Stal. Aphanus m. Pachymerus Fall etc. = enervis m. ... insignis Cost. Cent. nr. 68. Ital. - pallipes Dtschl. Ins. 121. 2. rufipes Wolff. 145. Langania Grm. Ophth. lonicerae Schill.

= rusticus Fll Schill.	t. 7. f. 5. I. 223. 116.
arenarius Hhn.	Grm. I. 43. 27.
= sabulosus Schill Fa	dl. Grm. I. 224. 117.
pedestris Fall.	
Apines Dall.	
- concinna Dall. pl. 9. f.	2. Offind.
Apiomerus Hhn. Brm. — Se	
•	t. 5. f. 19. — VIII. pg. 73. —
t. 273 — 275.	10
apicalis Kl. Brm.	an erdeligen Para.
capucinus v. Beharus.	
crassipes F.	
cylindripes F Brm. v.	Ponerobia.
crythromelas d'Orb.	M.T. and and Mm.
= flavipennis m.	Brf. VIII. 75. 844.
= flaviventris m.	Mer. VIII. 77. 847.
= incisus m.	Um. aq. VIII. 74.
= integer m.	26m. aq. VIII. 78.
= hirtipes F. — Brm. —	- Stoll. 90 Deg. pl. 35.
f. 1. (1.1)	
= lanipes F.	2Cm.
lunatus Enc. v. Beharus.	
morbillosus v. Micrauch.	
nigripes F.	er o'i , gri Alm. aq.
= pictipes m.	2(m. aq. VIII, 75. 813.
	to the transmission of Cap.
= rubrocinctus m.	Brs. VIII. 76. 845.
stollii v. Trichoscelis.	
Aphelocheira Fieb.	
Naucoris F.	
aestivalis F.	Gall Carpath Fenn.

Aplastama Hop.
virescens Hop. and a late of Gambia.
Apodiphus Spin.
= hellenica Lep V. 67. 512.
exsculpta Brm. And salans Grac.
nebulosa Brm. z. Coenomorpha.
Apodiphya Serv, v. Apodiphus Spin.
Appasus Serv.
Diplony chus m.
= aegyptius m. Reg. VIII. 26. 800.
natator Serv. Big den ein' lagentyal Geneg.
Apterotus Dall.
maculatus Dall Reuholl.
Aptus Hhn. v. Nabis.
Aradus F. etc.
Racuminatus F. R. M. Alestaines Um. m.
galbipennis F. R. and agrateoty Sumatr.
= americanus m. Um. fpt. VIII. 115. 889.
annulicornis F. 12. v. betulae.
australis Erichs. Wieg. Arch. van Diem.
= betulae L Fll.
annulicornis F.
ellipticus Duf. Ann. Soc. Ent. II p. 447. V. 89. 537.
depressus betulae Deg.
betulinus Fll. spec. dubis.
= brevicollis Fll
= complanatus Brm. Grm. V. 91. 511.
conspicuus m. Nomel. v. corticalis.
cinnamomeus Panz. 100. 20. cf. pallescens.
?cordatus F. R. Boff or entere Um. m.
= corticalis L Fll.
conspicuus m. Nomel. Grm. V. 90. 538.

٠
٠
٠
٠
٠

?varius Fll F. R. cf. depressus.
= versicolor. m. Schellenb. t. 5. f. 2.b. Germ.
V, 92. 541.
Arenocoris Hhn. v. Coreus.
Arhapha m. Sid a IX. 183. —
= carolina m. Carol. IX. 183. 968.
Arilus Hhn. cf. Pleogaster aurantius et guttifer.
pungens v. Euagoras.
stramineus v. Cidoria.
Arma Hhn. — Serv.
Asopus Brm. — etc.
Pentatoma Hhn. — etc.
Zicrona Serv.
annulipes Grm. Silb.
pavonina Hop. Subafr.
bidens v. Jalla. harrie fine nie 2 geningen be-
= coerulea L (Zicr.) Eur. II. 65. 154.
cornuta Dall
cuprea Dall cill vintoscolal Subf.
= custos F. etc. in the contract of Gur. I. 95, 52.
didyma Palis. (Pentat.) pl. 9. f. 2. St. Dom.
fuscescens Dall. House all regard or regions Mer.
- genei Costa Annal. Soc. X. pl. 6. f. 7. Sicil.
grandis Dall myleld andan (?)
grisea Brm. (Asop.) - Dall. Sandwich.
illustris Serv
lurida F. etc. Dall. v. Podisus.
marginella Dall. an an i maissage and Subf.
modesta Dall
nigrispina Dall want is gualangen Brf.
obscura Dall
pallipes Dall remalfied .v . innalie Beneg.
3

= punctata F. - Wolff. 173. - Eur. II. 69. 157. - schellenberg ii Guer. Coq. pl. 11. f. 9. (Pentat.)

Neuholl.

... ?spinidens F. R. (Cim.)

Tranqueb.

... spinosa Dall.

Columb.

... tincta Dall.

Benez.

Arocatus Spin. v. Lygaeus melanoceph. Arocera Spin. cf. Vulsirea marginalis. Artheneis Spin. v. Cymus.

Arvelius Spin. - Serv. - m.

Acanthosoma Brm.

= albopunctatus Deg. -

gladiator F. — Brm. Spin.

Um. áq. V₂₀ 104. 558.

edessoides Spin. v. Taurocer.

Can.

laciniatus Spin. v. Evoplit.

St. Vinc.

Asopus Serv. - m. - Brm. nov. act.

Enthyrynchus Dall.

armiger v. Coryssorh. furcell.

bidens v. Jalla.

(1) calens v. Platynopus.
catena Drur. v. Platynopus.

chalybaeus v. Stiretrus.

chiropterus v. Cazira verrucosa.

chrysoprasinus v. Asopus smaragdulus.

chrysopterus v. Podisus.

coeruleus v. Arma.

confluens v. Podisus.

conformis v. Canthecona.

coccineus v. Stiretrus.
cruentus Brm. v. Corryssorhaphis.
custos v. Arma.
decastigma m. v. Stiretrus septemguttatus.
decemguttatus v. Stiretrus.
dianae Brm. v. Stiretrus.
dichrous v. Platynopus.
dumosus v. Jalla.
ebulinus v. Coryssorhaph.
figuratus v. Canthecona.

- = floridanus L. Am. aq. IV. 102. 450. fucosus v. Podisus. American American Ser. 1841. p. 115. v. Arma.
- ... geométricus Hag. (?)
 leprosus v. Platynopus, Macrorhaphis Dall.
 luridus v. Podisus.
- -- mactans F. Dall. oculatus F.

argus F. — Brm. nov. act. t. 41. f. 6.
militaris v. Platynopus.
moestus v. Canthecona.
nummularis Erichs. v. Podisus cermatulus Dall.
ochrocyaneus Enc. v. Discocera.
punctatus v. Arma.

= punicus L. - F.

trivittatus m. Platynopus. 103. 451. rhodomelas m. v. Platynopus. 103. 451. salamandra Brm. v. Coryssorhaphis. sanguinipes F. v. Platynopus. tristis m. v. Canthecona. trivittatus m. v. Punicus. 101. ulceratus Kl. v. Coryssorh.

variegatus m. v. Platynop.

verrucifer v. Cazira. Aspathus m. Nematopus m. olim. . Brf. VI. 80. 651. = angustatus m. Aspidotoma Curt. v. Zosmerus. Aspongopus Lap. - Brm. - Serv. - m. Edessa F. R. Pentatoma Enc. ater Drur. v. Janus. alternans Hop. v. Cyclopelta obscura. amethystinus F. v. Pycanum. ... chinensis Dall. Chin. = costalis m. (Basicryptus) Cap. VII. 82. 749. ... cuprifer Hop. Cong. danus Wolff. v. janus.

= erythrocerus Grm. in Silb.

nubilus Hop. The area and Eap. VII. 79. 745.
... fuscus Hop. Sav.

depressicornis m. v. Cyclopelta obscura.

= janus F. VII. 78. 747.

ater Drur = Stoll. 41. — danus Wolff.

vicinus Hop. mactans v. Cyclopelta.

... marginalis Dall.

= melanopterus Grm.

Edessa viduata F. cf. Stoll. 110. Rubia, VII.

Snb. or.

Tenaff.

mutabilis Pert. v. Cyclop. mactans.

... nepalensis Hop. Nep.
... nigriventris Hop. cf. unicolor. Ind. or.
... ?notatus F. Gamb.

nubilus Hop. v. erythrocerus.	
- obscurus F Wolff. 171. Ind. or.	: VII. 8. —
obscurus Enc. v. alternans Hop.	
ochreus Hop.	Bengal.
sanguinolentus Hop.	Ind.
?siccifolius Hop.	Cent.
vicinus Hop. v. janus.	
unicolor m. v. Cyclopelta nigr.	
unicolor Dall.	Bengal.
viduatus F. melanopterus.	
Astemma Lir Serv. v. Capsus.	
Atelocera Lap. — Servus. Brm m.	
= armatus Lap Grm. Seneg. V	П. 52. 720.
centrolineatus Hop.	Jav. Jav.
cervicornis Hop	Sierra L.
furcatus Hop.	Java.
grandicornis Erichs. Arch.	ИИ. 1. 275.
hypomelas Brm it lives!	mente Mio.
lata Hop.	angie Cap.
= limatus Gem. in Silb.	
Halys cincta m. Cap. V	н. 52. 511.
obscura Dall.	Cong.
= obsipatus Grm. in Silb. Port. Nat. V	П. 52. 723.
parvula Dall.	Cap.
raptoria Grm. Silb.	Sierr.
rugosus Hop.	Cap.
= serratus F Stoll. f. 43. Guin. VI	III. 53. 721.
= spinulosus Palis. Guin. V	II. 51: 722.
sticticus Hop.	Gamb!
varicornis Hop.	Hustel.
variegatus Hop.	Hustrl.
Atrachelus Serv. v. Zelus.	

Atractus Lap. Serv Coreus Schill Pseudo-
phloeus Brm. — m. H. — Curt.
cinercus Lap. v. laticornis.
= dalmanni Schill. t. 1. f. 1. Germ. II. 112. 193.
?disciger (Paletrocoris) Kol. t. 7, f. 4. Rauf.
= inconspicuus m
— laticornis Schill. t. 2. f. 2.
cinereus Lap Serv. pl. 4. f. 1. Gur. m.
- lituratus Curt. pl. 500.
= lobatus.
obscurus Gem. Fn. 22. 11 VI. 6. 561. Sicit.
Attus Hhn. v. Capsus.
Augocoris Brm Serv.
beschii Brm. v. cretac.
- cretaceus Panz. Voet. IV. t. 47. f. 8.
beschii Brm. — Grm.
ocsens Bills Gills
sexpunctat. F. desa de l'aliane de Para.
sexpunctat. F. days and being compara.
sexpunctat. F. desa de l'alessa de Para ehrenbergii Grm.
sexpunctat. F. deen der to iene Para ehrenbergii Grm. Mer!! gig as Hop.
sexpunctat. F. de la
sexpunctat. F. Para. ehrenbergii Grm. gigas Hop. gomesii Brm. — Grm. Ztschr. t. 1. f. 1. — Am. et Serv. Para. 1V. 92. 431.
sexpunctat. F. Para. ehrenbergii Grm. Mer. gig as Hop. Mer. = gomesii Brm. — Grm. Ztschr. t. 1. f. 1. — Am. et Serv. Para. 1V. 92. 431. nigripennis Dall. Benezueta.
sexpunctat. F. Para. ehrenbergii Grm. Mer. gig as Hop. g omesii Brm. — Grm. Ztschr. t. 1. f. 1. — Am. et Serv. Para. 1V. 92. 431. nigripennis Dall. Benezueta. olivaceus White v. ehrenb.
sexpunctat. F. Para. ehrenbergii Grm. gig as Hop. g omesii Brm. — Grm. Ztschr. t. 1. f. 1. — Am. et Serv. Para. 1V. 92. 431. nigripennis Dall. olivaceus White v. ehrenb. p allidus Palis. pl. 5. b. f. 8.
sexpunctat. F. Para. ehrenbergii Grm. gig as Hop. g omesii Brm. — Grm. Ztschr. t. 1. f. 1. — Am. et Serv. Para. 1V. 92. 431. nigripennis Dall. olivaceus White v. ehrenb. pallidus Palis. pl. 5. b. f. 8. unicolor Brm. — Grm. Cuba. III. 107. 333.
sexpunctat. F. Para. ehrenbergii Grm. gigas Hop. gomesii Brm. — Grm. Ztschr. t. 1. f. 1. — Am. et Serv. Para. 1V. 92. 431. nigripennis Dall. olivaceus White v. ehrenb. pallidus Palis. pl. 5. b. f. 8. unicolor Brm. — Grm. Cuba. III. 107. 333. — rufus Dall. f. 11.
sexpunctat. F. Para. ehrenbergii Grm. Mer. gigas Hop. Mer. gomesii Brm. — Grm. Ztschr. t. 1. f. 1. — Am. et Serv. Para. IV. 92. 431. nigripennis Dall. Benezuela. olivaceus White v. ehrenb. pallidus Palis. pl. 5. b. f. 8. unicolor Brm. — Grm. Cuba. III. 107. 333. — rufus Dall. f. 11. Columb. = rugulosus m. Am. m. IV. 432.
sexpunctat. F. Para. ehrenbergii Grm. Mer. gigas Hop. Mer. gomesii Brm. — Grm. Ztschr. t. 1. f. 1. — Am. et Serv. Para. 1V. 92. 431. nigripennis Dall. Benezuela. olivaceus White v. ehrenb. pallidus Palis. pl. 5. b. f. 8. unicolor Brm. — Grm. Cuba. III. 107. 333. rufus Dall. f. 11. Columb. rugulosus m. Um. IV. 432. unicolor Brm. v. pallidus.
sexpunctat. F. Para. ehrenbergii Grm. Mer. gigas Hop. Mer. gomesii Brm. — Grm. Ztschr. t. 1. f. 1. — Am. et Serv. Para. IV. 92. 431. nigripennis Dall. Benezuela. olivaceus White v. ehrenb. pallidus Palis. pl. 5. b. f. 8. unicolor Brm. — Grm. Cuba. III. 107. 333. — rufus Dall. f. 11. Columb. = rugulosus m. Aspongopus.

Gastraulax m.

- buonopoziensis Palis. pl. 7. f. 2 Gamb.
indica Dall. Affente . " abert gutte a Rordind.
= thalassina m. Guin. VII. 62. 731.
= torquatus m
Bebaeus Dall.
- punctipes Dall. pl. 10. f. 6.
Beharus Serv.
Reduv. F Lep.
Apiom. Brm. — m.
:= capucinus m. (?) VIII. 76. 846
- lunatus F Stoll. 91. Can
Bellocoris Hhn. v. Odontotarsus et Eurygaster.
Belostoma Ltr. et Serv. —
Belostomum Brm.
Nepa. L. F. IX. 31. t. 290. N. t. 291. H-L.
annulipes m. v. grande.
giganteum Mus. Beror
= grande L Stoll. t. 7. f. IV Roesel t. 26
annulipes m. Umer. IX. 28, 803, 804
indicum Serv. a constant and an all analognet. or
Beosus Serv. v. Pachymerus.
Berytus F. — Brm. — Wolff. etc. mit Neides Ltr. —
Curt. — Serv. — I. 132. t. 21. A—E.
annulatus Brm. corrig. pg. 1010. v. rufescens.
caucasicus Klti. cf. clavipes.
= clavipes F Dtschl. Ins. 135. 6. a Schellenb
t. 4. Germ. I. 135. 69
caucasicus Kol.
= crassipes m. Dtschl. Ins. 135. 6. b. Germ
Costa. Cent. nr. 127. t. 3. f. 5.
elegans Curt annulatas Brm. Corr. cf. punctipes Grm

elegans Brm. p. 313. = annulatas corrig.	v. rufescens.
= minor m. Dtschl. Ins. 137. 7.	Grm
meridionalis Costa. Cent. nr. 36.	×
= montivagus Ent. Zeit.	Helvet.
= punctipes Grm. fr. 7. 21.	
elegans Curt Brm. Germ.	
= rufescens m. Dischl. Ins. 135. 8.	Germ.
elegans Brm. p. 313.— annulatus ibid. co	orrig. p. 1010.
= tipularius L F. Gur.	I. 133. 68.
trichocerus Scholtz. Schles. Gesellsch. 1	1846. p. 151.
	Siles.
Blissus Kl.	
hirtulus Kl. Symb. t. 43. f. 10.	Ubyss.
Bolbocoris Serv.	
tricolor Serv.	Cap.
reticulatus Dall.	China.
= rufus Hop Grm. Seneg.	
= variolosa m. Seneg.	V. 43. 493.
Bothronotus Fieb. v. Enithares.	
Brachypelta Serv.	
Cydnus F. etc. (auch Stoll. f. 223.)	
= tristis L. Hahn. And Cur.	I. 161. 83.
Brachyplatys Boid. Astrol Dall.	
Plataspis Hop. — Serv.	
Thyreocoris Brm. — Grm.	
Platycephala Lap.	
Tetyra F.	
, aenea Dall.	Jav.
aethiops Dall.	Sierr.
complanatus Brm. Nov act. t. 41, f. 3.	
scipio White in Gray.	Philip.
flavipes F. — Grm. Ztsch.	

flaviceps Hop Grm. Ztsch. Reuholl.	
mungo White in Gray Zool. M. Philip.	
= nigriventris Hop Westw. Mag Serv	
Grm. — m.	
silphoides m. and Sav. IV. 83. 415.	
pacifica Dall. Deenn.	
= pallipes F Grm. Zts Dall m. Subafr.	
V. 15. 477.	
acaroides Thb.	
silphoides F Grm. Zeitschr. (Thyreoc.). China.	
- m. v. nigriventris.	
— Brm. Hbd. v. vahlii.	
subaenea Hop.	
septus Grm. Ztschr.	
= vahlii F Coq. II. t. 18. f. 14 Wolff. f. 90.	
papua Guér. Coq. — Grm. Ztschr. —	
silphoides Brm. Hbd.	
variegata Dall. Sierr.	
xanthogramma White in Gray Zool. misc. Philip.	
Brachyrhynchus Lap. — Brm. — Serv.	
Aradus F. etc.	
dilatatus Kl. — Brm. Aber and Banat.	
= membranaceus F Brm. Cap. VIII. 122. 887.	
orientalis Lap. — Brm. Antique and Sava.	
punctulatus Kl Brm Brm. Snd. or.	
Brachysthetus Lap. — Hop. — Serv. — Spin.	
Edessa Sect. II. Brm. — VIII. 1. t. 253. A. B.	
= circumscriptus Kl. Brm. Brf. VIII. 2. 789.	
= cribrum F. Cap. VIII. 1. 788.	
marginatus Lap. — Serv	
= quinquedentatus Spin. Brj. VIII. 3. 790.	
rubromaculatus Dall	
1	

... sexmaculatus m.
Brochymena Serv. — Dall.
Halys F. — m.

= arborea Say Journ. - Dall.

... carolinensis Hop.

= annulata F.

erosa m.

Mer. IX. 310. 1010.

2(m. fpt. - VII. 57. 728.

V. 70, 515.

Um. fpt.

erosa m. v. arborea. = frondosa Grm. Silb. - m. Cap. VII. 58. 726. ... latispina Grm. Silb. Cap. ... Mer. V. 69, 514. = lineolata m. myops F. m. v. Galedanta. pupillata m. v. serrata. = quadripustulata F. - m. Um. fpt. VII. 57. 729. - reticulata Thb. - Dall. - Stoll. f. 111. = serrata F. - Wolff. 178. - Pal. pl. 11. f. 8. - Serv. Georg, IV. 104. 453. pupillata m. Brf. ... unicolor m. Bryocoris v. Capsus. Byrsoptera Spin. v. Caps. rufifrons. Callidea Dall. - Brm. - Grm. - Serv. - Lap. Eucoryssa et Galostha Serv. Calliphara Grm. Chrysocoris Hhn. Scutellera Ltr. - Lam. Tetyra F. S. R. Cimex L. - F. S. R. abdominalis Grm. - Hop. v. dilaticollis. = atricapilla Guér. Coq. Dall. javana Hop. - Grm. - Java. V. 81. 527. aurata Guér. v. chrysopras. aurifera Hop. v. chrysopras.

- baro F Gem.
pallens Sery. pl. 1. f. 4. Ind. or.
- basilica Grm. Stoll. 222. Surie.
bengalensis Hop Grm Dall. Beng.
bifasciata White Ind. or.
billardierii Guér. ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;
- var. Guér. Coq. pl. 11. f. 2. v. dimidiat.
buquetii Guér. v. nobilis.
chromatica White v. sellata,
= chrysoprasina Grm. — H. III. 103. 328
aurata Guér. Voy.
aurifera Hop. Jav.
= dilaticollis Guér. Coq.
stollii Hhn. II. 39. 136.
abdominalis Hop. — Grm.
stockerus Serv. Java.
dimidiata Dall.
billardierii var. Guer. Coq. pl. 11. f. 2.
dispar Brm. v. Cantao.
dorsalis White y: eques.
dregii Grm. — Silb. — (Libyssa Dall.) Subafrifa.
= duodecimpunctata F (Libyssa Dall.) III. 100. 325.
nana HS. Senegal. Cap. V. 83: 530.
eques F Brm Guér. Coq. Serv.
formosa Hop.
dorsalis White, Borneo, Philipp.
crichsoni Grm. Ind. or.
examinans White v. Libyssa 12 punct.
- excellens Brm. Act. Leop. t. 51. 2.
Call. nobilis Grm
fascialis White Dall

festiva Grm festiva Grm Manila.
*** *** ****
formosa Grm. — Hop. v. eques v. Galostha.
= germari Esch. Abh. t. 2. f. 1. Brm. Grm. Guér.
Coq. — HS. Philipp. China. III. 102. 327.
- grandis Thb. nov. pl. 2. f. 46. a contact the Sava.
= imperialis F Don. South S. pl. 3. f. 2
Grm. HS. 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
lateralis Guer. Voy. (Scut.) et elegist fich iber Java.
marginella Hop. Alere a dath rution a Ind. or.
nana m. v. 12 punct.
- nobilis L. amoenit.
var. buqueti Guér.
pustulatus Pz. Voet. IV. 1, 47. 11. 3 3 3 3av.
- Grm. v. excellens.
obtusa Hop. de de de de de de Sav.
ornata Dall. p. 27
parentum White. Itali and Ind. or.
patricia F. Grm. ber and the accounted Trang.
praslinea Guér. Voy. Duperr. t. 11. f. 3.
excellens Brm. nov. act. t. 41. f. 2 Serv.
nobilis Grm. Zts.
speciosa White. philipp.
pulchella Dall. p. 25. Ind. or.
purpurata Hop. Tim.
- purpurea Hop Grm Stoll. 15. 16 Stocke-
rus Wolff. 144 F Ltr. Brm. Inb. or.
pulchra Hop. v. reynaudii.
regalis F. 19 20 10 10 10 10 10 20 20 20 20 20 20 20 20 20 20 20 20 20
regia Hop. v. Calliph.
reynaudii Guér. Bél. pl. 4. f. 3.

pulchra Hop. Gem. All best parents ente Sava?
sellata White, Gray Zool. misc. II. 79. Philip.
chromatica White.
senator F. Grm Schiödte.
dux Kirb.
corallifera Mać L.
basalis Gray. — Grm.
binotata Hop.
festiva Grm.
aurantiaco-maculata Blanch. d'Orb. pl. 4. f. 7.
Neuholl.
= sexmaculata Leach. misc. I. 36. pl. 14 iris Grm.
Java. V. 80. 526.
= signata F. Wolff, 85. Senegal. III. 98. 323.
(Libyssa Dall.)
speciosa White He all and dad anngro Ind. or.
- stollii Wolff. 45 Grm.
stockerus Guer. Coq. wat a gold and Ind. or.
- Hhn.: 136 v. dilaticollis.
- Hop. v. abdominalis.
stockerus L Ltr.
erichsonii Grm.
taprobanensis Hop Grin.
Stoll. f. 172. 1 Ceplon. 3nb.
- Hop. v. Galostha.
Serv. v. dilaticoll.
superba Dall! Jan erent stiele . grani Cent.
taprobanensis Hop. v. stockerus.
vulcanica de Guill. Erichs. Ber. 1841. p. 115.
Banda.
Callinhara Crm

Calliphara Grm.

Scutellera Dall.

- amethystina Stoll. 49. 250. - Grm. Dftinb.

baro Fitte the get lad an attention to China.
basalis Gray Kingd. t. 92. 1
var.? binotata Hop.
basilica Grm. — Stoll. 222?
billardierii F Guer. Dup. t. 11. f. 1. 2. Stoll.
48. and a die Aught Huffel.
binotata Hop. v. basalis.
dispar Grm. v. Cantao.
- fasciata Voet. IV. t. 46. 2 (Scutell.) Dall
nepalensis Hop. — Grm.
amethystina Grm Stoll. 49. 251. Nepal.
grandis Thb. Dftinb.
iris Grm. v. Callid. sexmacul.
javana Grm. v. Callid. atricap.
morgani White mag. III. 542 Ent. Fr (Scu-
tell.) Dall. Gierra.
nepalensis Hop. v. fasciata.
= nobilis F. (non L.) - Voet. IV. t. 47. f. 1
Wolff. f. 46. — (Scutell.) Dall. — Lam. — Brm.
Grm. Z. — Serv. — Stoll. f. 1. 7. 20. 22. 23.
Dftind III. 24. 247.
oblong a Hop Grm (Scutell.) Dall. China.
peronii Guér. Voy. Dup. t. 11. f. 4. Huftral.?
pulchra Hop. And Addition to M. Sav.
= regia Hop. Sava. V, 82. 528.
Calliprepes White Trans. Ent. Soc. III. p. 93.
grayii White Repal.
Camplischium Serv. v. Crinocerus.
Camptopus Serv. v. Alydus.
Campylosteira Fieb.
Tingis Fall.

-	pirmin
Monanthia Brm. — m.	
	11.65 al soonen 280hem.
ciliata Fieb.	egrill .v .m ablage Bohem.
fallenii Fieb. 2 . 2 . 1.	A readgatatey Bohem.
verna Fall.	Suec: 1Vil 64. 398.
Canopus F. — Larve Erichs. Beri	
Cantacader Serv Piesma Li	
quadricornis Duf. Lep. F	
Cantao Serv. (1) 1 .6 . ty .	and officers
Calliphara Grm.	- 7000
Callidea Brm.	
Tetyra F. S. R.	
Cimex F. E. S.	
= ocellatus Thb dispar	
	Ind.: or III. 38. 324.
parentum White Mag	
	Philippinen.
Cantharodes Westw.	711 1 70 C D 000.0.C.C.
caenosa Westw. Ent. Tr.	1v. pl. 18. 1. 3. Westafr.
Canthecona Serv.	
Pentatoma Palis.	
Asopus m.	in angel . Subafr.
annulipes Dall.	
= armiger m Dall.	Otere. VII. 113. 211.
coerulea Dall.	
= discolor Pal.	10 1, 2000 1 1 14, #20 0 100
tristis m.	Cap. (VII. 120. 777.
figuratus v. Jolofa.	Cup Trac. amo. cor.
furcellata Wolff. 176. — D	all v Corissorhanhis.
grandis Dall.	
grisea Dall.	
grisen Dane	

marginella Dall.	and midlighan & Sierra.
marmorata Dall.	. wil armanda Gubafr.
moestus m. v. Glypsus.	
phymatophora Pal. pl. 8	. f. 2. (?)
tristis m. v. discolor.	10 k 1 m 110
= yolofa Guer. ic. pl. 65. 2	2.
figuratus Gem. Silb.	. Cap. VII. 113. 710.
Canthesancus Serv.	Still Flase
- trimaculatus Serv. pl. 7	. f. 10. Jav.
Capsus F. etc.	Hipkara Co.
?aequinoctialis Scop. (Cim.) Carniol.
= affinis m. Mey. t. 1. f. 5	
pabulinus Fll.	s .1 7 was ill Grm.
agilis F H. v. histrioni	cus. Allertailer v
albidus Kol. 109. t. 11.	f. 27. Rauf.
= albipennis Fll.	Grm. II. 91. 177.
albomarginatus F Fll.	Lopus.
= alienus m.	Grm. III. 53. 271.
alpinus Kol. 100.	del and Michael Armen.
= ambiguus Fll.	Grm. VI. 43. 602.
= ambulans Fll.	III. 109. 335 — 337.
var. b.	Grm. III. 110.
= angulatus Fll.	Grm. III. 75. 292.
- angustus M. Nomel. 49.	- Mey. t. 2. f. 3. Grm.
= annulatus Wolff.	Grm. III, 52. 270.
- annulicornis Nomel. pg	
= annulipes m.	Grm. V. 101. f. 669.
apicalis H. v. lateralis.	
aptera Cicada L. v. pallicori	nis.
apterum (Astemma) Serv. v	•
arenarius (Attus) v. pallico	
= arhustorum F. — M. t.	3. f. 1. — III. 80. 300.

lugubris H. Grm. II. 138. 225.
artemisiae Schill. Giles.
= ater L. I. 126. 65.
tyrannus F.
flavicollis F. Grm.
- atomarius M. n. 46. t. 4. f. 3
aurulentus Schill. Silef.
= avellanae Mey. n. 16. t. 2. f. 2 Socio. V. 104. 670.
Helv.
= betuleti Fall Nomel. p. 52. H. Grm. II. 136.222.
biclavatus m. Nomel. p. 48. v. bifasciatus.
== bidentulus m. Eur. m. VI. 96. 668.
= bifasciatus F. Grm. III. 7. 232.
— Fil. — F. v. clavatus.
= bilineatus Fll Grm. III. 70. 285.
= bimaculatus Nomel. p. 51 Hffg. Grm.
VI. 48. 607.
- Sulz. Kennz. v. tibialis.
=.binotatus F. Grm. III. 77. 296.
- Fil. M. 51. v. chenop.
= bipunctatus F. III. 79. 298.
quadripunct. F. Rh. 157. Grm.
- brevis Pz. 59. 8 M. n. 108. Grm.
- brevicollis Mey. n. 4. t. 1. f. 4. Spelv.
brunneicornis m. Nomel. Grm.
- brunnipennis M. n. 35. t. 3. f. 2. Helv.
? calens L. S. N. Ind.
campestris L. v. pratensis.
capillaris F. v. tricolor.
capitatus Nom. 55. Grm.
- capito (Globiceps Lep.) Serv. pl. 6. f. 1. Gatt.
?carceli Lep. Enc ?

caricis Fll.	Grm. If. 100. 184.
= cervinus m.	Grm. VI. 57. 617.
≒ chenopodii Fll.	
binotatus Fll F Hhn	1. 202. 103.
punctatus F.	
Miris laevigat. Pz. 93. 21.	Grm.
- chloropterus.	
elegantulus M. n. 69. t. 5. f.	2. Grm.
- chorizans Fll Pz. 18. 21.	_ Grm. M. n. 50.
	t. 4. f.4.
chrysanthemi Hhn. cf. decolor.	
- cinctus Kol. 114. t. 11. f. 29.	Rauf.
= clavatus L. (Globiceps) Serv.	III. 47. 264.
bifasc. F. Fll.	om.
- coccineus M. n. 48. t. 4. f. 5.	Selv.
coerulescens Scholtz.	Giles.
= collaris Fll H.	II. 121. 203.
errans Wolff.	Grm.
= contaminatus Fil.	Grm. I. 151. 76.
= cordiger m. Nomel. p. 51. Hhn	. Grm. II. 75. 171.
= coryzoides m.	Grm. V. 35, 387.
= coryli L.	
pallipes H.	Grm. I. 26. 16.
= crassicornis H.	Grm. III. 85. 308.
= croceipes m. Um.	bor. VIII. 16. 792.
cruentatus Brull. Mor. 4. 83.	8. Grac.
curvipes M. v. thoracic.	
cyllocoroides Scholtz.	Silef.
= dalmanni Fll. Mon.	Grm. I. 210. 108.
danicus Hhn. v. tricolor.	
— decolor Fll.	
chrysanthemi IIhn.	Grm. 1. 10. 4.

declivis Scholtz. Giles.
decoratus Meyer v. sphegiform. Ross.
= diopsis Brm. Uraf. IX. 166. 961. 962.
= distinguendus m. Grm. IV. 33. 384.
= divisus m. 2(m. ag. IX. 167. 960.
elatus F. — Pz. — W. v. trifasc.
elegantulus Mey n. 69. t. 5. f. 2. v. chloropt.
errans Wolff. v. collaris.
= erythromelas H. Sard. III. 6. 231.
erythrocephalus Nom. p. 52. Grm.
- 01) 011 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
= externus m. 2m. bor. VIII. 16. 791.
= fallenii Hhn. Nomel. p. 52. Grm. II. 89. 175.
= fasciatus M. n. 89. t. 5. f. 5. Selv. VI. 99. 671.
fasciiventris m. Nom. Grm.
= ferrugatus F I. 204. 104.
roseomaculat. Deg. Grm
= filicis L Wolff. f. 43. Grm. II. 86. 172
flavicollis F. v. ater.
= flavomaculatus F Wolff, f. 108 Pz. 92. 16
Grm. III. 10. 235
flavomarginatus v. Phytocoris.
- Costa Annal. Soc. Ent. X. pl. 6. f. 3.
flavosparsus Sahlb. Act. Soc. Fenn. 1. Fasc. 2.
Fenn
flavovarius F Fll. Hhn. v. kalmii.
= floralis Hhn. Grm. I. 157. 81
= fraxini Nom. Grm. III. 81. 303.
= fulvomaculatus Fll. Grm. VI. 35. 593
III. 81, 302. III. 50, 267

- var. Fall. v. lateralis.	
= furcatus m.	Grm. IV. 79. 408. 409
= gemellatus m.	Grm III 81. 301
gibbicollis Nom. pg. 51.	. Conners is Grm
gothicus v. Lopus.	
gracilicornis Scholtz.	Siles
gramineus F. cf. kalmii.	
graminis Fll.	Guec
= gyllenhalii Fll.	Grm. III. 86. 310
hieracii Hhn. v. thunbergi.	
- hirtus Curt. (Chlamydatus)	t. 693,
= histrionicus L.	
agilis F.	Germ. H. H. 98, 182
agilis F. — holosericeus Hhn.	Grm. L. 27, 17
	VI. 45. 601
- hortensis M. n. 31. t. 3.	
- hortulanus M. n. 52. t. 7.	
humuli Schumm.	Silof
icterocephalus Hhn. v. nassat	
	Grm. : IV. 30. 381.
?invidus Rossi nr. 1326.	
= kalmii L.	Sun Sun
gramineus F.?	
· ·	Grm., H. I. 211, 109,
= lateralis Fll. — m.	Othi, ii. 1, 211, 109,
seticornis F Wolff	D.
	Н. 1. 220, 114.
fulvomaculat. var. Fall.	
Hhn. v. unifasc.	
lugubris Hhn. v. arbustor.	(I) WW. (I)
= luridus Fil.	Grm. III. 87. f. 312.

```
... Inteicollis Nom.
- maculipennis H. S. Ncl. M. n. 60. t. 51. Grm.
= maerkelii H. S. 1 1 1 1 1 Grm. IV. 178. f. 406.
                    Grm. I. 130. f. 67.
 = magnicornis Fll.
 = mali M. n. 30. t. 2. 3 11.1 Jall angnaide Selv.
  marginatus Hhn. v. unifasciatus.
 = marginellus F. - Brm. - HS. Nom. -
      scriptus F. nr. 32. - Hhn. Grm. II. 120. 202.
                          Grm. III. 69, f. 281.
 = marginepunctatus m.
                                           Ital.
 ... mat. Rossi.
 = melanocephalus L.
                            Brm. 1. 155. 79.
      revestitus Fll.
      pallens F.
 - melanochrus m.
                     Mer. VIII. 17. f. 793.
 = me laxanthus m. 2(m. ber. VIII. 18. f. 794.
 ... mercopterus Rossi. 300 and a. 3 fentennenn Stal.
    - Scop. n. 1344. v. spissicornis. in a monthly
- meyeri Kol. 74. t. 11. f. 26. 24 apter man Rauf.
                  9 ..... Grm. IV. 34. 386.
 = miniatus HS.
 - minor (Chlamydatus) Curt. - Serv. (Pachytoma)
      Costae ann. Soc. ent. X. pl. 6. f. 4. ... ofre Stal.
- modestus M. n. 40. t. 3. f. 5.
= molliculus Fll.
                   Grm. VI. 32. f. 589.
                            Mit grangen Siles.
 ... montanus Schill.
                          2(m. bor. VIII. 19. 795.
 = multicolor m.
 = mutabilis Fll. - M. n. 23. - L. fn. - Hhn.
                              Grm. II. 137. 223.
                         3rm. ; II. 95. f. 180.
 = - (Halticus)
 = nassatus Fall.
                     11 10 1 m to I I. 153. 78.
                             il vintani, al., 149. 75.
       icteroceph. H.
                       Grm. auftr. III. 82. f. 304.
 = neglectus.
```

= nigerrimus m.	Grm! - III. 187. 311
nigrita: VI. 45. f. 601. v. hol	oseric.
nigrovittatus Costa. Cent.	nr. 76. Ital
- nitidus M. n. 107. t. 6. f.	1. A dillowood Spelv
= nubilus HS. Pz. 135. 9.	
oblongus Kol. t. 11. f. 28.	
= pabulinus L M. t. 1. f	. 3. — Grm. I. 148. 74
pallens v. melanoceph.	
pullescens m. Nomel.	c. A migene Germ
= pallicornis L.	100 m a gradit; 114. 61
Astemma apterum Serv.	
Cicada apt. L.	
Attus arenar.	Grm. III. — 255
= pallidus HS.	Grm. III. 51. f. 269.
pallipes (Phylus) v. coryli.	
- parallelus M. n. 21. t. 6.	f. 3 Selv.
passerinii Costa Ann. Soc.	
pastinacae Fll H. v. tripu	
= pauperatus HS.	
peregrinus m. Nomel.	Germ.
pilicornis m. Nomel.	
= pilosus H.	
	Grm. II. 87. 173.
= plagiatus HS. Pz. 135. 10.	
planicornis Kol.	die werner von Rauf.
= -1-1 -1- m 1-171.	Grm. III. 84. 306.
Pallis magnicornis Schill.	
= prasinus H.	Grm. III. 8. 233.
= pratensis L Fll.	I. 217. 112.
umbellatar. Pz. 93, 19.	
campestris H.	Grm. I. 218. 113.
= propinguus HS.	Grm. VI. 47. 606.

= pteridis Fall Grm. fn. 10	. 13. Grm.
?pubicornis F. Lyg.	um fan ellas Umer.
= pulcher m.	Grm. III. 75. 293.
= pulicarius Fall.	Grm. I. 117. 62.
pulverulentus Kl. — M. n.	31. Selv.
punctata Zett. — Kol. 98.	Suec.
punctipes m. Nomel.	Na Berm.
- punctulatus Fll M. t. 4.	
?punctum album Rossi nr. 13	
pusillus m. Nom.	es entil belst Grm.
	Mm. åg. III. 67. 281.
quadripunctatus F. R. v. bipunc	tat.
querceti m. Nom.	.cli .ibi Grm.
revestitus Fll. v. melanoceph.	
roseomaculatus Deg. v. ferrugati	ns.
= roseri HS.	Grm. 1V. 78. 407.
= roseus Fll. Grm. III. 7	71. 287. VI. 46. 604.
?ruber L. Fn.	mer, in an 1. Suec.
Nomel.	.1 editelline Gem.
= rubicundus Fll.	e protoff, and the
Lygus rubricat. H.	Grm. 1. 156. 80.
= rubricatus Fll.	
Lygus rufescens H.	Grm. 1. 28, 18.
- Hhn. v. rubicundus.	
rubrinervis Nom.	Cara Sulliver 19 - Grm.
= rufrifons Fil. VI act	
Byrsoptera erytroceph. Spir	
= rufipennis Fall.	Grm. VI. 50. 610.
rufipes F. v. trifasc.	
= rugicollis m.	Grm. III. 80. 299.
1401745 1111	ur. mer. 1V. 34. 385.
= salicellus M.	Grm. VI. 47. 605.

```
= saltator Hatt (at fat fattil)
                                 Grm. III. 11. 236.
  ... saltians Fall. (Astemma) Serv.
  ... salviae H.
                                 Grm. II. 133. 217.
= sanguineus F.
                               11. Grm. .. III. 70. 286.
  ... schillingii Schumm. _ [ ] autaglagarine Gilef.
 = scriptus F. S. R. n. 153.
                             Grm. II. 129. 294.
       - F. nr. 32. - Hhn. f. 202. v. marginell.
... scutellaris Nome , w Millian ... Grm.
 = ... F. ... First and in the Grm. II. 205. 105.
= seladonius Fall.
                           Grm. VI. 33. 590.
semiflavus Fll. - Wolff, 38. v. unifasc.
    seticornis F. - Kol. v. tibialis Wolff. v. lateralis
      FII. HS.
 = setulosus HS.
                              Sung. IV. 30, 380.
          Mayer n. 13. t. 1. f. 1. . Selv. spec. div.
 = sexguttaxus F.
                               Grm. III. 77. f. 295.
= sexpunctatus F. - Hhn. Grm. II. 131. 113-216.
 ... signatus Nom.
                                 Grm.
 - solitarius M. n. 62. t. 5. f. 4.
                                              Delv.
 = sphegiformis Rossi. - Kol.
       clavatus L. sec. Fall. -
       bifasciatus Fll. F. HS. Grm. III. 48. 265.
       decoratus M.
                      Il a contra 2 cont
                                              Selv.
 - spinolac M. nr. 2. t. 1. f. 2.
                                              Delv.
- spissicornis F. (Heterotoma) Serv. Pz. 2. 16. Grm.
 = striatellus F. - Pz. 93. 17. - Grm. II. 133. 218.
 = striatus L. - Pz. 93. 22. - H. Grm. II. 134.219.
... superciliosus L. Fn. cf. fulyomaculatum.
 = suturalis m.
                                Sung. IV. 32. 383.
= tanaceti Fil.
                                 Grm. : III. 85. 309.
 = tenellus Hhn.
                                  Grm. I. 158, 82.
= tetrastigma m.
                                Mer. IX. 166, 959.
```

= thoracicus Fall - M. n. 90. t. 6. f. 5. Grm.
curvipes M. n. 80. t. 5. f. 3.
= thunbergli Fil Grm. fn. 13. 19.
Lopus hieracii Hhn. Gem. I. 144. 73.
= tibialis Nom. (balte Gent. I. 128. 66.
- ticinensis M. v. 88. t. 6. f. 1. Spelv.
transversalis F. cf. tripustul.
= tricolor F Pz. 93. 20 danicus F H. Grm.
, i se e e e 1. 17. 9.
? - F. Rh. n. 176. Inb. or.
= trifasciatus F.
rufipes F.
elaius F Pz. 73. 20
triguttatus L. Grm. II. 99. 183.
= tripustulatus F Fll. Grm. I. 213. 110.
pastinacae Fll. I. 215. 111.
? transversalis F. Charles at the action of the second Grm.
Fristis Scholz. Gilef.
= tumidicornis m. non M. Grm. III. 81. 307.
Mayer n. 25. 200 3 2 10 1 200 5pelv.
tyrannus F. v. ater.
umbellatarum Scop Pr. v. pratensis.
= umbratilis Fll. Grm. III. 49. 266.
= unicolor H. Grm. III. 94. 179.
= unifasciatus F.
semislavus Fli Wolff. f. 48 I. 208. 107.
lateralis. II. 85, 169.
marginatus. (11). 20 10 (11) 10 Ornt. 11. 85. 170.
?vandalicus Rossi. nr. 1348.
variabilis Fll. Gent. III. 137. 224.
warians M. n. 39. Grm. VI. 45. 603.
Vaticornis Erichs, Wiegm. Arch. 1842. Ban Diem.

varie catus Costa Centen. 78.

1: Stal.

variegatus Costa Cent. in. 18. i mar grant Stute
varipennis Hffgg. v. punctulat.
= verbasci HS M. n. 42. t. 4. f. 1. Grm.
= virgula HS. Grm. III, 51. 268.
= viridulus Fll. — M. n. 51. t. 7. f. 2. H. H. 136. 221.
Grm.
vitellinus Scholtz
= vittipennis HS. Grm. III. 83. 305.
? vividus F. R. Dania.
waltlii m. Nom. att Germ.
Catacanthus Spin. — Serv. — Cimex Sulz. — Wolff. —
Edessa F. — Pentat. Cap.
- anchorago Drur. Jns. at at M. III. pl. 46. 5.
rutilans F. Stoll. 122.
- aurantius Sulz. Gesch F Serv.
aurantiacus Brm. 14 manig Uffia. Philip.
-incarnatus Deur. III. pl. 36. 5.
nigripes F Thb Wolff. 11 Stoll. 10.
Ind. or.
- nigripes Sulz. Gesch.
punctum F.
carrenoi Le Guill. Rev.
Stoll. f. 40.
Catamiarus Serv., v. Pirales.
Cataulax Spin. — Serv. — Dall.
macraspis Pert. Del. pl. 33. 7 Spin.
Catoplatus Spin Cost v. Monanthia cost.
Catostyrax Serv. v. Platynotus & Oplomus.
Cazira Serv. — Pentatoma Westw. — Asopus Brm. m.
= chiropterá m
verrucosa Serv. pl. 3. f. 8
= ulcerata m. Songfong. IV. 103. 452.

... verrucosa Westw. Zool. Journ. v. pl. 22. f. 7.

? peregrinator L. Mus. Ulr.

verrucifer Brm. Hbb.

Centrocoris Kol. v. Enoplops.

Cercotmetus Ser. IX. 32. —
... asiaticus Serv.
Cermatulus Dall. v. Podisus.

- variata Serv. pl. 12. 4. Chaerosoma Costa v. Chorosom.

t. 217. C. D.

Cethera Serv.

Cephaloctous Duf. - Serv. Schiödte in Kroyer naturh. Tids. IV. 328. dufourii Sol. in. litt. v. Amblvottus. = histeroides Duf. Ann. soc. III. pl. 5. 6. - Cydn. Disp. VII. 108. t. 248. scab. F. ... melolonthoides Schiödt. Ind. or. scarabacoides Ramb. v. histeroid. Cephaloplatus White. Dryptocephalus White. ... australis Dall. Menholl. ... pertyi Ent. Tr. III. 90. Cerascopus Heinek. Isis 1831. p. 101. ... marginatus Carve einer Hydrometr. Ceratocoris White Entom. - Dall. - Plataspis Westw. ... bucephalus White. Westw. - Ent. - Trans. IV. pl. 18. f. 1. Beftafr. Cerbus IIhn. - Bem. v. Mictis, welcher Dame alter. fulvicornis Hhn. v. Mict. tenebros. phyllocnemis Brm. v. Spathophora. umbrinus Brm. v. Piezogaster.

Chariesterus Lap. - Serv. - Brm. 13. VII. pg. 3.

albiventris Brm.	ŗ.
bicolor Griff, anim. K, pl. 92, 4.	
carmelita Brm. Gierra, S	۶.
cruciger F. R. (Lyg. 32) Stoll. 175.	
Bei Serv. als Machtima, wohin mahricheinlich noch mel	h=
rere Arten Burm, gehoren.	
fasciatus Brm. Br	ſ.
- gracilis Lap. pl. 53. 6 Serv. pl. 4. 2. Con	ı).
marginalis Brm. Me	ŗ.
= moestus Brm. Mer. VII. 3. 68	1.
spinosus Brm	ſ.
vexillaris Brm. Br	ſ.
Cheirochela Hop. Linn. Trans. XVIII. p. 442.	
assamensis.	n.
Chelochirus Spin. Guer. Mag. & Rev. p. 383.	
a trox Erichs. Ber. 1839. pg. 101. 3av	a.
Chirochela Fieb. v. Cheirochela.	
Chlaenocoris Brm Grm Serv.	
Globocoris Hhn. V. 26.	
apicalis Grm. Brf. V. 28.	
= caesus Grm	9.
= impressus F. Hop III. 24, 248. V. 27, 48	0.
Chlamydatus Curt. v. Capsus minor.	
Chlorocoris Spin m VII. 4	9.
Thelima Serv.	
= complanatus Guér. Coq. pl. 2. f. 13.	
tau Spin.	
deplanatus m. VI. 68. 633. B	ef.
rufispinus Dall.	r.
Choerocoris Dall.	
Callidea et Pachycaris Grm.	
Tetyra Serv. — F.	

= aulicus. Pachuc. Grm. - Silb. - m. V. 10. 467. ornat. Grm. - Silb. Gubafr. ... paganus F. - Don. South. pl. 3. f. 4. -Guér. Cog. pl. 11. f. 5. Astrol. pl. 11. f. 4. Reuholl. Reuholl, ... variegatus Dall, Choerommatus Serv. ... farinosus Serv. pl. 4. f. 4. : Genegal. Choerycydnus White Grey, Reise S. 472. Erichs, Ber. 1841. pg. 115. ... foveolatus. R. George, Gunb. Chondrocera. ... foliacea d'Orb. Vov. Chorosoma Curt. - Serv. Chaerosoma Costa. Rophalus Schill. - m. = schillingii Schumm. Chor, arundinis Curt. Grm. IV. 74. 402.

Chrysocoris Hhn. Callidea.. Cicada aptera L. v. Capsus.

Cimer F.

Cidoria Serv.

... flava Serv. pl. 12. f. 15.

. Cap.

= straminea m. 2(m. m. VI. 92, 663.

Cimbus Hhn. - Brm. - Serv. I. f. 33.

= productus H. Java. I. 34. 23.

versicolor Lap, v. Tiarodes.

Cimex L. — F. — W. — III. t. 70. B—D. — IX. t. 308. E. — K.

abietis L. fn. v. Platygaster.

acantharis C. cf. Volinus. - Sulz. Gesch. v. Pygodes. scaroides Thunb. v. Thyreocor, pallip. acuminatus L. fn. v. Aelia. acus Deg. v. Limnobates. adspersus F. R. v. Pentat. aegypticus L. v. Pyrrhocoris. aeneus Scop. v. Pentat. perlatum. aereus m. v. Pentat. aethiops F. E. S. v. Cydnus. aequinoctialis Scop. v. Capsus. agathinus. W. - F. v. Acanthosoma. aggressor F. R. 49. v. Pentat. agilis Scop. Schr. v. Stenoceph. nug. albicollis F. v. Loxa. albipes F. R. 15. v. Pentat. sphacel. - F. R. 144, v. Pentat. gamma. albofasciatus Deg. t. 34. f. 11. albolineatus F. Wolff. v. Ancyrosoma. albomarginatus F. R. 121. v. Cydnus. albopunctatus Deg. v. Arvelius. alienatus F. R. v. Pentat. allionii L. v. Psacasta pedem. alpinus Scop. carn. v. Salda. saltat. anchorago F. E. S. v. Stiretrus diana. andreae L. cf. Stiretrus. annulatus L. fn. v. Harpact. - Sulz. Gesch. v. Harpactor cruentus. annulus F. E. S. v. Sphaerocoris. apicalis m. v. Pentat. appendiceus Vill. v. Tingis pyri. apterus L. v. Pyrrhocor.

arabs L. v. Edessa. ?

arcuatus F. E. S. v. Pachycor.

arenarius L. fn. v. Pachym.

argus. Drur. v. Sphaerocoris.

- F. E. S. v. Pachyc.

armatus F. R. cf. Pentat.

ater L. fn. v. Caps.

atomarius F. R. cf. Pentat.

aurantiacus Sulz. v. Catacanth:

aurantius F. E. S. - Sulz. - v. Catacantha.

auriculatus Deg. v. Syromast. marg:

austriacus Schr. v. Eurygast. maur.

azureus F. R. cf. Pentat.

baccarum L. fn. - F. v. Pentat.

balteatus L. - Drur. I. pl. 43. 3. Um. inf. vielleicht eine Unisofeelis mit falichen. Sinterbeinen.

beryllinus L. - Wolff. Index 130. cf. Arma custos.

beryllus F. R. v. Pentat.

betulae Li. fo. v. Aradus.

- Deg. v. Acanthos. gris.

bicolor L. fn. v. Cydnus.

bidens L. fn. v. Jalla.

- Sulz. Kennz. cf. Arcanthos. haemorrh.

biguttatus F. E. S. v. Cydnus.

- L. v. Platymeris.

bimaculatus Sulz. Kennz. t. 11. f. 7F. v. Caps. tibialis.

binotatus F. R. v. Pentat.

bioculatus F. R. cf. Pentat.

bipunctatus L. Mus. Ulr. y. Pentat.

bipustulatus L. - Deg. v. Leptoscelis haemorrhous.

- F. R. 19. v. Pentat. ypsilon.

bispinosus F. E. S. v. Podops,

bispinus Panz. v. Sastragala. boscii F. E. S. v. Pachveor. branderi L. ? brevicornis F. E. S. v. Amaurus. calcaratus L. fn. v. Alvdus. - Sulz. Kennz. v. Cydnus. tristls. calens L. cf. Caps. - F. R. cf. Pentat. calidus F. R. cf. Pantat. campestris L. fn. v. Caps. carbonarius Ross. v. Pachymer, echif. cardui L. fn. - Deg. v. Tingis. carinatus. Drur. v. Prionotus serr. carnifex F. R. v. Pentat. catena Drur. v. Platynop. cerinthe F. E. S. V. Psabasta. cervus F. E. S. v. Edeska. chinensis Thb. v. Tesserat.

. ciliatus Eversm. Bull. d. l. Soc. de Mosc. 1814.

II. 359. Ruff. m.

— F. R. vix. Cydn.?
cinctus F. R. v. Rhaphig.
cinnamomea v. Pentat.
clavatus L. v. Caps.
clavicornis L. fn. v. Ting.
claviger Grez. Diur. cf. Leptocoris.
clypeatas L. — F.?
coarctatus v. Podops. bispin.
coelebs F. R. v. Pentat.
coeruleus L. fn. v. Arma.
collinus Scop. v. Pachym. pini.
collaris F. R. v. Acanthos. haematog.

collaris L. S. N. v. Sycanus coloratus Kl. Symb. v. Pentat. compressipes Drur. v. Metopodus. conicus L. cf. Cymus thymi. conspicillaris Drur. v. Hammatoc. convergens m. v. Pentat. corticalis L. fn. v. Aradus. corticatus Sulz. Gesch. v. Ploca. coryli L. fn. v. Caps. costatus F. E. S. v. Eurygaster. crassicornis L. fn. v. Corizus. crenator F. cf. Pentat. cribrum F. E. S. v. Brachysthet. cristatus L. Drur, Sulz. - v. Prionotus. croceus L. v. Caps. cruciatus L. - W. v. Pentat. cruentus F. v. Edessa. crux Thb. v. Physorhynch. cucullatus L. cf. Eurygaster maurus. culiciformis Deg. v. Gerris errat. custator F. cf. Pentat. custos F. v. Arma. dama F. v. Placosternum taurus. debellator F. v. Pentat. decrepitus F. E. S. v. Miris errat. delirator F. v. Prooxys. dentator F. - W. v. Halvs. dentatus Göz. - Deg. L. v. Acanthof, haemag. denticulatus Scop. v. coreus. - Wolff v. Coreus pilicorn. deplanatus m. v. Pentat. deplanus many, Pentat.

depressus m. v. Pentat.

- betulae Deg. v. Aradus.

desfontainii F. E. S. v. Trigonosoma.

dimidiatus Hag. v. Pentat.

diophthalmus F. v. Scutell. banks.

discoideus F. cf. Pentat.

discolor W. v. Pentat.

dispar F. E. S. v. Cantao.

dissimilis F. - W. v. Pentat.

divisus m. v. Pentat.

dolobratus L. fn. Schr. v. Lopus.

dominulus Scop. - W. v. Eurydema fest.

druraei L. Mant. Sult. Gesch. v. Scutell.

dubius Scop. v. Cydnus albomarginell.

dumosus L. fn. F. v. Jalla.

elatus F. cf. Pent.

elector F. cf. Podisus luridus

emeritus F. cf. Pentat.

eques F. E. S. v. Galostha.

equestris. L. fn. v. Lyg.

- Mus. Ulr. v. Lyg.

erosus L. S. N. n. 19. Sulz. t. 11. f. 71. v. Syrtis.

erraticus L. fn. v. Miris.

eryngii Grm. fn. v. Pentat.

- Hhn. v. Pentat nigricorne.

erythropus L.?

exanthematicus Scop. v. Psacasta.

fabricii L. v. Pachycor.

- Wolff v. Pachyc. guttula.

familiaris Ross. v. Lyg. venust.

fasciatus F. cf. Pentat.

femorapunctatus Wolff 151. v. Capsus.

femoratus Deg. t. 35. f. 4.? ferrugator F. v. Sastragala. ferrugineus L. S. N. v. Pachymerus. ferus L. fn. v. Nahis. festivus L. W. v. Eurydema. filicis L. fn. v. Caps. fimbriatus F. v. Pentat. flavescens F. cf. Pentat. flavicinctus m. v. Ochlerus. flavicoll. Drug. v. Loxa. flavicollis Pal. v. Rhaphig. smar. flavo-quadrimaculatus Deg. v. Capsus. flavicornis F. E. S. Wolff. v. Cydnus. flavipes F. E. S. v. Thyreocoris. - Scop. Capsi diversi. floridanus L. v. Asopus. frischii L. v. Eurygaster maur. fulvus Deg. t. 34. f. 22. -? fuliginosus L. fn. v. Odontoscel. falvo niger Deg. t. 34. f. 21. -? fulvipes Deg. cf. Cnemodus. - Scop. v. Caps. flavomac. funebris F. cf. Pentat. furcellatus W. v. Coryssorhaph. furcifer F. v. Cocloglossa. - W. v. Coelogl. Sehest. furcis Drur, v. Hammatocerus, fuscus Geoff. v. Eurygast. maur. galii W. v. Psacasta. gallae Mull. W. 84. v. Anthocor, gallarum ulmi v. Anthoc. nemoralis Deg. gamma F. v. Pentat.

gazelia F. E. S. v. Hypoxys, geniculatus F. E. S. v. Edessa. genistae Scop. Capsi diversi. geographicus F. v. Pentat. gladiator F. 36. v. Arvelius. - F. 50. v. jaculator. glaucescens F. cf. Pentat. glaucus F. E. S. v. Edessa. globus F. E. S. v. Coptosoma. gothicus L. fn. v. Caps. gramineus F. cf. Pentat. grammicus L. W. v. Odontotarsus. gravis F. cf. Pentat. griseus L. fn. v. Acanthosoma interstinct. - W. v. Rhaphig punctipennis. griseus nigropunct. v. Pent. perlat. gronovii L. S. N. -? grossipes abietis Deg. v. Platygaster. grylloides L. v. Ophthalm. guineensis L. v. Platymeris. guttatus F. cf. Erthesina. haemagaster Schr. v. Acanthos. haematicus m. v. Loxa. haemorrhoidalis L. fn. v. Acanthos. haemorrhous L. v. Leptoscelis. hastator F. v. Prooxys. heros F. cf. Arvelius. = hirundinis m.

histrio F. v. Pentat.

L. S. N. 12. —?
histrionicus L. v. Caps.
hortorum L. W. 154. v. Miris.

Grm.

hottentotus F. v. Eurygaster. hybridus Scop. v. Pirates stridulus. hvoscvami L. fn. v. Corizus. - Sulz. Kennz. v. Lyg. equestris. - capensis W. 104. v. Lvg. ictericus L. v. Pentat. illustris F. E. S. v. Pachyc. imperialis F. E. S. v. Calliphara. impressus Coq. v. Pentat. incarnatus Drur. W. v. Catacanth. incisus m. v. Macropygium. incultus Erichs. Arch. VIII. p. 275. -? indus L. v. Nematopus. inscriptus F. v. Pentat. interstinctus L. fn. v. Acanthos. inunctus W. v. Podops. iracundus Scop. v. Harpact, cruent. iratus F. v. Pentat. irroratus F. E. S. v. Pachyc. iserti F. cf. Pentat. italicus Ross. v. Pyrrhoc. jaculator F. v. Arvelius gladiator. janus F. E. S. v. Aspongopus. javanicus Thb. W. 12. v. Tesserat. jucundus Kl. Symb. v. Pentat. junceus Scop. v. Alydus. juniperinus L. fn. F. v. Pent. kalmii L. fn. v. Caps. kermesinus L. L. cf. Lyg. laciniatus Vill. v. Phyllomorpha. lacteolus L. v. Pachym. lacustris L. fn. v. Hydrometra.

lactus F. v. Pentat. laevigatus L. fn. v. Miris. laniarius L. v. Caps. danicus. lanatus F. v. Odontoscelis.

= lectularius L. fn. 909 et 10.

III. 17, 242. Acanthia F. - Wolff. - Brm. - Serv.

le Reddi Le Guill. Rev. 2001, cf. Pentat. leucocephalus L. fn. v. Caps. leucogrammus L. W. 89. v. Ancyrosoma. leucomelas L. W. 62. v. Cydnus. liligerus F. E. S. v. Coeloglossa furcif. limbatus F. v. Pentat. linea Kl. Sym. v. Pentat.

lineatus L. v. Graphosoma. - Sulz Kennz. v. Euryg. maurus.

lineola L. Deg. v. Largus.

- Sulz. Gesch. v. Limnohates.

- F. E. S. v. Pachyc.

littoralis L. fn. v. Salda.

litura F. E. S. v. Odontoscelis.

lituratus F. W. 14. Acanthosoma.

longipes Deg. v. Emesa prec.

- L. cf. Trichoscelis.

lugens F. E. S. W. 180, v. Pentat.

lunula F. cf. Eurydema.

luridus F. v. Podisus.

lynceus Coq. v. Coeloglossa.

lynx W. v. Pentat.

- Panz. v. Pentat, sphac.

mactans F. v. Cyclop.

macula F. cf. Hypoxys?

maculatus F. cf. Pentat.

marginatus F. v. Doryderes. - L. fn. v. Syromast. maritimus Scop. v. Pachymer. luscus? mat. Ross. v. Caps. maurus L. fn. v. Euryg. meditabundus F. v. Edessa. megacephalus Ross, v. Ophthalm, albip, melacanthus F. cf. Pentat. melanocephalus L. cf. Caps. meriopterus Scop. - Ross. v. Caps. miliaris Kl. Symb. v. Pentat. militaris Ross. v. Lvg. minutus L. fn. v. Anthocor. mixtus F. v. Edessa F. R. morio L. fn. W. v. Cvdnus. mucoreus F. E. S. v. Erthesina. multipunctatus Thb. v. Sphaeroc. impluv. multispinosus Deg. t. 35. f. 10. 11. v. Sinea. musci Schr. v. Ting. mutabilis L. fn. v. Caps. myops F. v. Galedanta. nanus fasciatus Deg. t. 34. f. 25. - ? neglectus Ross. cf. Podops. nemorum L. fn. v. Anthocoris. nervosus Cyrill. v. Ancyrosoma. - Scop. v. Coriz. capitat. nigellae F. v. Trigonosoma. niger Geoff. - ? - spinipes Deg. v. Cydnus. nigricornis F. W. v. Pentat. nigridens F. cf. Pentat. nigripes F. W. v. Catacanth.

- L. - Deg. t. 35. f. 1. v. Apiomerus. nigrispinus F. cf. Pentat. nigrita F. E. S. v. Cydnus. nigrolineatus F. W. v. Graphosom. nigropunctatus Deg. t. 54. f. 11. -? nitiduloides W. v. Corcomelas. nobilis L. v. Callidea. - W. v. Calliphara. nubilus F. v. Agonosc. obscurus F. W. v. Aspongop. ocellatus Thb. v. Cantao disp. oculatus F. v. Lyg. argus. oculus cancri Deg. t. 34. f. 24. - ? oleraceus L. fn. - F. v. Euryd. ornatus W. 15. v. Eurydem. - L. fn. v. Euryd. pabulinus L. fn. v. Capsus. - Scop. Capsi diversi. paganus F. cf. Seutell. pallipes F. v. Thyreocoris. pandurus Scop. - Vill. v. Lvg. milit. papillosa F. - Drur. - W. v. Tesserat. paradoxus Sparrm. v. Pephricus. pedemontanus F. v. Psacasta. peregrinator L. gen. dub. - Sulz. Gesch. v. Dinidor. perditor F. cf. Pentat. perlatus F. v. Pentat. - W. 134. v. Pent. melanoceph. personatus L. fn. v. Reduy. perspicuus Brm. Pentat. sexpunct. petiti le Guill. Rev.?

phyllopus L. v. Anisosc. pictus F. v. Euryd. - Drur. v. Leptoscel. crenulat. picus F. E. S. v. Edessa. pini L. fn. v. Pachym. poecilus :Kl. v. Pentat. populi L. fn. v. Phythoc. porphyropterus L. v. Pentat. nigricorn. prasinus L. fn. v. Pentat. pratensis L. fu. v. Caps. pugillator F. v. Pentat. pugnax F. v. Pent. punctatoguttatus Ross. v. Lyg. punctatus L. fo. v. Arma. punctum F. E. S. v. Edess. punctum album Rossi v. Anthoc. punicus L. cf. Pentat. purpureipennis Deg. - W. 132. v. Pent. nigric. purpureolineatus Ross. v. Odontogast. pustulatus Deg. t. 34. f. 2. - cf. Pentatoma. pyrrhocerus m. v. Pentat; ict. quadriflavomacul. Deg. v. Caps. quadrilineatus Schr.? quadrimaculat. Enc. v. Rhaphig. nach Hop. quadripustulat. F. cf. Pentat. quadrispinos. L. - Deg. v. Zelus. quinquepunct. Goez.? reflexus F. cf. Pentat. regalis F. E. S. v. Calliphara. repandus F. cf. Pentat. reticularis F. Gen. dub. rhombeus L. - Ross. v. Verlus. quadr.

riparius Scop. v. Miris dolabrat.

rivulorum F. E. S. - Ross. v. Velia.

rolandri L. fn. v. Pachym.

roseomaculatus Deg. v. Caps. ferrugatus.

rostrastus L. v. Enoplops scaph.

rubrobalteatus Deg. t. 34. f. 15. v. Anisoscelis.

rubens F. E. S. v. Edessa.

ruber L. fn. v. Caps. ??

rubrofasciatus Deg. t. 35. f. 12. v. Conorhinus.

ruficollis L. Mus. Ulr. cf. Stiretrus.

ruficornis F. cf. Aspongopus.

rufipes L. fn. - W. 9. v. Pentat.

rufocinct. m. v. Pentat.

rufomarginatus Deg. t. 32. f. 3. 4. cf. Raphigaster.

rugosus L. fn.?

- Scop. v. Aradiis.

rusticus F. E. S. v. Sphaeroc.

rutilus F. cf. Pentat. tetrastigma.

sacer L. v. Pirat.

sagitta F. cf. Pentat.

saltatorius L. fn. v. Salda.

sanguinipes F. v. Platynop.

saturninus Ross. v. Pachym.

saxatilis L. v. Lyg.

scaber L.?

scapha F. v. Enbplops.

scarabacoides L. fn. F. v. Corcomelas.

- Rossi - Panz. - Sulz. - Schell. v. Coptos.

schranckii Goez. - W. 129. v. Eurygast maurus.

schulzii F. E. S. v. Coercomelas.

scorpio Deg. W. 83. v. Phymata.

seladonius F. cf. Pentat. semiflavus L. v. Capsus. semipunctatus F. v. Graphosoma: senegalensis F. cf. Pentat. serratus L. v. Mustha. - F. spec. Ross. cf. Coreus. sexpunctatus L. v. Pentat. perspic. signatus F. (W. 85) v. Callidea. silphoides F. v. Thyreocoris. silvarum Rossi v. Anthocoris. sordidus m. v. Pentat. icter: 2 77 4028 81 speciosus Scop. (W. 24) v. Lyg. equestr. sphacelatus F. v. Pentat. sphegiform. Ross. v. Caps. spinidens F. v. Arma. spinipes Schr. v. Brachypelta tristis spinosa F. E. S. - Ross, cf. Tingis. spirans F. cf. Pentat. splendidulus F. cf. Eurydema. spinosulus Sulz: Gesch, v. Coreus. stagnorum L. fn. v. Limnobates. stigma F. E. S. sppl. v. Pachyc. stockerus W. 41. v. Callid. purpurea. - L. - F. E. S., v., Galostha. stolidus L. v. Eurydema. stollii Wolf v. Callid, stocker. striatus L. fn. v. Caps. strictus F. v. Pentat. subapterus Deg. v. Harpactor pedestr. subrufus L. v. Corizus capit. superciliosus L. v. Lopus gothicus. succinctus L. S. N. Amoen. - Deg. v. Largus.

sylvestris L. fn. v. Pachym.

tarandus F. E. S. gen. dub.

tarsatus Kl. Symb. v. Pentat.

taurus F. E. S. v. Placosternum.

testaceus Scop. v. Miris laevig.

tibialis Thb. v. Eumecopus' arm.

tigris Geoff. v. Tingis.

tipularius L. fn. v. Beryt.

tipuloides Deg. v. Stenocoris.

torquatus F. v. Raphigast.

torridus Scop. (W. 87.) v. Pachycor. guttula.

transversalis m. v. Loxa.

triangulator m. v. Pentat.

tricolor L. (W. 108.) v. Caps:

trifasciatus L. v. Caps.

trigonus Thb. v. Hypselon.

triguttatus L. v. Caps.

trilineatus F. E. S. cf. Pentat.

tripunctatus F. cf. Pentat.

tripterus F. E. S. gen. dub. cf. Edessa.

tripustulatus F. cf. Stiretrus.

trisignatus m. v. Pentat.

trispinosus Deg. cf. Alydus.

tristis Ross. F. E. S. v. Cydnus.

- Deg. t. 4. f. 20.?

tristriatus F. ?

tuberculatus F. E. S. v. Psacasta.

- Rossi vix id.

tunicatus Ross. v. Lopus.

typhoeus F. - W. 174. v. Pentat.

ulmi L. fn. v. Phytocor.

umbellatarum Scop. v. Caps. pratensis. umbraculatus W. v. Doryderes. umbratilis L. fn. (W. 139.) v. Pachym. umbrinus W. v. Sciocor. umbrosus Drur. v. Physomerus grossipes. uniguttatus Donov. v. Sastragala. urticae F. - Ross. v. Heterogast. vacca F. E. S. v. Edessa. vagabundus L. fn. Ross. v. Gerris. vahlii W. 90. v. Plataspis. valgus L. .- D. va Mictis. 2 40 vandalicus Ross. v. Caps. variegatus Deg. t. 34. f. 23. cf. Largus. variolosus L. - Deg. cf. Dinidor. varius F. cf. Eurydema. variegatus L. (W. 129.) v. Eurygast. maur. velox F. gen. dub. venustissimus Schr. - v. Pentat. melanocepb. verbasci Deg. v. Pentat. baccarum. vernalis W. 135. v. Pentat. versicolor F. v. Agonoscelis. vesiculosus m. v. Pentat. aut Rhaphig. victor F. W. 175. v. Prooxys. viduatus F. E. S. v. Aspongop. melanopt. violaceus F. v. Pentat. virens L. v. Miris. - Kl. Symb. v. Pentat. virgatus Kl. v. Aelia. viridis pensylvanicus Deg. t. 31. f. 5. cf. Pentatoma. viridissimus W. 52. v. Rhaphig. smaragd. viridulus L. F. genti dub. vittatus F. cf. Pentat.

ypsilon L. - griseus Deg. t. 31. f. 3. - v. Pentat. Clavigralla Spin. ... gibbosa Spinil .r (. Wil . H) at d sil tading Bomb. Clinocoris Hhp. ferrugator v. Sastragala. haemorrhoidalis v. Acanthosoma. Cnemodus m. cf. Cim. fulvipes Deg. pl. 35. 21. Um. fept. Coeloglossa Grm. 1835. - Costa. Solenostethium Spin. 1837. - Serv. - Tetyra F. -W. - Scutellera Brm. V. 59. t. 162. A-D. ... attenuata Hop. Cat. - Grm. furcifera v. liligera. - Wolff. v. sehestedii - liligera Thb. furcifer F. - Brm. - sehestedii Grm. - Stoll. pl. 9. = lyncea F. - Coq. V. 60. f. 502. Eur. m. ... rubropunctata Guer. Cog. II. 157. Ching. - sehestedii F. - Wolff. f. 128. (furcifera.) Weftafrita. Coenomorpha Dall. Halys Grm. Silb. - m. = insubida Grm. Silb. Cap. VII. 59. 727. = nebulosa Dall. pl. 7. f. 3. - Brm. (Halys). - m. Cap. VII. 59. 725. Filed or All enterply Cap. ... nervosa Dall. Coenus Dall. - tarsalis Dall. pl. 8. f. 6. (?) Coleotich us White Ent. Tr. 1842.

Cimex F. E. S Tetyra F. S. R Germ.
costatus F Donov. South S. Ins. Hem. pl. 3.
f. 5 Neuholl.
unicolor Dall. A methor Reuholl.
Colliocoris Hhn. v. Harpactor pedestr.
Colobathristes Brm.
chalcocephalus Brm. Brf.
mucronatus Kl. — Brm. Bahia.
nigriceps Brm. Pernamb.
Conorhinus Lap. — Brm. — Serv. — m. — Reduv. F. —
Wolff. VIII. 69, t. 271. A-I.
gigas F W. v. rubrofasc.
= mexicanus m. Mer. VIII. 71. 839. 840.
= phyllosoma Brm. Sav. VIII. 70. 837.
= renggeri m. Parag. VIII. 71. 838.
- rubrofasciatus Deg. t. 35. f. 12 Serv. pl. 8.
f. 2. gigas F. — Wolff. — Stoll f. 140.
Um., Us. , Ust. VIII. 72. 811. 842.
rubrovarius d'Orb. Voy. 2(m. m.
Copius Thb Brm Alydus F.
Holhymenia Lep. VII. 1. t. 217. A. A.
- histrio F. (Alyd.) Stoll. f. 291. 2m. m.
intermedius Brm. v. latreillii.
= latreillii Lep. — Serv. — Brm.
maculatus Thbg intermedius Brm. m. VII. 2. 680.
Holhym. Enc. X. 62. Mat. capilla eighter Brf.
maculatus Thb. v. latreilli.
rubescens Serv. pl. 4. f. 8 Brf.
scurra Brm. Sur.
serratus Fall. Hem. Su. 154! - Brm. gewiß nicht
hieher; vielleicht eine Xylocoris. Suec.
Coptochilus Serv.

ferrugineus Serv." "	d . 4 /- mal Brf.
Coptosoma Lap Serv Dall Scut	tell. Ltr Glo-
bocoris Hhn Thyreocoris Brm	m Plataspis
Hop. — Tetyra F.	
adspersus Brm. v. bufo.	
affine Dall.	natat.
= atomarius Grm. m. Java. P	hit. V. 30. 481.
bipustulatus Grm. — Dall.	Cap. Sierr.
= bufo Eschs. Mani	U. V. 32. f. 482.
adspersus Brm.	
cicatricosum Dall.	- Norbind.
= cinctum Eschs. — Grm. — m.	Manil. V. 30.
seminulum Brm. (Thyreocor.) nov.	
(Thyreoc.) m Dall, and it	
circumscriptus Grm.	11 / "Ind. or.
- cribrarius F Serv. pl. 2. f. 4.	— IV. 84. 416.
ાલા તાલાક માર્જિક શ	Ale A Dffind.
— duodecimpunctatus Grm. — m.	V. 14. 474.
	Ind: or.
= globus F Coq Ltr Hhn.	
scarabaeoides Pz. 36. 23.	Gur.
hemisphaericum Dall.	Reuholl.
ictericum Dall. odforfal a mat.	mi waskii Phic.
laticeps Dall. and world and	Genton.
maculatum Hop. — Grm.	Brf. Madag.
marginellum Dall.	Cap.
nepalense Hop. — Dall. — Grm.	nep.
nubilum Grm.	Cap. Sierr.
parvulum Dall.	Oftind.
poecilum Dall.	Reuholl.
= sphaerulum Grm m. V. 15. 47	6. Ind. or.
stigmaticum Grm.	Guin.

transversum Hop.	Jifffier Gamb.
vermiculatum Grm.	A ilsidit Jav.
Coranus Curt. v. Harpactor.	CLIEBURE III
Coreocoris Hhn. v. Spartocerus.	
- Blanch Spin. v. Discogaste	r.
Coreomelas White Serv.	
Scutellera Palis.	man made
Thyreocoris Hhn.	
Odontoscelis Brm. — Grm.	N Addition
Galgupha Serv.	
= albipennis Esch. V. 13. 472.	Chil.
atra Serv.	mer. Mer.
= basalis Grm.	Brf. V. 36. 486.
brunnipennis Grm.	A & antictique Brf.
- daldorfii F.	
vinculatus Grm.	
notata Serv. pl. 2. f. 5	
fulvipennis Dall. would in the	
= lateralis Wolff. f. 169 Grm.	Um. bor. V. 13. 473.
	lm. m. V. 35. 485.
marginella Dall.	i de lande Um. bor.
migra Dall.	
Scut. helopi Palis. pl. 5. b. f. 9	
= initiduloides Wolff. f. 92 0	irm.
	bor. V. 12. f. 471.
- notata Serv. pl. 2. f. 5. (Galgup	,
pulicarius Grm	
puncticollis Dall.	
	Columb.
= scarabaeoides L.	I. 47. f. 141. Eur.
	iille in fent Can.
= signatipennis Grm.	Brf. V. 35. f. 481.

2(m. m. V. 35. f. 483. = Smidtii F. ... O pad a fariate Um. m. ... tibialis F. = unicolor Palis. - Dall. Tet. helopioides Wolff. 168. Um. bor. V. 12. f. 470. ... vinculatus, Grm. dariff it Can. Coreus F. - Brm. - Merocoris Hhp. II. p. 105. t. 62. B-D. - Arenocoris ibid. p. 109. t. 63. B-E. Pseudophloeus VI. pg. 3. Abth. II. acridioides v. Crinocerus. = affinis m. cf. hirticornis Brm. Eur. m. V. 97. 441. Sifp. - alternans m. Dtfchl. Inf. 135. 4. bicolor v. Chariest. calcaratus Latr. v. Alyd. capitatus F. v. Coriz. cinctus Enc. v. Paryph. laetus. cornutus Pert. v. Menenot. crassicornis Fll. v. Coriz. dalmanni Schill, v. Atractus. II. 107. 189. Grm. = dentator F. annulipes m. denticulatus L. - Scop. - W. v. pilicornis. = disciger Klti. 6. t. 7. f. 4. errans F. v. Coriz. = fallenii Schill. II. 112. f. 192. t. 182. c. Germ. Gur. m. - genei Grm. fn. 24. 18. VI. 59. 620. Gur. m. = gracilicornis m. hirticornis F. - Coq. - Brm. cf. affinis m. - F. - Pz. v. pilicornis. hystrix Ltr. dict. v. Phyllomorpha. insidiator F. - Coq. v. Gonocerus. juniperi Klti. v. Gonocerus. lateralis Grm. v. Alydus.

laticornis Schill. v. Atractus.
lunatus Ltr. in Humb. v. Anisosc.
magnicornis Fll. v. Coriz.
marginatus Fll. v. Syromast.
miriformis Fll. v. Coriz.
neglectus m. v. Stenocephalus.

= nubilusti - Antanye - II, 111. f. 191. Grm. nugax v. Stenoceph.

mercornis Brm. — hirticornis Pz. — W.
denticulat. L. — W. 68. — F.
Merocoris Hhn. II. 106. 188. Grm.
puncticornis Brm. v. Homoeocerus.
quadratus F. v. Verlusia.
rhombeus F. v. Verlusia quadrata.
rugator v. Homoeocerus.
scabrator F. Acanthocoris.
scapha v. Enoplops.
sculptus Pert. v. Spartocerus.
serrulatus Pert. v. Spartoc.
spiniger Schllb. v. Aradus depressus.

Rossi F. v. Enoplops.

= spinipes Fll. ... spinolae (Merocor.) Costa. cent. n. 43. Ital. sulcicornis Coq. v. Verlusia.

typhaecornis F. — m. Dtschl. Inf. 127. 7. Lusit. venator F. v. Gonoc.

— Coq. v. Syrom. marg. waltlii m. Dtschl. Jinf. 127. 7. Sifp. VI. t. 182. D.

Corimelaena White v. Coreomelas.
Coriplatus White Trans. Ent. Soc. III. p. 90. t.7. f. 3.
Erichs, Ber. 1842. p. 122.
depressus. American Demerar.
Corisa Serv Fieb.
Corixa Geoff. — Oliv. — Ltr. — Fll. — Brm.
Nepa Degi — Sigara F. — Pz.
abdominalis Say Fieb. p. 42. Mer.
Fieb. olim. p. 33. v. fabricii.
affinis Leach Fieb. p. 41.
alternata Say — Fieb. 43. 2(m. fpt.
assimilis Fieb. p. 32 youllatte W - Uuftr.
- atomaria Grm Fieb. p. 15. Eur. m.
australis Fieb. p. 20. W A dageten Muftel.
= basalis Costa cent. nr. 2. Eur. m. IX. 58. 918.
bifasciata Guer. la Plata. e anti die meitsang Mer.
bimaculata Guér. Ic Fieb. p. 42. Mer.
= bonsdorfii Sahlb Fieb. p. 36. IX. 53. 916. 917.
= bonsdorfii Sahlb Fieb. p. 36. IX. 53. 916. 917. Eur, bor.
Gur, bor. borealis Dalm. — Fieb. p. 28. v. praeusta.
Gur. bor. borealis Dalm. — Fieb. p. 28. v. praeusta burmeisterii Fieb. p. 24.
Gur. bor. borealis Dalm. — Fieb. p. 28. v. praeusta burmeisterii Fieb. p. 24 21m. fpt calva Say. — Fieb. p. 19. 21m. fpt.
Gur. bor. borealis Dalm. — Fieb. p. 28. v. praeusta burmeisterii Fieb. p. 24
©ur. bor. borealis Dalm. — Fieb. p. 28. v. praeusta. burmeisterii Fieb. p. 24. calva Say. — Fieb. p. 19. — carinata Shlb. — Fieb. p. 38. IX. 56. 913. ©ur. — Kirb. p. 43.
Eur. bor. borealis Dalm. — Fieb. p. 28. v. praeusta. burmeisterii Fieb. p. 24
Eur. bor. borealis Dalm. — Fieb. p. 28. v. praeusta. burmeisterii Fieb. p. 24
Eur. bor. borealis Dalm. — Fieb. p. 28. v. praeusta. burmeisterii Fieb. p. 24
Eur. bor. borealis Dalm. — Fieb. p. 28. v. praeusta. burmeisterii Fieb. p. 24
Eur. bor. borealis Dalm. — Fieb. p. 28. v. praeusta. burmeisterii Fieb. p. 24
Eur. bor. borealis Dalm. — Fieb. p. 28. v. praeusta. burmeisterii Fieb. p. 24
Eur. bor. borealis Dalm. — Fieb. p. 28. v. praeusta. burmeisterii Fieb. p. 24

erichsonii Fieb. p. 35 dani dalanica Um. fpt.
fabricii Fieb. p. 33.
abdominalis Fieb. olim.
fallenii fieb. p. 31.
= fossarum Leach Fieb. p. 32. IX. 55. 908. Eur.
- var. b. v. limitata.
gebleri Kol Fieb. p. 29. Gibir.
= geoffroyi Leach Fieb. p. 14 IX. 62. 914. Eur.
striata F Fll punctata Brm.
- Stoll Fieb. p. 25. v. sahlbergi.
germarii Fieb. p. 38.
= hellensii Sahlb Fieb. p. 26. Eur. IX. 54. 909.
= hieroglyphica L. Duf Fieb. p. 22. Gur. IX.
59, 921.
- Spin. p. 44. cf. xanthosoma.
hyalinipennis Fieb. p. 39. Ind. or.
interrupta Say. — Fieb. p. 27. Um. aq.
irrorata Grm Fieb. p. 38. Cap. IX. 60
Sturm m. med
kirbyi Fieb. p. 43.
kollari Fieb. p. 17. de a delle beter in Um. aq.
lateralis Leach fieb. p. 34. 41. cf. nigroliu.
limitata fieb. p. 35.
undulata var. b. Fall. — fossarum var. b. Fall.
stagnatis Leach striata Zett. Eur.
Cap.
- lineolata m. IX. 55. 911 Germ.
Linnei Fieb. p. 25.
lugubris Fieb. p. 18.
macrocephala Fieb. p. 16. Sicil.
maculata Guill Fieb. p. 45. Chile.
= - m. IX. 54. 920.: - ini all alleger Germ.?

marginata Ehrenb Fieb. p. 17. 26. occ.
melanosoma Fieb. p. 23.71 . a Gur. m.
mercenaria Say. — Fieb. p. 43. Um. fpt.
moesta Fieb. p. 34. Mag abet iinstlat Gur.
nigripennis Fbr. — Fieb. p. 40. Um.
nigroline ata Fieb. p. 34. A. A. A. A. C. Cur.
nitida Fieb. p. 28 dall fire Um. fpt.
- panzeri Fieb, p. 15.
striata Pz. 50. 30.
pectoralis Fieb. p. 26
planifrons Kirb. — Fieb. p. 44. Um. fpt.
platycnemis Fieb. p. 16
praeusta Fieb. p. 28. de posta fangele Eur.
punctata Brm. v. geoffroyi.
pygmaea Fieb. p. 24. the at the attention of Cub.
= regularis m. IX. 57. 910.
sahlbergi Fieb. p. 25.
striata Sahlb. (in the first and the first Cur.
? schellenbergii Spin. — Fieb. p. 45.
selecta Fieb. p. 22.
, semistriata Fieb. p. 36.
signata Fieb. p. 21.
stagnalis Leach. v. limitata.
stigmatica Fieb. p. 36. Um. spt.
striata Lion Fieb. p. 30.
? undulata Fil. — IX. 61, 912. Eur.
- F Fll. v. geoffroyi,
- Kirb. Fieb. p. 43.
- Pz. v. panzerii.
- Shib. v. sahibergi.
- Zott w limitate
— Zett. v. limitata.

tarsalis Fieb. p. 19. the regulator, a die Um. fpt.
transversa Fll. — Fieb. p. 26. Gur. m.
triangularis Guer i et a line anten Nilgh.
= undulata Cost. 3tal. IX. 57. 915.
- Fall. cf. striata.
var. b. v. limitata.
verticalis Fieb. p. 24.
xanthosoma Fieb. p. 14.
zimmermanni Brm Fieb. p. 21. Um. fpt.
Coriscus Schr. v. Nabis.
Corriva Ltr Brm. etc. v. Corisa.
Corizus Fall Hhn Coreus, Lyg. F Rhopalus Schill
Kleidocerus Westw Myrmus Hhn. I. 81. t.
? abutilon Ross. nr. 1325.
= arundinis Curt. v. Chorosoma.
= capitatus F. Wolff. 72. III. 3. 228. Eur.
- Pz. 92. 19. v. crassicorn.
- caucasicus Kol. 10. t. 7. f. 5.
= crassicornis L. — F.
capitatus Pz. 92. 19
rufus Schill. Gur.
= errans F. Eur. m. III. 1. 226.
= gracilis m. Dticht. Inf. 127. 2. Eur. m.
= hyoscyami L Therapha Serv I. 18. 10.
Eur.
= maculatus m. VI. 2. 559. Eur. m.
- Guill. abert . weit engraneliget Chite.
magnicornis F Klti. v. parumpunct.
= miriformis Fll. Grm. 1. 82. 46. 47.
= parumpunctatus Schill.
magnicornis Fll pratensis Ell.
Grm 111

Fil. v. prerumpunctat.	
- rubescens Kolti 20. t. 7. f	. 6. Rauk.
rufus Schill. v. crassicorn.	
schillingii v. Chorosoma.	
sidae F.	Brf.
substriatus Kl. — Brm.	Eur.
=:tigrinus Schill.	Grm. III. 5. 230.
Coryssorhaphis Serv Dall.	The state of the s
Coryzorhaphis Spin. —	
pus Brm.	
assimilis Hop. (Aelia).	Sierra.
conspicua Hop. (Ael.)	- mill
cruentus Brm. 12	Montev.
= furcellatus Wolff.	
armiger m	Dftind. VII. 119. 711.
— leucocephalus Spin. — Se	erv. pl. 3. f. 1 Dall.
	Brs.
melanoleuca Hop. (Ael.)	Ind. or.
pavonia Hop.	Cap.
salamandra Kl Bem.	Peru.
sparsa Hop. (Ael.)	Sierra.
ulceratus: Kl. v. Cazira.	3 1111
Coryzoplatus Spin.	
pallens Spin.	Brf.
Craspedum Ramb Serv.	
Syromastes Ltr.	
Phyllomorpha Guér. — W	
latreillii Guér Wstw.	Seneg.
laciniatum Ramb. v. Phyllom.	
Cressona Dall.	
valida Dall.	Ind.
Crimia Serv	

tuberculata Serv.	Tava.
Crinocerus Brm. — Serv.	
Lygaeus F Ltr trab.	185. A. B.
mit Golema, Hymenophora, Camptischium	, Acantho-
coriz, vielleicht auch Zoreva Serv., Co	orynomerus
Serv.	
= acridioides F. 2(m. bor. V)	I. 20. 375.
crucifer Palis. pl. 12. quil antique	St. Dom.
= devotus m. (Hymenoph.) Columb. V	I. 88. 658.
= fulvicornis m. (Camptisch.) Demer. V	I. 87. 657.
grylloides Kl Stoll. 114. cf. Crin. scabr	ipes.
- histrio Brm. (Golema rubromac.) Serv. Ste	oll. 189.
d of the management of the	Gurin.
= lobatus (Campt.) Burm. Cuba. V	I. 17. 573.
rubromaculatus (G.lema) Serv. pl. 12. f.	5. v. hi-
strio; to the late of tangeties a	151- 5
= sanctus F (Crinoc.) Serv. Cap. V	I. 21. 577.
scabrator F Brm. v. Acanthocoris.	
= scabripes m. (Crinoc.) cf. grylloides. VI	18. 574.
	Jud. or.
- spinosum Serv. (Camptisch.) pl. 4. f. 5.	Stoll.
287. 30 .71 .85 to 16.	
= tibialis m. (Crinocer.) Serv. (!) VI	,-
= triguttatus m. Mer. V	
- tristis Pert. del. t. 34. f. 2. (Merocor.)	
= tuberculatus m. (Camplisch.) Serv.	
(cumperous) serve	

Cryptostemma m.

= alienum m. Dischl. Ins. 136, 11, Germ. Cuspicona Dall.

Rhynchocoris Erichs. Arch. - Hop.

crassa Hop.	" (Shing.
- fasciata Dall. pl. 10. f. 3.	
fulvescens Dall.	
inconspicua. Dallantiques de la constitución	
pulchra Dall.	
	Neuholl.
	arooinsel.
thoracica Hop.	, ,
ligata Erichs. Arch.?	
unimaculata Hop.	Reuholl.
virescens Dall.	
Cyclogaster Westw.	
pallidus Westw. Ent. Tr. II. pl. 2, f. 6.	Gamb.
Cyclopelta Serv Dinidor. m Aspongop.	Brm. —
Tesseratom. Enc Edessa F.	
= depressicornis m. IV. 85. f. 418.	Ind. or.
cf. obscur.?	
funebris F.	Gierra.
= mactans F Stoll. f. 194. III. 65. f. 278.	- mac-
tabilis Pert.	Brf.
= nigroviolacea Palis. pl. 7. f. 4.	
unicolor m. IV. 93. 433.	Westafr.
= obscura Lep. Enc.	
alternans Hop. Aspong.	: Ostind.
depressicornis m. IV. 85. 418. 3	av. Phil.
siccifolia : Hop. Dallama to m suiteless i	. Bomb.
Cýdnus F.	
mit Cyrtomenus, Dismegistus.	
= abyssinicus m. IX. 345. 1004	. Ubnst.
aethiops F.	· · · · · · · · · · · · · · · · · · ·
= affinis m Dtschl. Ins. 114.8. Grm. III.	11. 237.

The second second

= albomarginatus F.

```
Sehirus Serv. - Pr. 33. 20. - Wolff. f. 62.
         9 . 12 . 15 sma'l - . . 1 Grma o Iv 167.- 86.
 = albomarginellus F. - Pr. 33, 22,
        dubius Scop. carn. - Wolff, 61. Hhn. I.
           98.
  Sehirus, Serv. Dall.
                                 Ad extomolod Grm.
  ... albonotatus Dall. (Schir.)
                                Um. bor.
     aterrimus Forst. vantristigaring 7 Jilo'll
 ... australis Erichs. Arch. VIII. 1. p. 275. Muftrl.
  = bicolor L. - Stoll. 224. - Panz 32. 11. (Sehir.)
      Dall. - Tritomegas Serv. Eur. I. 192. 99.
  ... bifoveolatus m. .. lentat. .. Inda. .. Ital.
  = biguttatus L. - Fll. - Dall. (Schirus) - Panz.
       32. 13. Tritomegas Serv. 7 .281 .W autamount
                " ride? - .4dT Grm. J. 169. 88.
  ... binotatus Hop. - Dall. (Dism.) Cap.?
... brevipennis F.
                       ... .d eurolgons fo Ind. .or.
  = brunneus F. - Dischl. Ins. 126, 21, Lufit.
..., brunnipennis F. Tanger.
... capicola Hop. 3 3 & A Ang eilidetem .Cap.
... castaneus Serv. Cyrtomenus Serv. 2(m. fpt.
. - cinctus Palis. pl. 8. f. 7. - Sehirus Serv.
                            THE RESERVE AND ADDRESS.
= circumcinctus m. - Dismegistus Serv.
                         Pintopies Cap. 7 11, 115. 195.
    dubius Scop. - Wolff. 68. Hhn. - Dall. v. albomar-
       ginell.
                     1. Ins. 126, 23.
= elongatus m.
                    V. 97. 546. Spung.
 = femoralis m. V. 98. 548. Sung.
- fimbriatus Thb. t. 2. f. 61. Dall. (Dismeg.) - co-
                                  9*
```

stalis Reiche Abyss. pl. 29. f. 1. Subafr.
flavicornis Hhn. v. nigrita.
= flavicornis F Panz 33. 21 Wolff picipes
Hhn. 22 July 1 /1 colle I. 165. 85. Germ.
giganteus Kl. (Prolobodes) Para.
= hispidulus Kl. Symb. All Arab. bef.
holomelas Kl. And An Para, v. Ectinopus indicus Hop. And and Mali an Information or.
indicus Hop. and and Mali entatanad Ind. or.
inflexus Wolff v. Pentat. leporin.
insularis Hop. / dord adding allan Ste Binc.
intermedius W. v. Pentat, neglect.
latipes Hop Hall expended Mad Sav.
lugens W. 180. v. Pentat.
lunatus Linz. v. Pentat.
maculatus W. 183. v. Pentat.
melaleucus Thb. — Sehir. Dall. Gap.
melanocephalus F. v. Pentat.
melanopterus m A minnagiron Eur.m.
= morio L F Panz. 32. 15 Wolff 64
nigritus Hhn. I. 168, 87. (Sehirus Dall.) Grm.
mutabilis Pert. t. 33. f. 6. ogell almeigan . Brf.
= nanus m. Dischl. Ins. 126. 24. Hung.
nepalensis Hop. & A . In alle automie Rep.
niger (Adrisa Serv.) Sav.
nigricans Hop. waren a surent experies Cap.
nigrita F. v. flavicornis.
- Hhn. v. morio.
— m. Dtschl. Ins. 126, 23.
flavicornis. H. I. 170. 89. an antagnota Grm.
notatus Schill. Arb. d. Schl. Ges. 1843. S. 149.
Silef.

obscurus Hop.	11. 11. 11. 14	Cap.
= ovatus. m.	Maled ad V. 96a 545.	Hung.
perlatus F. citirt zweierlei	Urten (Panz u. Wolff.)
piceus Hop. / Mi		Mustrl.
picipes Fll. (non Hhn.)	
(Cyrtomenus Serv	Aethus Dall.)	Grm.
- Hhn. v. flavicornis		
- pilosulus Kl. Symb. t.	43	erandr.
= pilosus m. Dtschl. Ins.	126. 22.	ur. m.
rugifrons m.		m. áq.
sanguinicollis F	The state of the s	Langer.
= sanguinolentus m.	Ufr. IX. 395.	1005.
scarabaeoides F. v. Cepha	alocteus.	
sepulchralis Erichs. A	rch. VIII. 1. p. 275.	Muftel.
serripes Guild. Hop.	. Add	. Vinc.
sexmaculatus Ramb. A	indal Dall. (Sehir.	Sisp.
Tritomegas Serv.		
signatipes m.	: In	b. or. ?
spinipes Schr. v. tristis.		
— F.	Martin Contract	lfr. áq.
subferrugineus Hop.	. ,	. Binc.
tristis F Pz. 32. 16	. v. Brachypelta.	
umbraculosus. F. v. Disco	ocephala.	
umbrinus Fall. Mon. v. 5	Sciocorie.	
varians F. Ali	The state of the s	Bengal.
Cyllecoris & Cyllocoris Hh	n. v. Capsus.	
Cymbidus Spin. v. Tiarotes.		
Cymbus Hhn, v. Cimbus.		
Cymodema Spin. — Serv.		
tabida Spin.	J. S. St. 1 . 18 . 19 . 1.	Sarbin.
Cymus Hhn: — Brm. — Ser	v. — m.	

Lygaeus Fll.

78	
at Heterogaster Schill.	
"Henestarisi et "Artheneis" Spin:	
I. t. 12. A—D∃ — IX/q	p. 202.
binotatus Grm. Silb. well mone del anginig	Cap.
= claviculus Flladid7198 aus . Guet I. ?	77. 41.
cymoides Spin. cf. ericae.	
1977 dipus Grm. Silb, & .t .dunge .lid antmanten	Cap.
= ericae Schill Dischl. Ins. 135. 15.	
glandicolor Hhn. Grm. L 3	77. 45.
- halophilus Grm Costa Cent. n. 141.	
helveticustim an abfastoriagna-	
hispanicus Spin. baledpal at B cohicoderon	
:= hyrcanicus Kol. t. 10. f. 20. Rauf. 1X. 204	0 11
me jacobaeae Schill. golf dinte sagiras.	
- laticeps Curt dains dmell anteinsanger	
- origani Kolti	
?petiolatus Grm. in Silb.	Cap.
= punctipennis m. Gur. m. IV. 75	
= resedae Panz. 40. 20.	
= reticulatus mquil - a Gur. m. IV. 17	
- saturejac, Kol. 1. 10. 11 20. 11 - A alant	
- senecionis Schill Dtschl. Ins. 135, 14.	
spinolae Cost, breatist	
thymi Wolff Dtschl. Ins 135. 13.	2,
? Cim. conicus L. will steen day to since	Grm.
Cyptocoris Brm. sentone T. r. eige subi	
**	

= lundii F. — Grm. Cap. 1X. 329. 1006.
Cyrtomenus Serv. — Cydnus F. & Ling & Law Hoon (1)
non div. a gen. Cydnus.

castaneus Serr.
grossus Dall. Columb.
.;. mirabilis Pert. del. t. 31, 6.
mutabilis, Pert. Text. Brf.
teter Spin. Brf.
Dalader Serv.
- acuticosta Sery. pl. 4. f. 7. Born.
rotundicosta Serv Sav.
Dalcantha Serv.
dilatata Serr. Silhet.
Dalpada Serv Dall Halys F m.
affinis Dall. Dftind.
aspersa Serv. Java.
clavata F Dall concinna Hop. Dftind.
nigricollis Hop. — Dall. — obscura Hop. Offind.
oculata F Dall. Dftinb.
trimaculata Hop. Phil. Jav.
varia Dall. Gilhet.
= versicolor m. Offind. V. 76. 520.
Dalsira Serv.
affinis Serv. Cap.
= albivittis m. (Phylloceph.) Cap. VII. 69. f. 737.
marginata Serv. Manila.
cf. modesta et glandulosa Wolff. — irrorala Hope.
- strigosa Kl Brm.
Darbanus Serv. v. Euagoras.
Dasynus Brm. olim. v. Spartocerus.
Derephysia Spin. — Fieb.
angusticollis m. v. Monanth.

crispata m. v. Monanth.

= cristata Pz. 99. 19. — t. 130. J-L. — Fieb.
p. 100. t. 8. f. 28-33. Antil Cherne & Germ.
= foliacea Fall. − Pz. 118. 16. − t. 129. D. 130.
M. N Fieb. p. 99. t. 8, f. 23-27. Germ.
gracilis m. v. Monanth.
reticulata m. v. Monanth.
Derepteryx White Serv. p. XXXI.
grayii White Trans. III. p. 92.
hardwickii ibid. Repat.
Deroploa Wstw Serv Dall.
parva Wstw. Zool. Journ. V. t. 23. f. 6. 2 Huftel.
Diactor Pert. — Serv. — Lyg. F. —
Anisoscelis Serv. — Brm. — m. t. 91. A-E.
Acanthocephalus Lap.
alatus Brm
femoratus W. 189?
azureus Brm. v. Petalops.
-bilineatus F. — Brm. — m. IV. 60. 274.
elegans Pert latifolia Serv. Mag. Brf.
compressipes Brm. v. Metopodus.
concolor m, Can. VI. 54
elatus F Stoll. 55 Brin. v. Petalops.
elegans Pert. v. bilin,
femoratus W. 189. cf. alatus.
— foliaceus F. — Stoll. 201. 2(m. m.
latifolius Guér. Mag. v. bilín.
paganus Brm. With the state of the Rio
suratus v. Metopodus.
Diceraeus Dall.
leucostigma Dall. Para
- melacanthus Dall. pl. 8. f. 1. Benez

Dichelops Spin.	
Diploxys Serv.	
acutispinus Serv	- god nobi Seneg.
	.4 29 boll Seneg.
comma Thb. v. Myrochea.	
cryptorhynchus cf. Hymenarc.	-
fissus Kl. v. Macrina acanth.	A STATE OF THE PARTY OF
lineola Serv.	. Buenos.
senegalensis Serv.	. Iranining Geneg.
Dicranomerus Hhn. v. Stenocephalus.	
Dicrotelus Erichs. Wiegm. Arch. 184	2.
prolixus Er.	Ban. Diem.
Dictyonota Curt Spin Lap. IV	7. 73.
= crassicornis Fall - Curt p	ilicornis m. Pr. 118.
17 Piesma marg. Brm.	. crotentoll Eur.
- m. t. 129. B. v. strichnoc.	
— erythrophthalma Grm. fn. —	Fieb. t. 8. f. 1-3.
	Grm. IV. 74.
= pilicornis m Fieb. p. 95. t.	8. f. 8. 9.
	Grm: IV. 74. 401.
- strichnocera Fieb. t. 8. f. 4-	7.
crassicornis m. t. 129. B.	engeld englie Eur.
Dictyotus Dall.	
affinis Dall.	Ring Georgs S.
bipunctatus Dall.	,
confinis Dalli and concern	
discoideus Dall	,
geniculatus Dall (alminist	
inconspicuus Dall.	Ring. Georges S.
polystictica White Zool. Ereb.	
- roei Hop Dall. pl. 3. f. 4/	
similis Dall.	Vandiem.

tasmanicus Dall.	ndiem
Dinocoris Brm.	
Dinidor Lap. — Empicoris Hhn. II. 55. t. 47.	E-H.
- Halys F.	
antennatus Dall	Para.
= corrosus m. Parag. VI. 46	732.
= maculatus Lap. pl. 55. f. 1 Stoll. 173	Brm.
m. VII. 44. 719.	Brf.
- variolosus F L	
? peregrinator. Sulz. Gesch. Brf. II. 56	146.
reliquos quaere sub Gen. Empicoris.	
Diplodus Serv. v. Euagoras.	
Diplonychus Brm - Serv Lap.	
11 Sphaerodema Lap Serv.	
Belostoma Enc.	
aegyptius v. Appasus.	
annulatus F. v. Sphaerodema.	
anurus m. v. Zaitha boscii.	
fuscus Hop. v. rustic.	
= rusticus F fuscus Hop. VIII. 27. 801. 802	. Brf.
luridus Grm. Silba Ant tall a com tall	Cap.
? plana (Nepa) Sulz.; Gesch.	
Diplorhinus Serv.	
Phyllocephala m.	
= furcatus Serv Hop Dall.	
Phylloceph. distans. 2ffr. VII. 71. f. 740.	Java.
walida Dall. pl. 10. f. 5. Mid and hingen	Silhet.
Diploxys Serv. v. Dichelops.	
Discocephala Lap. Serv m.	
Sciocoris Brm.	
complanata Kl Brm Mait . mil i	Brf.

= aradiformis m. (?)	Brf. V. 71. 516.
humilis Kl m. v. umbracula	
latifrons Dallangelegnell	Perederes Spin. 1.
= lusitanica Pz. 114. 7.	.vind enen Lufit.
= marmorea Lap Brm.	
nubila Dall al an	del man set. Brf.
= scissicollis Grm. (Pentat.)	
umbraculata F. Brm:	
humilis m.	VII. 39. 716. Cap.
Discocera Lap. — Grm.	V. 26. — VII. 107.
Capensis Lap. 421 Medic	enstitement Cap.
laticornis Blanch. d'Orb	asiatropogya . ?
- ochrocyanea Lap Stoll. f	. 92. Para.
Discogaster Brm. — Serv. —	t. 185, C. D.
Coreocoris Blanch.	E-HHIII
circularis Brm.	.m anapitt, Rio.
= luteus m. (Sind) 3	VI. 26. 584. Mer.
= rhomboideus Kl Serv. pl	4: f.i 6.
	VI. 15: 571. Brf.
20 rubronotatus d'Orb. Voy	s pierpomodari
Discomerus Lap. v. Cydnus.	Times alles L
	×45713117
Doryderes Serv.	R sillean VIII. 85.
Diroderes Spin.	
marginatus F.	
Acanth. umbrac. F Pz.	
rines Duf.) And grade.	A eiferetus : Gur.
Dorypleura Serv.	Mary Town
— hubalus (Edessa trabeata Brm.	
Dryptocephala Lap. — Brm Serv.	
= brullei Serv. pl. 54. f. 4. Brn	
livida Pert. Storthia m. VII.	42. 718. Brf.

Brf. ... punctata Serv. ... pertyi White Ent. Tr. III. Brf. Dyroderes Spin. v. Doryderes. Dysdercus Serv. Pyrrhocoris Bem. - m. - Lyg. F. - Wolff. Astemma Blanch. = annulus F. - Hhn. H. 13. 123. Brf. = carnifex (scutellaris m.) (Lyg. F.) II. 118. 199. Cap. ... cingulatus F. Muftel. - haematideus Stoll. 124. Ind. or. IX. 177. 979. Jav. = hypogastricus m. = koenigii E. H. 12. 122. Wolff. 28. - Stoll. 5. Ind. or. - - capensis Wolff. 181. Cap. Mer. VII. 19. 701. = obliquus m. ... olivaceus F. R. (Lyg.) Ind. or. = philippinus m. IX. 176. 980. Philip. VII. 17. 699. Jav. = poecilus (Pyrrhoc.) Sap. VII. 19. 702. = pyrrhomelas m. ... rubiginosus F. - Brm. Cap. III. 95. 319. Brf. = ruficeps ... ruficollis F. - Brm. Brf. scutellaris m. v. carnifex Manifa. VII. 18. 700. = solenis Esch. (Pyrrh.) 26m. VII. 17, 698. ... superstitiosus F. = suturalis F. - Wolff. 129. (Pyrrhoc.) 2(m. m. VI. 76. 645. 2(m. m. = suturellus m. (Pyrrh.) Duadicus Dall: - pallidus Dalle pl, 9. fe 6. Neuholl. Durganda Serv.

Opinus Lap.

rubra Lap. of all concl	1 - 19 to a drad Java.
Dysodius Spin Lap Bri	m. — Serv. — m.
Aradus F Wolff.	Jaka - Jaka C. WIII. 117.
= flaviventris Brm.	Brf. IX. 140. 957.
= furcatus Germ.	Cap. VIII. 120. 885.
= lunatus F Wolff. 162.	. — Stoll. 81.
	Um. aq. VIII. 119. 484.
membranaceus F. v. Brachy	rh.
= orientalis Lap.	Jav. VIII. 123, 890.
= parvulus m.	Um. bor. IX. 139. 956.
= tremulae Büttn.	Eur. bor, VIII. 121. 886.
= truncatus m.	Jav. VIII. 123. 891.
Ectatops Serv.	and the Park Name
limbatus Serv.	d engunt Jav.
rubiaceus Serv.	A antalunam Jav.
Ectenus Dall.	1,000
- spectabilis Brm. Nov. A	
Ectinoderus Westw. Proc. Lon	id. p. 74 Erichs. Ber.
1843.: p. 70.	
Pristhevarma Serv.	17-14
- bipunctatus Serv. pl. 6.	
longimanus Westw.	
philippensis Westw.	
Ectinopus Dall. of short	
holomelas Dall. — Brm.	
Ectrichodia Serv. v. Ectrycho	
Ectrychotes Brm.	
Ectrichodia Lap Se	rv.
Reduvius F.	
Physorynchus Serv.	1
albomarginatus F. v. erythr	oceph.

- barbicornis F Drury III. 45. 1. Sierra
= bicolor m. Um. fpt. VIII. 53. 822
= crux Thb Stoll. I. 30. 20. Cap. Gierra
an. crudelisif
- erythrocephalus Wolff. 120. albomarginat. F.
nied bungtor E. Wellt. 102 Stall 84
= gigasim unff Guin. VIII. 54. f. 824
haematodes d'Orb. Alan 18 / A smannadatomBoliv
- haematogaster Brm. Nov. act. XVI. t. 51. f. 9.
= hirticornis F Coq. t. 19. f. 12 analis Palis
ne la compania de la
imperialis Westw. Proced. 1843. Guin
lucida Lep Lap
lugens F
maculatus F
pilicornis F Had av Tranq
rubra Seev. ipl. 7. f. 7.
= tricolor m. (?) VII. 53. f. 823
= violaceus (Loric.) Hhn. I. 32. 21. Jav
Edessa F For
affinis Dall. n. 33. 3 . 4 . 7708 sutatanuqid Br
albirenis v. Aceratod.
amethystina v. Pycanmisoll sienogqilin
antilope F. — Coq. — bison. Enc. X. p. 55. Cap
arabs L. Mus. U Sil R. Holl : aformated
aurantia et aurantiaca v. Catacanthus.
bifida Lap. Silberm. Rev. I. p. 36. Buenos
bison Enc Dallan. 3
brevicornis F. v. Amaurus. A zwinnball
brunnipes F. v. Pygoda. Serv. Serv.
capra Dall. 4. desperathers T submignandle Brf
carnosa Hop. v. Aceratod.

= castanea m
cerea Grm. Silb. v. Platacanth:
= cervus F Stoll. 199.
bubalus Enc virens Drur. Brf. IV. 19. 366.
circumscripta Kl. v. Brachysthet. marg.
collaris Dall. n. 25 ogod genenii . Brf.
cornuta Brm. Dall. n. 1. v. Aceratod.
cribrum F. Brachysth.
cruenta F. v. Acerat.
dama F. v. Placostern: taurus.
dentata Dall. Bei an er ihell ig niren Para.
dispina Pert stiegel if .r .! enofmen Brf.
dolichocera v. Pygodes.
elegans m. v. Pygod.
fasciata Dall. n. 35. And eigenenm - Brf.
= flavida Hop. ord. goff . 1 2 Brf.
furcata Palis
fulvicornis F. Barol, v A Smodail Am. m.
gazella F. cf. Hypoxys.
geniculata F. cf. Aceratodes.
glandulosa W. 170. Nov. gen.
? glauca Fo gene dub
= grossa m. Brf. IV. 117. 364.
guineensis F. gen. dub.
guttata F. cf. Erthesina.
? guttatopunctata F. gen. dub. 21m. m.
hamata F. v. Rhynchocor.
haematopoda Brm. v. Pygodes Aceratodus ict.
icterica v. Aceratod. Hhn Dall. n. 30. v. Acerat.
inconspicua m. v. Acer.
irrorata Dall. n. 28

iserti F. cf. Pentat.	
janus v. Aspongop.	
=jugata Hop. ANI Make - Menuren	Brs.
.v. leucocera Dall. in. 20.12 - and anhabit	Col.
leucographa Pertentanti or Ad alginocomia	Brf.
lineata Hop. 62 2 Mai zandles	Brs.
loxdalii Hop Dall. n. 36. v. Hypox.	
lurida Dall. n. 22. Aberden 1 .3 con has	Para.
lute a Hop Dall. n. 19 months of A remains	Brf.
luteicornis Enc Dall. v. Hypox. quadridens.	
macraspis Pert. v. marginat.	
mactans F. v. Cyclopelta.	
maculata Dall. n. 8. seeding 19 or prepalately	
marginata Palis	Brf.
macraspis Pert.	
- F. v. Doryderes.	
? marmorea F. gen. dub	.Ind.
mmeditabunda F. v. Accratod.	
melacantha Dall. n. 17. morell in A afforce.	Para.
merianae v. Oncomerusholing of the	
? mixta F. gen.odub.vox. 261 .W seelahaalu	Can.
- modesta Wolff. 172. nov. gen. c. glandulosa.	
: nervosal Brm@v. Pygodes polita.	
nigridens F. v. Pygod. h. h. ang . V. et en	
nigripes F. v. Catacanthusmisselfied As At about	-24
nigrispina Dall. na 16.7 eta faraquitating	
humata E. v. Ithyachoren	Brf.
notata Kl. v. Peromatus.	
icterios v. Acerded. Rho. 13. adll. derecto v. adietic	
obscura W. v. Aspongop	
obtusa Dall. n. 9. Pit in Mad standari	(?)
obsoleta v. Acerat.	

ovina Dall. n. 12.	: Guian.
pallida Dall. n. 34.	Rio.
papillosa F. v. Tesseratoma.	
parvula Dall. n. 32.	Rio.
perspicua F. v. Pentat.	
phoenicopus Dall. n. 10.	5. Sondur.
? picus F. gen. dub.	Ind. or.
peronea Dall. n. G.	** : : : (?)
piperita Hop. v. Aceratod.	
polita Enc Dall. n. 27. v. Pygod	la nervosa Brm.
punctum F. v. Catacanthus.	
quadridens F Dall. n. 24 Stol	l. 137. v. Hypoxys.
= recurva m.	Brs.
reticulata Dall. n. 13.	Mer.
rubens F. cf. Pycanum jaspideum.	
rutilans F Stoll. 122. cf. Pycanu	ım.
schaefferi H. v. Hypox. quadridens.	
scutellata m. v. Pygod.	
? sepulchralis F. gen. dub.	Um. m.
sexdens F. v. Hypoxys.	
— simplex m. — Dall. n. 15.	. 103. 554. Brf.
subulata Thb.	St. Vinc.
? tarandus F.	?
taurus F. v. Placostern.	
thoracia Dall. n. 29.	Columb.
trabeata Brm. v. Dorypleura.	
? triptera F. gen. dub.	
triangularis Dall.	Columb.
vacca F.	Guabel.
= versicolor m.	Brs.
vicina Hop.	St. Vinc.
viduata F. v. Aspongop. melanopt.	
	976

virens Drur. v. cervus	
	market strain the garage
vitulus F Dall.	Mr. m.
Elvisura Spin.	Seneg.
irrorata Spin.	Seneg.
	pin. — Serv. — B. IX. t. 303.
EI.	
filum F.	Ind. or.
junce a Erichs. Wieg	m. Arch. 1842. Ban. Diem.
longipes F Des	g. And Man
mantis F.	Um. spt. 1X. 114. 937.
= pia Serv.	26m. fpt. IX. 114. 937.
	Brm Servillei Spin. Can.
Emesodema Spin.	
Ploiaria Scop.	- t. 303. A-D.
— domestica Scop. De	
Costa. Cent. II. 1	9. 11. Eur. m.
	· Um. bor. IX. 115. 936.
Empicoris Hhn. cf. Antit	
Cataulax Spin	- Serv. VII. 122. t. 93. I-M.
= annulatus m. S	Brf. III. 66. 279. v. Antiteuchus.
= corrosus m. P	arag. VII. 46. 732. v. Dinocoris.
maculatus m. v. Dino	
macraspis Pert. del. 1	d. 23. 7. Brf. v. Cataulax.
= renggerii m.	Parag. VII. 45. 733.
variolosus L. v. Dino	coris.
Enithares Spin.	
Bothronotus	Fieb.
brasiliensis Spin.	Ess. p. 60. Braf.
= grandis Grm.	Brf. 1x. 42. 901.
indicus Spin. Ess.	l.
Enoplops Serv.	mangenen eine Bud. or.

Coreus F Wolff. etc.
Syromastus Brm.
Centrocoris Kol. Mel.
= cornutus Hffgg. — Pz. sub E. scapha. Lufit.
- pallescens Kol. Melet. t. 7. f. 3
= scapha F Wolff. 66. Germ. II. 103. 186.
rostratus L. sec. Wolff.
= spiniger F. R Rossi Pz. 127. 5.
Eur. merib.
- variegatus Kol. mel. t. 7. f. 2
- westwoodii Kol. mel. II. p. 45.
Centrocoris Kol. Rauf.
Epipedus Spin. VII. 90, —
histrio Spin. — Dall. Brf.
Elasmognatus Fieb. IX. t. 311. L-0.
- helferi Fieb. t. 7. f. 33-41. Ind. or.
suturata Dall. n. 11. Guian.
Epipolops Grm.
— frondosus Grm. (?) IX. 202. 981.
Erthesina Spin.
Halys F. etc.
Edessa F.
acuminata Dall. Nordind.
= fullo Thb.
mucorea F Wolff. 179 Brm. etc gut-
tatus F. China.
Euagoras Brm. — Serv. — Reduv. Lep. etc. mit Dar-
banus, Diplodus, Isocondylus u. Passaleutus VIII. p. 43.
t. 263. A. B.
armillatus Lep. (Diplodus) Brf.
= aurantius m. cf. Pleogaster Brf. VIII. 35. 809.
brasiliensis Lep. (Diplodus). Brf.

= elongatus Lep. Arilus pungens	m.	(Isocon	dylus) cf.
Montina.	: Brf	. VIII.	37.	S14.
geniculatus Lep. (Passaleutus))		Um	. m.
= guttifer m. cf. Pleogaster.	Br	VIII.	36.	810.
- laticornis m. (Darbanus) t. 30	9. C.			Brf.
nigrigenu Serv.			- 0	žava.
= nigrispinus Serv.	Brs	VIII.	47.	816.
nigrolineatus Serv. (Darbanus).		Ma	nila.
= pallens m.	Br	. VIII.	46.	819.
pungens m. v. elongatus.				
= rubidus Lep. (speciosus Brm.)		2	lm. c	entr.
= speciosus Brm.	Mer.	VIII.	45.	818.
stollii Hgb. — Brm.			. 52	žava.
= tricolor m.				
= versicolor m.	Brs.	VIII.	46.	820.
Eucerocoris White Trans. Ent. Soc.	III.			
westwoodii White.			· ©	ierra.
Eucorysses v. Calliphara.				
Eulyes Serv.				
Reduv Guér.				
= amoena Guér. Ic. pl. 6. f. 10.				
	I	av. VI.	91.	662.
Eumecopus Dall.				
— armatus F. — C. tibialis Thb.				
longicornis Dall.				
nigriventris Dall. pl. 5. f. 4.			Met	sholl.
Eumentous Westw.				
obscura Westw. Ent. trans. IV.	pl. 1	18. f. 4	ŀ.	(5)
Euoplitus Serv.				
Arvelius Spin. — m.				
= laciniatus Spin. Brf.	V. 10	03. f. (555.	556.

Eurydema Lap. — m. VII. 83. t. 242. A.

Strachia Hhn. I. p. 181. t. 49. Cimex L. - F. - Brm. Pentatoma Spin. -... acroleuca Pert. del. pl. 33. f. 1. - Brm. - Serv. - Dall. (Strach.) Brf. alienata F. - Dall. (Strach.) - variegata Kl. ... bicolor Dall. (Strach.) = bifasciata m. - Dall. (Strach.) Brf. III. 96. 321. ... concinna Dall. (Strach.) cruciatum m. v. Pentat. = crucigera Hhn. - (Strach.) Jav. I. 184. 95. = decoratum m. Dtschl. Ins. 116. 14. . 23rf. - Dall. (Strach.) = dominulus m. Dtschl. Ins. 112. 16. Grm. ... elegans Don. Souths. pl. 3. f. 7. Dall. (Strach.) Meuholl. = festivum L. - W.58. - dominulus Scop. Stoll. f. 218. 219. herbacea H. II. 14. 239. Eur. I. 181. 92. - gebleri Kol. Mel. t. 15. f. 10. - Dall. Strach. sexpunctatus Gbl. Mem. gloriosa Hop. v. musiva. hebraicus Grm. Silb. v. hilaris. = herbaceum m. Dtschl. Ins. 115. 12. Lufft. - Hahn, v. festiva. hebraicum Grm. v. hilaris. = hilaris Brm. - Dall. (Strach.) - jucundus Kl. Symb. t. 41. f. G. - hebraicus Grm. Silb. - pictus m.

V. 74. 508. Cap.

Mer. II. 116. 196. jucundus Kl. Symb. v. hilaris.

= histrionica Hhn. - Dall. (Strach.)

```
= limbata F. - Brm. - m. - (Strach.)
                                 Java. ... IV. 91. 430.
  ... mactans F. R. v. Asopus.
  ... munda Dall. (Strach.)
                          Columb.
  = musiva Grm. Silb. - m.
                            VII. 84. 751. Cap.
        gloriosa Hop. - Dall. (Strach.)
  ... nigrorubra Dall. (Strach.)
 = oleraceum L. etc. (Strach.) Eur. I. 182. 94.
  = ornatum L. - Dall. (Strach.) mit festiv. dominul, herb.
                                  Eur. III. 13. 238.
 ... picta F. - Wolff. 17. Dall. (Strach.)
     pictum m. V. 64. 508. v. hilaris.
  = pictum m.
                             Gur. mer. II. 15. 240.
... poecila Dall. (Strach.) ..... Subafr.
  ... pulchra Hop. - Dall. (Strach.)
                                              Jav.
  ... rufifrons Dall. (Strach.)
                                              Brf.
     sexpunctatus Gbl. v. gebleri.
  ... speciosa Dall. (Strach.)
                                    .. Or - Mordind.
  - spectabilis Drur. Ins. pl. 46. 4. - Dall. (Strach.)
                                              Brf.
  = stolidum Friv.
                                Turc. IV. 101. 448.
  = ? vesiculosum m. :
                            ? V. 65. 509.
  ... violascens Dall. (Strach.)
Europus Dall.
  ... grossipes Dall.
                                Mam.
  - validus Dall. pl. 11. f. 2.
                                . China.
Eurus Dall.
  - rotundatus Dall. pl. 7. f. 2.
                                              Cap.
Eurygaster Lap. — Hop. — Spin. — Tetyra F. — Burm.
 - Bellocoris Hhn. - Odontotarsus Spin.
  ... acuminatus Dall. ... Neuholl.
```

alternatus Say. t. 43. 3. Grm. Z. Um. mer. bor.
cognatus Hop Ind Ind. or
? costatus F. E. S. Cim
= hottentotus F maurus Hhn. II. 44.139 Wolff.
129. c. d. — Tet. cucullata Schrk. — Tet. nigra
F Cim. maurus var. Wolff.
= maroccana Dtschl. Ins.
? Stoll. 202. 210 Eufit. Berb.
= maurus L Wolff. 129. a. b Stoll. 201.
var. pictus. Hhn. II. 45. f. 140. angebeit . Eur.
obliquus Kol. Mel. IV. 12. 132. Ungl.
orientalis Hop.;
Euryophthalmus Lap. v. Largus.
Eurypleura Serv. — Dall.
Tesseratoma Lep.
bicornis Lep Enc Dall John Java.
Eysarcoris Spin. — Hhn. — Kol. v. Pentatoma.
Euschistus Dall.
Pentat Palis. — Cimex L. — F.
acutus Dall. Brf.
apicalis Dall. Brf.
atrox Hop. — Dall. Um. aq.
bifibula Palis. pl. 10. f. 5 Dall Sondur.
= convergens m Dall. Brf. VI. 94. 665.
cognatus Dall. The same and and any of Brf.
cornutus Dall. Brf.
crassus Dall Stor.
crocipes Hop. and the state of the Am. m.
= ictericus L Dall VI. 71. 639.
pustulata Palis. pl. 11. f. 2
inconspectus Hop. — Dall.

- luridus Dall. pl. 7. f. 6.	Um. fpt.
obscurus Dall.	26m. aq.
pallipes Dall.	Jam.
proximus Dall.	Columb.
perditor F.	
= punctipes Say Journ D	all. Um. bor.
rubiginosus Dall.	Brf.
	Um. fpt. VI. 10. 637.
thoracicus Dall.	(?)
	Um. spt. VII. 95. 767.
Eusthenes Lap.	"
Tesseratoma Lep. —	Enc. — m.
cupreus Hop Dall.	Tomale it Morbind.
= robustus Lap Enc 7	Cess. scutellaris. m.
	Silhet. IV. 81. f. 410.
Galeatus Curt Spin. v. Tingi	
Galedanta Serv Dall.	
bituberculata Serv.	Br[.
collaris Hop.	
= dimidiatus Hag.	Columb. VI. 66. 629.
fascifera Pal. pl. 10. f. 9.	
Galgulus Ltr. etc. IX. 24. t. 291	. A V. 87. t. 174.
Naucoris F.	
= bufo Lef.	V. 88. 536. 21m.
flavus Guer. icon. t. 57. 4.	
nebulosus Guér. Icon.	Brf.
oculatus F. — Ltr. hist. na	at. pl. 95. f. 9. Carolina.
quadrimaculatus Guér. Ico	on Boliv.
variegatus Guér.	
Galgupha Serv. v. Coreomelas.	
Galostha Serv. v. Callidea.	
Gastraulax m. v. Bathycelia Sei	ry.

```
Geocoris Fall. v. Ophthalmicus.
```

Gerris F. - Brm.

Plocaria Scop. — Ltr. Cimex L. — Deg.

— erraticus Kl. — Brm.

culiciformis Deg. pl. 17. 1-8.

= vagabundus L. - Wolff. 197. - Schell. t. 8.

Eur. IX. 117. 941.

Gerris Ltr. — Duf. — Schumm. — F. — Serv. v. Hydrometra.

clavipes et tipular. v. Berytus. denticollis et pallipes v. Pygolamp. varicornis F. — Wolff v. Leptocoris.

Globiceps Ltr. - Serv. v. Capsus.

Globocoris Hhn. v. Chlaenocoris et Coptosoma.

Glypsus Dall. - Grm. - m.

... conspicuus Hop.

Chafr.

... javanus Dall.

Jav. Corea.

= moestus Grm. Silb. (Asopus). Cap. VII. 113. 778.

Golema Serv. rubromaculata v. Crinocerus.
Gonocerus Ltr. — Brm. — Cor. F. — Wolff.

abbreviatus v. Paryphes.

affinis v. Paryph.

andreae Brm. v. Paryph.

bipunctat. v. Par.

capitulatus Dalm. v. Par.

chlorodicus Duf. v. insidiator.

diabolicus d'Orb. voy. v. Par.

= dubius m.

VI. 9, 565. Afr.

fenestrat. Brm. v. Par.

insidiator F Coq Ramb chloroticus Duf.
Eur. m.
humeralis Kl. v. Par.
= juniperi Dhl. Eur. m. IV. 99. 445.
laetus F Stoll. v. Par.
? leprosus Brm. Con government of Cap.
= latus m. 2m. m. IX. 263. 996.
marginellus v. Paryph.
megaera Kl Stoll. v. Par.
miniaceus d'Orb. v. Par.
obsoletus v. Paryph.
ochraceus v. Paryph.
puncticornis may v. Anasa.
rugator v. Homoeocerus,
triquetricornis Rembered A circo Andal.
? tuberculatus Brm
= venator F Wolff, 21 Dtschl. Ins. 116. 15. Eur.
= yersicolor m. (?) VI. 58. 619.
onopsis Serv.
den ticulata Serv. Geneg.
raphosoma Lap. — Grm. — Scutellera Ltr. — Hhn.
Trigonosoma Brm. = flavolineatum F Coq Wolf. 166 Dischl.
Ins. 135. 1. T. strigata. Eur. m.
interruptum White Mag. Zeneriff.
= lineatum L.
nigrolineatus Ross. — F. — Fall. I. 173. 90. Eur.
schangini Gbl. mem.
rubrolineatum Hop. Grm. Z. Gorea.
= semipunctatum F var. Wilsoni White.
Eur. m I. 175. 91.

... trilineatum Grm. - Stoll. 156. ?

= wilsoni White Erichs. Ber. 1839. pg. 100. v. semip.
Perf.
Gynencia Dall.
- marginella Dall, pl. 6, f. 4 it is goin that (?)
Halobates Eschs Lap Brm Serv.
VIII. 108. t. 286.
albinervus Serv. Brf.
- flaviventris Eschs. t. 2. 15. VIII. 110. Utl. Meer.
- micans Eschs. t. 2. f. 3. VIII. 110. Utl, Meer.
= pictus Germ. VIII. 111. 882. 883. Ult. Meer.
= sericeus Eschs. Entomogr. VIII. 110. 880. 881. Cap.
Halticus v. Capsus.
Halys F m Serv Pentatoma Palis.
alternans Hop. And And And Maillering Bengal.
amygdali Grm. v. Apodiph. hellenica.
annulata F. v. Brochymena.
apicalis Hop. Arte chegiel se gott = - Austel.
armata F
assimilis Hop.
— australasiae Brm. v. Poecilometis.
Hustri. 18. V. 76. 521.
carolinensis Hop. parelesses as a first state of the
cincta m. v. Ateloc.
clavata F. v. Dalpada.
concinna Hop. v. Dalpada clav.
= dentata F Stoll. 47 Wolff. 48 sulcatus
Thb. 3nd. or. VII. 60. 724.
depressa F.
erosa m. v. Brachym.
exsculpta Brm. v. Apodiphyia hell.
flavopunctata Guer. Coq. v. Poecilometis.

furcata F. v. Diplorhinus.	
frondosa v. Brochym.	
gravis Hop.	Huftel.
hellenica Lef. v. Apodiphyia.	
humeralis Hop.	· Brf.
- insubida Grm Coenomorpha Dall.	VII. 59. 727.
	Cap.
lata Hop.	Sierra.
latipes Hop.	Jav.
lineata Hop.	Mustrl.
lineolata v. Brochym.	
mucorea v. Erthesina.	
nebulosa v. Apodiph Coenomorpha Da	11.
nigricollis Hop. v. Dalpada.	
nubila F. v. Agonoscelis.	
= obscura m. V. 68.	. 513. Mer.
Hop. v. Dalpada nigric.	, ,
oculata F. v. Dalpada.	
parvula Hop.	Inf. Melv.
plana v. Sciocoris.	
pupillata m. v. Brochymena.	
reticulata Hop. v. Spudaeus.	
rufescens Hop.	Austri.
servata F. v. Brachym.	
serricollis Hop.	Gogo.
serrigera Hop.	Cuna.
spinosula Lef. v. Mustha.	-
strigata Hop.	Austri.
timorensis Hop.	Timor.
variolosa F Hop. v. Dinidor.	
variegata Pal. pl. 7. f. 3 Dall.	Ufr.

```
versicolor m. v. Dalpada.
```

Hammatocerus Burm. — Hammacerus Lap. — Cimex Drur. — Homalocoris Pert.

= conspicillaris Drur. III. 45. f. 8.

Can. VIII. 50. 821.

= furcis Drur. III. 45. 4. — nycthem. Ill. — Brm.

Um. fpt. VI. 104. 675.

nycthemerus Ill. v. furcis.

varius Pert. t. 31. f. 16. v. furcis.

Brf.

Harmostes Bim.

= dorsalis Brm. Mer. IX. 270. 992.

Harpactor Lap. — Spin. — Brm. — Serv. — Reduv. F. — Wolff, etc. — Amphibolus. Kl. VIII. 80. t. 275. C. D.

= aegyptius F. — Wolff. 80. — murinus Ramb.

Meg. VI. 107. 678.

... ?albipes F. Rossi.

Ital.

= annulatus L. - W. 78. - Germ. H. 22. 128. ... ? bipustulatus F. Gurin.

...? bipustulatus F.

Cap.

= cinctus F.

21m. fpt. VIII. 83. 853.

... corallinus Lep. Enc.

Ind. or.

cruentus F. — Wolff. 38. — Hhn. Gur. II. 21. 127.

== disciventris m.

21fr. VIII. 86. 856.

... fasciatus Palis. pl. 2. f. 5.

. -(?)

= milthinus Dalm. Jav. VIII. 82. 850.

melanocephalus m. v. milthinus.

= moestus m. Parag. VIII. 87. 857.

murinus Ramb. v. aegyptius.

= niger m.	. Leglar Hung. VII. 14: 693.
= pedestris Wolff. 199.	- Brm Costa. cent. n. 20.
- Cim. subapterus	Deg. t. 15. f. 10. — Collioco-
	Coranus subapt. Curt.
. ANY 2000	Grm. II. 25. 129.
- pictus Kl. Symb. t. 19	D. f. 12. Heg.
= poecilus m.	Parag. VIII. 85. 854.
= punctiventris m.	Parag. VIII. 85. 855.
spinipes m. v. Sinea.	
subarmatus m. v. Sinea	
tropicus m.	Sierra. VIII. 84. 815.
venator .Kl. (Amphilobus	.).
Hebecerus Kol.	
- caucasicus Kol, 30.	t. 8. f. 9
- persicus Kol. 29. t. 8	3. f. 8. Pers.
Hebrus Westw. — Curt. —	- Brm Serv cf. Neo-
	VI. 38. t. 193. G—L.
- erythrocephalus m.	. Boruff. IX
= pusillus Fll Curt.	- Serv Westw. Ann. Soc.
Ent. III. pl. 6. f. 6.	- Costa Cent. n. 15.
	Eur. VI. 39. 596.
Helonotus Serv	and the state of
tuberculatus Guér.	Voy. pl. 12. f. 17. Nov. Guin.
Henestaris Spin. — Raml	Costa Heterogaster
: Curt m.	
genei Spin.	Marfeille.
All hispanus Ramb.	No alabara de Andal.
laticeps Curt. pl. 597	
- spinolae Cost. Corr. Z	ool. c. icone. Neap.
Hep a Geoff v. Nepa.	
Heniartes Spin. v. Trichosc	elis.

Herega Serv.
rubrolimbata Serv
Heterocrates Serv Dall.
Plataspis White.
coracinus White Mag. 1839. 24. — 10. f. 3. c. f.
Sava.
Heterogaster Schill. I. 72.
= affinis m. Grm. 1V. 76, 404.
= artemisiae m. Dtschl. Ins. Grm.
bicolor Kol. v. artemisiae.
claviculus Schill, v. Cymus.
coronillae Kol. Rauf.
costatus m. v. Stenogaster.
ericae Schill. v. Cymus.
laticeps Curt. v. Henestaris.
punctipennis m, v. Cymus.
rufescens m. v. artemisiae.
reticulatus m. v. Cymus.
= salviae Schill Pr. 135. 16. Lyg. Germ.
semipunctatus Grm. Silb
thymi Wolff. v. Cymus.
= urticae Schil. Germ. I. 73. 43.
waltlii Kol.
Heteropus Spin. VII. 112 -
Heteroscelis Serv. v. Phyllochirus.
Heterotoma Ltr Brm Serv. v. Capsus.
Heza Serv Reduv Lep.
binotata Lep Brf.
= punctiger m
Hiranetis Spin. v. Myocoris.
Hiverus Serv.
hirtus Serv Serv. Seneg.

Holoptilus Lep Lap	Brm Wstw. Trans. II.
248. — Serv.	
basalis Westw. v. Orthocne	emis.
- ursus Lep Lap. pl. 59	4. 1. designated Cap.
Holotrichius Brm. — Serv	— Costa. — VIII. t. 262.
A—D.	
cyrilli Costa v. maurus.	
lividus Burm. (Reduv.)	Caffr. VIII. 3. —
= maurus m.	Stal. VII. 14. 692.
cyrilli Costa etc.	
tenebrosus Brm.	Corfu. VIII. 39. —
= testaceus m.	Rrim. VIII. 39. f. 812.
Homaemus Dall.	
Pachycoris Grm. — m.	
= exilis Grm. — m.	
= parvulus Grm. — m.	Florida. IV. 54. 501.
Homalocoris Pert. v. Hammat	
Homoeocerus Brm. — Serv. —	
Hhn. I. p. 8. t. 1. f. 2. — Ch	· ·
destructor Hhn. v. rugator.	
magnicornis Kl.	
minimus Serv.	Java.
nigripes Kl. — Brm.	· ·
puncticornis Brm. Act. le	eop. 419. 20. Cor. Manila.
punctiventris cf. nigripes.	
= rugator F Orit. destri	
	I. 8. 2. Am. bor.
Hoplistodera Westw. — Dall.	
convexa Dall.	Phillip.
	respective realistic Sav.
trimaculata Enc. X. 411	
virescens Dall.	.c. e en : Nordind.

Hotea Serv.
- triangularis Serv. pl. 4. f. 7.
= curculionoides Dall III. 106. 331.
punctulatus Grm. Z.
Hoploxys Dall.
coeruleus Dall Congo.
Hyalymenus Serv.
Alydus F. — Pert: — Brm.
dentatus F Brm Serv. pl. 5. f. 2. : Can.
- vespiformis F Pert Alyd. pallidus Griff. anim.
kingd. XV. pl. 92, f. 5. Can.
Hydrocssa Brm.
Velia Duf. — Microvelia Westw. — Serv. IX. —
78. — VI. 87. t. 193. A—F.
= reticulata Brm Vel. pygm. Duf. Ann. Soc. Ent.
II. pl. 5. f. 6. III. pl. 6. f. 5. a - h. Microv. pul-
chella Westw. Ann. III. pl. 5. f. 6 Curt. f. 681.
VI. 37. 595. Eur.
Aydrometra F. — Brm. — Ramb. — m.
Gerris F Ltr Duf Schumm Serv
Aquarius Schell Cimex L Rossi IX. 66. t. 298.
A-C. t.299. A-DD.
abbreviata F. (Pyren) Larve.
apicalis Curt. v. lacustris.
= aptera Wimm Schmm IX. 69.925 t. 299.
K-M. Eur.
- F. v. Velia.
= argentata Schmm IX. 74. 932 t. 299. CC.
DD. Cur.
- canalium Duf. pl. 5, f. 59 Dej. pl. 16, 8, 9.
Eur.
= costae m. IX. 71. 927 t. 299. N-P. Cur.

currens F. v. Velia.

Hypencha Serv.

cursitans F. R.	Auftel.
erythropus m.	1X. 68. 923. Brs.
= gibbifera Schmm.	Eur.
fluviorum F.	Trang.
= fossarum F. R.	Ind. or.
fossularum F. v. Micrelytra.	
= gibbifera Schmm.	Eur. IX. 72. 929.
hyalina F. R.	
= lacustris L IX. 73. 930.	— t. 299. T—V. ?
apicalis Curt. IX f. 922.	- najus Deg. Gur.
= lateralis Schmm. IX. 74. 299	. W-Y. Eur.
= odontogaster Zett. IX. 73. 9	31. — t. 299. Q—S.
	Eur.
= paludum F Ltr 1X.70.	926. — t. 299. A—J.
	Eur.
rivulorum F. v. Velia.	
= rufoscutellata Ltr. — Stoll.	
t. 299. G—J.	Germ.
stagnorum v. Limnobates.	
= thoracica Schmm. — IX. 71. 9	928. — t. 299. Z. AA.
	Eur.
Hydrometra F. — Brm. — Lir. e	lc. v. Limnobates.
Hylophila Westw. v. Anthocoris.	
Hymenarcys Serv.	
aeruginosa Serv.	Um. spt.
= cryptorhynchus Grm. Silb	— m.
	Cap. VII. 74. 742.
perpunctata Serv.	Um. spt.
Hymenophora Serv. v. Crinocerus.	

Tesseratoma Enc. - Brm.

apicalis Enc Brm.	Jav.
Hypoxys Serv.	
Edessa Serv.	
= quadridens F Brm E	d. luteicornis Lep
Stoll. 137 Ed. schaefferi H	. Brf. II. 127. 207.
loxdalii Hop.	Demar.
nigridens F.	Um. m.
· · · sexdens F.	Um. m.
Hypselonotus Hhn. t. 30. A-D	- Brm Serv
Lyg. F. — Wolff.	
= annulatus Brm.	Bahia.
dimidiat. Hhn. v. striatul.	
= interruptus Hhn.	I. 187. 96. Brf.
linea F.	Um. m.
= pulchellus m.	Brf. VII. 10. 686.
scriptus Hhn. v. Anisoscelis.	
= striatulus F Wolff. 103.	- venosus Blanch.
dimidiatus	Н. І. 189. 97. Сар.
- subterpunctatus Serv. pl. 5.	f. 2. (?)
trigonus Thunb. — Brm.	Bengal.
Hypselopus Erichs Brm. cf. Melos	za.
gigas Brm.	Cap.
incarnatus Er.	Ban Diem.
spinosus Kl. — Brm.	Dongol.
Jalla Hhn Dall.	
Asopus Brm. etc.	
Arma Hhn. v. Picromerus.	
= bidens L. etc.	I. 92. 51. Grm.
= dumosus L. etc. I.	101. 54. 55. Grm.
Irochrotus Serv. v. Odontoscelis.	
Isodermus Erichs. Wiegm. Arch. 1841	
planus Er.	Ban Diem.

```
Isocondylus Serv. - Reduv. Lep. Enc. v. Euagoras.
Kleidocerus Westw. v. Cymus.
Labops Brm. v. Capsus.
Laccometopus Fieb.
        Tingis F. etc. - Eurycera m.
 = clavicornis L. - P. 23. 20. - IV. 53. 400. Gur.
                                          Inf. Maur.
  ... kollari Fieb.
Largus Hhn. — Brm.
        Euryophthalmus Lap.
        Lugaeus Pert.
        Acinocoris Hhn.
  ... bicolor m. .
                                       Brf. VI. 7. -
  = calidus Hhn.
                                 2(m. m. H. 114, 194,
 = cinctus m.
                                      Mer. VI. 6. 683.
 ... cornutus Lep. (Acinoc.)
  ... ?excavatus F.
                                              Ufr. ag.
  ... fasciatus d'Orb. voy.
                                             . Um. m.
 ... globicollis Brm. Handb, p. 282.
                                                  Brf.
                                    Brf. IX. 182. 981.
 = incisus m.
 = interruptus m.
                                     Can. IX. 18. 978.
 = lincols L.
        humilis m.
                                         Brf. I. 13. 6.
        Cim. punctatus Deg.
        Eur. puncticollis Lap.
        Lyg. mutilus Pert.
                                  Braf. IX. 179. 978.
  = lunulatus F. (Acinoc.)
                                    Brf. IX. 182. 982.
  = marginellus m.
  - oculus cancri Deg. III. pl. 34. 24.
                                                  Brf.
  ... ophthalmicus Brm. (Pyrrhoc.)
                                                  Rav.
  ... pallidicornis m.
                                         ? IX. 181. —
```

= rufipennis Lap.:
... sanguinipennis m.

Brf. III. 67. 280.

Brf. IX. 182. —

scapha Pert.	Brf.
sexguttatus m.	? IX. 181. —
= succinctus L.	Um. spt. VI. 78. 648.
Laryngodus m.	IX. 211. t. 314. B.
= australiae m.	Muftel, IX. 212. 967.
Leptocoris Hhn. t. 32. E—F. —	Bem.
Pyrrhocoris Hhn. — I	
Serv. — Myodochus	01. — Brm.
= abdominalis F.	Sumatr. IX. 279. —
augur F.	Ind. or.
? chalcocephalus F. R.	5
= coturnix Brm.	Brf.
= haematideus Hhn.	Ind. or. I. 9. 3.
= haematoloma m.	Mer. VIII. 103. 873.
linearis Lap. v. Stenocoris.	
rufomarginatus F.	Ind. or.
= rufus Hhn.	Brf. II. 201, 102.
tagalicus Brm. Act. Leop.	
vittata Serv.	Cap.
Leptocoria Ltr. v. Stenocoris	
Leptopus Ltr. — Duf. — Brm. II	
echinops Duf.	Sardin.
- lanosus Duf Ann. Soc. I	Ent. III. pl. 5. A. f. 14
Serv.	Gall. m.
Literalis Ltr Duf. 1. c	. H. p. 6. B. f. 2. III.
p. 354. pl. 6. f. 4.	Gall.
= preyssleri Fieb.	Germ. IX. 133. 942.
Leptoscelis Lap Serv.	
Lygaeus F Wolff	Coreus Lep Ani-
	Rhabdocoris Kol. —
Alydus F.	
- arcuata Kol. t. 8. f. 1.	Rauk.
.,	3,,,,,,

? claviger Goeze Drur. I. t. 45. 5. Untiquo.

= crenulatus F. — Drur. I. t. 45. f. 1. divisa. m.

Stf. VII. 9. 685.

divisa m. v. crenulata.

= fastuosa m.

= flavipes Brm.

Stf. VII. 8. 684.

Stf. IX. 276. 993.

Cor. haemorrhoidalis Lep. Enc. — Brm. — Deg. III. 1. 34. f. 10.

- lunata F. R. - Stoll. 71. - Latr. in Humb. pl. 17. f. 9. Cuba.

= pulyerulenta m. Lestomerus Serv. — Peirates olim.

... affinis Serv.

... spinipes Serv.

Jav. Seneg.

Mer. VII. 9. -

Libyssa Dall. v. Callidea.

Limnobates Brm. IX. t. 304.

= stagnorum L. - Ross.

Cim. acus Deg.

Cim. lineola Sulz. Gesch.

Germ. IX. 118. 938. 939.

Lobostoma Serv. Text. — Dall. v. Prolobodes. Lohita Serv.

Macrocheraia Lef. — Guer. — Macroceraea Spin. — Lyyaeus Gray. — Astemma Brull.

== grandis Gray. anim. k. XV. pl. 32. 3. - Guer. icon. pl. 56. Benaci.

longicornis Spin.

Lophocephala Lap. - Brm. - Serv.

... guerini Lap. — Brm.

Bengal.

Š ... incerta Serv. Lopus Hhn. I. 143. - III. 45. - IX. t. 312. E. F. Miris F. Grm. I. 140. 72. = albomarginatus F. albostriatus Brm. = carinatus m. Grm. VI. 49, 609. chrysanthemi Hhn. v. Caps. Grm. III. 95. 261. 262. = dolabratus L. Mir. lateralis F. Rh. Mir. abbreviatus Wolff. f. 109. 110. = ferrugatus Fall. Grm. III. 46. 263. Mir. dolahr, F. Rh. = gothicus L. Grm. I. 12. 5. superciliosus L. hieracii Hhn. v. Caps. thunbergi. Sifp. III. 45. 206. = rubrostriatus m. = tunicatus F. - Grm. fn. 5. 23. Loricerus Hhn. v. Ectrychotes. Loxa Serv. - Dall. Pentatoma Palis. - m. ... affinis Dall. Para. = flavicollis Drur. pl. 36. f. 4. - Serv. albicollis F. - m. VI. 68, 634. pirescens Serv. viridis Palis. pl. 8. f. 1. Brf. Stoll. f. 196, 198, 200, = haematica m. Brf. VI. 70. 636. Sur. VI. 66. 630. = transversalis m. Luctocoris Hhn. v. Xylocoris et Anthocoris. Lygaeus F. (* thorace spinoso non hujus generis.). -

Wolff. — Brm. — Serv. etc. abdominalis F. v. Leptocoris.

abbreviatus F. vix huj. gen. - Thb. v. Pachylis. abietis L. v. Pachym. acantharis F. (non L.) vix huj. gen. aegypticus F. II. 10. huj. operis v. Pyrrhocoris.

affinis Wolff 104. .. Ind. or. agilis F. v. Caps, histrion, agrestis Fall. I. 25, v. Pachym. albicornis F. cf. Odontopus. albofasciatus F. cf. Dysdercus. albomarginalus v. Lopus. albostriatus F. v. Pachym. alni F. v. Caps.

Mer. VII. 20. 704.

= alternans m. amboinensis F. v. Dysdercus. annulus F. II. 13. v. Dysderc. apterus F. I. 20. v. Pyrrhoc. arbustorum F. v. Caps. arenarius F. I. 53. cf. Pachym. marginepunct.

? argentatus F. Tranqueb. | gen. dub. argus v. Pentat.

armipes F. cf. Pachym.

- asiaticus kol. 36. t. 8. f. 12. Rauf. ater F. v. Caps. aterrimus Wolff v. Pachym. auctus F. v. Anisoscelis.

augur F. v. Leptocoris. = aulicus F. 2(m. VI. 76, 646. australis F. v. Anisoscelis. austriacus F. I. 109. v. Anthocoris. balteatus F. v. Anisosc.

bellicosus F, v. Nematop.

biclavatus F. v. Spathohpora.

= bicolor m.
bifasciatus F. v. Caps.

Brf. IX. 195. —

... biguttatus F.
bilineatus F. R. v. Diactor.
bimaculatus Zett. v. Pachym. var.
bimarginatus m. v. pulchellus.
bipunctatus F. v. Caps.

Meuhou.

bistriguttatus F. v. Caps.
boerhaviae F. v. Mictis.

F. R. v. Pyrrhoc.
binotatus F. I. 203. v. Caps.
brevipennis Ltr. v. Pachym.
calcar F. v. Physomerus.

calcar F. v. Physomerus. calcaratus F. E. S. — Wolff, v. Alydus. calidus F. v. Largus.

campestris F. v. Caps. ferrugatus. - Fall. v. Caps.

capitatus Wolff. v. Corizus. caricis Fall. v. Cymus clavic.

carnifex F. v. Dysdercus.

- F. R. cf. Pachym.

chalcocephalus F. cf. Leptocoris.

chiragra F. I. 56. v. Pachymerus. cingulatus F. v. Dysdercus.

- civilis F. - Wolff, 25.

claviculus Fall. I. 78. v. Cymus. clavimanus F. v. Pyrrhocoris.

clavipes F. (non Lyg.) gen. dub.

collaris F. v. Pyrrhoc.

compressicornis F. R. v. Molchina.

Brf. IX. 195. —

Tranqueb.

compressipes F. R. v. Metopodus. contaminatus Fall. v. Caps, coqueberti F. I. v. Odontopus. coryli F. v. Caps.

= costalis m.

Mer. VII. 22. 706.

crassicornis F. III. 3. v. Corizus.
crassimanus F. v. Pachymerus.
crassipes F. (non Lyg.) cf. Mictis.
cruciger F. v. Machthima. sec. Burm. Chariesterus.

= crudelis F. Cap. cruentus F. 88. v. Leptocoris haematideus.

- F. 101. cf. Odontopus.

curvipes F. (non Lyg.) gen. dub.
danicus F. v. Caps.
destructor Melsh. v. Homoeocerus.
didymus Fall. v. Cymus resedae.
dilatatus F. v. Nematopus.
dianar F. (non Lyg.) gen. dub.

dispar F. (non Lyg.) gen. dub. echii Pz. v. Pachymerus aterr. elatus F. v. Petalops.

speciosus Scop.

— elegans Wolff. 106. Cap.

— Serv. v. Petalops. — equestris L. — F. etc.

I. 21. 12. Gur.

- L. Mus. Ulr.

Eur.

errans F. v. Corizus.
erraticus F. v. Pachymerus.

excavatus F. v. Largus. faber F. (non Lyg.), gen. dub.

Pulikantor.

... famelicus F.

Ind. or.

familiaris F. — Kol. v. venustus. fasciatus F. v. Anthocoris nemorum. femoratus F. v. Metopodus.
ferrugatus F. v. Caps.
festivus F. v. Odontopus.
filicis Fall. II. 87. v. Caps.
flavicollis F. v. Caps. ater.
flavicornis F. v. Nematopus.
flavomaculatus F. III. 10. v. Caps.
flavovarius F. v. Caps.
floralis F. v. Caps.
foliaceus F. v. Diactor.
forsteri F. v. Pyrrhocoris.
fraxini Fll. v. Caps. campestr.
fulvicornis F. I. 7. v. Mictis tenebr.

furcatus F.
gallus F. v. Nematop. indus.
gibbus F. cf. Pachymerus.
gladiator F. (non Lyg.) gen. dub.
gonager F. v. Anisoscelis.
gothicus F. v. Lopus.
Fall. III. 69. v. Caps. marginep.
grominis F. (non Lyg.) gen. dub.
grossipes F. v. Physomerus.
F. R. v. Mictis tumidipes.
grylloides Fall. v. Ophthalmieus.
guineensis F. (non Lyg.) Guin, gen. dub.

gutta m. Mer. VII. 20. 703.

guttatus Ramb. v. punctato-guttatus.

guttula F. Am. inf. non Lyg. gen. dub.
haematideus F. v. Leptocoris.

— F. cruentus corrigend. v. Leptocoris.

haemorrhoidalis F. v. Leptoscelis haemorrhous.

= hamatus m. Mer. VII. 22. 707.

harpagon F. v. Anisoscelis.

hastatus F. R.

Jav. gen. dub.

heros F. v. Mictis.

— hospes F. — lanio m.

Trang. VII. 21. 705.

humilis Drur. v. Largus. hyoscyami F. etc. v. Corizus.

Jav. VIII, 104, 875.

incubitor F. (non Lyg.)

Carol: gen. dub.

indus L. v. Nematopus.

inquinatus F. v. Caps.

irroratus Grav. Verz. v. Gonocerus rugator.

kermesinus L. — F. R. — Deg. t. 34. f. 15. cf. Anisoscelis.

koenigii F. II. 12. v. Dysdercus.

laetus F. v. Paryphes.

lanio m. v. hospes.

laticornis F. III. 63. v. Pachylis.

lavaterae F. v. Stenogaster.

leprosus F.

Um. gen. dub.

leucocephalus F. v. Caps.

leucurus F. R. cf. Dysdercus.

limbatus Fall. v. Caps.

linea v. Hypselonotus.

lineatellus F. non Lyg.

Um. m. gen. dub.

lineatus F. v. Caps.

lineola L. v. Largus.

- F. R. gen. dub.

litoralis Zett. - Fall. v. Pachymerus marginep.

lunatus F. v. Leptoscelis.

lunulatus F. v. Acinocoris.

luscus F. v. Pachymer.

Lufit. IX. 197. -

lynceus F. I. 45. v. Pachymer. mactans F. v. Asopus.

- maculicollis Grm. fn. 24. 16. Eur. m. IX. 199. malabaricus F. Matab. gen. dub. marginepunctatus Wolff. v. Pachymer. maroccanus F. v. Pachymer. maurus F. v. Caps.
- melanocephalus F. genus Arocatus Spin. Gur.
- ... melanurus Grm. Silb. ... Gap. meleagris F. Wolff. v. Nematopus. membranaceus. W. v. Anisoscelis.
- ... mendicus F.

 militaris Rossi. F. Grm. fn. 12. 19.
- pandurus Vil.
 civilis Wolff. 105.

 minutus Fall. v. Anthocoris.

 modestus Fall. v. Stenogaster basalis.

 mutabilis Fll. v. Caps.
- ... muticus Erichs. Wiegm. Arch. 1842. 23an. Diem. nassatus F. Fll. v. Caps. nebulosus Fll. v. Pachymer. nemoralis F. v. Caps. sexpunct. nemorum Fall. I. 106. v. Anthocoris.
- nerii Grm. fn. 24. 17.

 nubilus Fll. v. Pachymer.

 nugax F. v. Stenocephal.

 oblongipes F. (non Lyg.) gen. dub.

 oblongus F. v. Pachymer.

 olivaceus F. v. Dysdercus.

 pabulinus Fll. v. Caps.

 pallens F. non Lyg.

pallicornis Fll. v. Caps.

pallipes Wolff. 141. v. Dysderc. pandurus Vill. v. militaris. pastinacae Fll. v. Caps. pedestris Fll. - Pz. v. Pachymer. pharaonis F. v. Pachylis. phasianus F. v. Mictis. phyllopus F. v. Anisoscelis. pictor F. (non Lyg.) gen. dub. pilifrons Fll. v. Pachymer, marginep. ... pilosulus Grm. Silb.

Cap.

pinastri Fll. v. Caps. pini L. - Fabr. v. Pachymerus. plebejus Fall. v. Pachym. podagricus Fall. v. Pachym, pictus. populi F. v. Caps. pratensis Fabr. v. Caps. profanus F. R. cf. Mictis crucifera. pubicornis F. v. Caps.

= pulchellus F. bimarginatus m.

... pulcher F.

St. Cruz.

VIII. 105, 877. 2(m. m.

pulicarius Fll. v. Caps.

Grm.

- punctatoguttatus F. - Pz. 118. 8. - punctum F. - Geoff. - Pz. 118. 11. - Wolff. 70. Grm. auftr.

pusillus Fil. v. Hebrus. pustulatus F. v. Sephina. quadratus F. v. Pachymer.

- Pz. I. 48. v. Pachym. luscus.

- Coq. v. Verlusia.

... quadriguttatus F. quadripunctatus F. cf. Caps. chenopodii. Meuholl.

resedae Pz. v. Cymus. revestitus Fll. v. Caps. ... rivularis Grm. Silb. ... roeselii Schill. Grm. IX. 199. rolandri F. v. Pachymerus. roseomaculatus Deg. v. Caps. ferrug. roseus F. v. Caps. rostratus vix Lyg. Ufr. aq. gen. dub. rubricatus Fll. v. Caps. ruficeps m. III. 95. 319. v. Dysderc. ruficollis F. v. Dysdercus. rufomarginatus F. v. Leptocoris. rusticus Fall. v. Pachymer. sabuleti Fll. v. Pachymer. ... saevus Grm. Silb. sahlbergi Fll. v. Pachymer, saltatorius F. - Wolff, v. Salda. sanctus F. v. Crinocerus. sanguineus F. v. Caps. sanguinolentus F. cf. Odontopus. = saxatilis F. - Wolff. 26. Germ. II. 619. ... scabrosus F. scapha Pert. v. Largus. schlangenbuschii F. v. Pyrrhocoris. = schummelii Schill. Grm. IX. 199, 985. scriptus F. R. 15. v. Caps. strigatus. scutellaris F. v. Caps. semiflavus Fll. v. Caps. ... septus Grm. Silb. serratus F. cf. Mustha.

serripes F. gen. dub. ... servus F.

sexguttatus F. v. Caps. sexpunctatus F. v. Caps. sexpustulatus F. cf. Pyrrhocoris. silvaticus Fll. v. Pachymer. solenis m. v. Dysderc. koenigii var. sordidus F. cf. Pachymer. striatellus F. R. 164. - Fll. v. Caps. - Pz. v. Caps. striatulus F. v. Hypselonotus. succinctus F. v. Largus. superstitiosus F. cf. Dysdercus. suturalis F. v. Dysderc. sylvaticus Pz. v. Pachym. agrest. - F. v. Pachymer. sylvestris Pz. v. Pachymer. - L. - F. cf. Pach. luniger. tenebrosus F. v. Mictis. tenellus Fll. v. Caps. thymi Fil. v. Cymus. tiliae F. v. Phytocoris populi. tragus F. v. Mictis. transversalis F. I. 213. v. Caps. pastinaçae. tricolor F. cf. Caps. triguttetus F. R. v. Caps.

... trilineatus F.
tripustulatus F. v. Caps.
tristator F. v. Mictis phasianus.

... tristriatus m. Ind. or. IX. 196. — tumidipes F. v. Mictis. tunicatus F. v. Lopus.

... turcicus F. typhoeus F. E. S. v. Crinoc. acridioides.

umbellatarum Pz. v. Capsm eqolodoid	
umbilicatus F. v. Mictis. and milet	
= unifasciatus F. goll sudoughrogo II. 7. 120.	
- var VIII. 105. 876.	
urticae F Fll I. 71. v. Heterogaster.	
valgus F. v. Mictis.	
variabilis Fll. v. Caps. unifasc.	
varicolor F Infle and Infle Erinit.	
varicornis F. vix Lyg. cf. Odontopus.	
varius Wolff. v. Pachymer.	
wenosus F. (non Lyg.) gen. dub. 38 salve	
ventralis Kol. 39. t. 9. f. 13. 2001 21. 220 Rauf.	
= venustus: Boeb. a anti - desect ar and quee	
familiaris Rossi — Pz. 79. 20. Cimex. Grm.	
verbasci F. cf. Heterogast. salv.	
viridulus Fll. v. Caps.	
vividus F. v. Caps.	
= xanthostaurus m. Brf. VIII. 104. 874.	
Lygus Hahn. v. Capsus.	
Lyramorpha Hop.	
rosea (et pallida) Hop	
Machtima Serv.	
Lygaeus F.	
Chariesterus Brm.	
cruciger F Stoll. 175. and he schelong Brf.	
Sterher wohl mehrere unter Chariesterus aufgeführte	
Urten.	
Mácraulax Dall.	
Pachycoris m. and w and - adjet an announce W.	
= bipunctatus m. Austri. IV. 87. 420.	
Macrina Serv. 8 at % Ja Ji	
Gonopsis Serv d anil regents	

Dichelops m. Aelia Brm. Megarhynchus Hop. = acanthura Hop. Dich, fissus · Gamb. VII. 72. 743. ... angularis Dall. Ufr. : mer. ... furcata F. Jan. ... juvencus Brm. Megarh. coenos. White. Ent. tr. III. 91. Congo. furcata Serv. pl. 2. f. 8. Al anti- A are Gamb. ... quadrispinosus Hop. (Megarh.) Gamb. Macrocephalus Swed. - Burm. - Serv. - Westw. Trans. ent. Soc. III. p. 18. t. 2. - VIII. 106. Syrtis Brm. ... affinis Guer. Brf. = cimicoides Swed. manicata F. Um. m. VIII. 107. 878. - crassimanus F. - Serv. pl. 6. f. 2. Ind. or. ... leucographus Kl. Sind. occ. ... macilentus Westw. Columb. manicatus F. v. cimicoid. Columb. ... notatus Westw. ... obscurus Westw. Mm. ... pallidus Westw. Um. bor. = prehensilis F. Um. bor. VIII. 108. 879. ... pulchellus Kl. Ind. occ ... tuberosus Kl. Macroceroea Spin. - Lef. v. Lohita. Macromalus Dall. - nervosus Dall. pl. 7. f. 5. . . Reuholl. Macrops Brm. - Serv.

Macrophthalmus Lap.	
= pallens Lap Serv.	Brf. VIII. 68, 836.
Macropygium Spin.	
Oxyrhinus Serv.	
Ochlerus m.	
atrum Spin. — bifida Hop.	
coenosum (Aelia) White.	
= incisum m.	Brf. IV. 93. 434.
— subsulcatum Serv. pl. 12.	f. 2.00 vilo A Cap.
Macrorhaphis Dall.	Lagress.
acuta Dall.	carl madter Congo.
= leprosa Grm. Silb Dall.	pl. 2. f. 1.
	Cap. : VII. 113. 708.
Maotys Serv.	. : IX. t. 307, E. F.
Ptilocerus Gray. — Pt	ilocnemus Wetw.
= fuscus Gray. — Westw. Tra	ns. pl. 22. 8 Serv.
pl. 6. 4	IX. 134. 946. Japa.
	in investigation in
- maculatus Dall. pl. 9. f. 1.	in to gate of Philip.
Mattiphus Serv.	1 1 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
laticollis Hop. — carren	oi Serv. Ind. or.
oblongus Dall.	Nordind.
reflexus Dall.	Philip.
Mazium Dall.	
Platycoris Guér. Coq.	
- bipunctatum Guér. Coq. pl	. 12. f. 2 Dall. pl. 4.
f. 4.	neuholl.
rotundatum Dall.	Rangaroo.
Mecidea Dall.	
- indica Dall. pl. 3. f. 3.	Bengal.
linearis Dall.	d Admin 1
Mecistorhinus Dall.	of remark

- rufescen's Dall. pl. 4. f. 5. Attachen at Para. Mecocephala Dall. - acuminata Dall. pl. 6. f. 3. Montevib. Mecosoma Dall. Raphigaster m. = mensor Grm. Silb. - m. VIII. 7. 713. Meganodus Lap. v. Pyrrhocoris. Megarhynchus Lap. - Serv. Aelia Brm. Lugaeus F. acanthurus Hop. v. Macrina. caenosus White v. Macrina. ... ?capensis Dall. Cap. ... crenatus Le Guill. (3) elongatus F. v. hastatus. ... gambiensis Dall. Gamb. ... gracilis White Ent. Trans. III. 91. Congo. ... hastatus F. R. elongutus Lap. Jav. ... ?lanceolatus F. Afr. ag. = limatus Grm. IX. 203. 998. ? truncatus Hop. Uffam. marginellus Hop. v. Macrina. ... merata le Guill. . . . 5 quadrispiuosus Hop. v. Macrina. = rostratus F. elongatus Lap. IX. 203. 999. 3nd. or. testaceus Serv. China. ... truncatus Hop. cf. limatus. Java. Megymenum Guér, Voy. Coq. 1830. - Serv. - Dall. Cimex F. Edessa F. R. Amaurus Brm. Nov. Act. 1834. - m.

```
Platydius Westw. Zool. Jour. 1835.
 ... brevicorne F. E. S. - Brm.
                             China.
 ... crenatum le Guill. - Guer. Rev. Port Effingt.
 = cupreum Guér. Cog. - Serv. pl. 3. f.: 10.
                          V. 61. 505. Jav. Philip.
 ... dentatum Guér. Coq. pl. 12. f. 1. - Astrol. pl. 2.
  f. 11. - Serv. - Brm. China.
                            China.
 ... gracilicorne Dall.
= inerme m.
                     V. t. 164. f. G. H. Bengal.
insulare Hop.
                        Informala.
 ... merratii le Guil. Rev. Timor.
... spinosum Brm. Nov. act. t. 41. f. 7.
                                         Philip.
- serratum Grm, Silb.
                            Cap. VII. 75. 748.
... purpurascens Westw.
Meloza Serv. (cf. Hypselopus.)
                               38le de Fr.
... villosipes Serv.
Melucha Serv.
a. lineicollis Serv.
                                           Brf.
Menaccarus Serv.
... piceus Serv.
Menenotus Lap. - Serv.
       Coreus Pert.
       Spartocerus Brm.
  = lunatus Lap. - Brm. - Cor. cornut. Pert. t. 33.
      f. 15.
                      250 Brf. VI. 74 f. 642.
Menipha Serv. v. Ochlerus.
Merarchus m.
       Archimerus m. olim.
  = acutangulus m.
                              VI. 82, 653. Brf.
Merocoris Pert. - Serv. - Harmostes Brm.
                            . .... Carel.
  ... rugosus Serv.
  - tristis Pert. del. pl. 31. 2. - Serv. pl. 5. 1. Cap.
```

Merocoris Hhn. v. Corens.
Meropachys Serv.
Meropachus Lap. — Bem.
gracilis Brm
= granosus m. VI. 84. 654. Br
integer Brm. Rio
- nigricans Lap. pl. 53. 1 Serv. pl. 5. f. 15. Rio
variolosus Brm
Metastemma Serv. — Nabis Ol. — Reduv. F. Pz. — Pro-
stemma Lap. — Brm. — Curt. — m. — Postemme
Duf. II. t. 91. f. 130. D-F VIII. 57. t. 268. D. E
- brachelytrum Duf. Ann. Soc. Ent. III. pl. 5. B. Gau
= buessii m. Selv. VI. 91. 661
= guttula F Hhn. Germ. II. 28. 130
lucidulum Costa Cent. nr. 23. Reapel
staphylinus Duf. Gall. m
Metopodus Serv.
Metapodius Westw. — Cim. Drur. — Lyg
Metapodius Westw. — Cim. Drur. — Lyg F. — Diactor Brm. — m.
Metapodius Westw. — Cim. Drur. — Lyg F. — Diactor Brm. — m. S alatus Brm.
Metapodius Westw. — Cim. Drur. — Lyg F. — Diactor Brm. — m. 1 alatus Brm. = latipes Drur. — Stoll. f. 14. Lyg. compressipes F. —
Metapodius Westw. — Cim. Drur. — Lyg F. — Diactor Brm. — m. 1 alatus Brm. = latipes Drur. — Stoll. f. 14. Lyg. compressipes F. — Diact. compr. Brm. m. — Br. III. 93. 317.
Metapodius Westw. — Cim. Drur. — Lyg F. — Diactor Brm. — m. 1 alatus Brm. = latipes Drur. — Stoll. f. 14. Lyg. compressipes F. — Diact. compr. Brm. m. — Br. III. 93. 317. = badius m.
Metapodius Westw. — Cim. Drur. — Lyg F. — Diactor Brm. — m. 1 alatus Brm. = latipes Drur. — Stoll. f. 14. Lyg. compressipes F. — Diact. compr. Brm. m. — Brf. III. 93. 317. = badius m. = clatus Stoll. f. 55.
Metapodius Westw. — Cim. Drur. — Lyg F. — Diactor Brm. — m. 1 alatus Brm. = latipes Drur. — Stoll. f. 14. Lyg. compressipes F. — Diact. compr. Brm. m. — Brf. III. 93. 317. = badius m. = elatus Stoll. f. 55. Petalops elegans Serv. Gay.
Metapodius Westw. — Cim. Drur. — Lyg F. — Diactor Brm. — m. 1 alatus Brm. = latipes Drur. — Stoll. f. 14. Lyg. compressipes F. — Diact. compr. Brm. m. — Brf. III. 93. 317. = badius m. — IX. 258. 997. Brf. = elatus Stoll. f. 55. Petalops elegans Serv. compressipes v. latipes.
Metapodius Westw. — Cim. Drur. — Lyg F. — Diactor Brm. — m. 1 alatus Brm. = latipes Drur. — Stoll. f. 14. Lyg. compressipes F. — Diact. compr. Brm. m. — Brf. III. 93. 317. = badius m. — IX. 258. 997. Brf. = elatus Stoll. f. 55. Petalops elegans Serv. Gay. compressipes v. latipes femoratus F.
Metapodius Westw. — Cim. Drur. — Lyg F. — Diactor Brm. — m. 1 alatus Brm. = latipes Drur. — Stoll. f. 14. Lyg. compressipes F. — Diact. compr. Brm. m. — Brf. III. 93. 317. = badius m. — IX. 258. 997. Brf. = elatus Stoll. f. 55. Petalops elegans Serv. compressipes v. latipes. femoratus F. fulvitarsus m. IX. 258. — Cap.
Metapodius Westw. — Cim. Drur. — Lyg F. — Diactor Brm. — m. 1 alatus Brm. = latipes Drur. — Stoll. f. 14. Lyg. compressipes F. — Diact. compr. Brm. m. — Brf. III. 93. 317. = badius m. — IX. 258. 997. Brf. = elatus Stoll. f. 55. Petalops elegans Serv. Cap. compressipes v. latipes femoratus F. Snd. or fulvitarsus m. IX. 258. — Cap. = suratus Brm. III. 94. 318. Brf.
Metapodius Westw. — Cim. Drur. — Lyg F. — Diactor Brm. — m. 1 alatus Brm. = latipes Drur. — Stoll. f. 14. Lyg. compressipes F. — Diact. compr. Brm. m. — Brf. III. 93. 317. = badius m. — IX. 258. 997. Brf. Petalops elegans Serv. — Cay. compressipes v. latipes femoratus F. — Snb. or fulvitarsus m. — IX. 258. — Cay. Esuratus Brm. — III. 94. 318. Brf. Mezira Serv.
Metapodius Westw. — Cim. Drur. — Lyg F. — Diactor Brm. — m. 1 alatus Brm. = latipes Drur. — Stoll. f. 14. Lyg. compressipes F. — Diact. compr. Brm. m. — Brf. III. 93. 317. = badius m. — IX. 258. 997. Brf. = elatus Stoll. f. 55. Petalops elegans Serv. Cap. compressipes v. latipes femoratus F. Snd. or fulvitarsus m. IX. 258. — Cap. = suratus Brm. III. 94. 318. Brf.

Cap. = lineola F. Apiomerus morbillos. VI. 104. 674. Micrelytra Lap. - Serv. - Micrelytrum Ramb. -Hydrometra F. - Actorus Brm. - VI. 99. t. 213. A-C. = fossularum F. - Serv. pl. 5. f. 4. - VI. 101. f. 672. Alydus apt. Leon. D. Will a Wall Gur. m. Microdeuterus Dall. Acanthosoma m. VIII. 5. 783. = megacephalus m. Dall. pl. 10. f. 4. n Mordind. Microphysa. Westw. ... myrmecobia Märk. Germ. Zeitschr. Grm. V. pg. 262. = pselaphoides Brm. - Westw. Ann. Soc. Ent. III. pl. 6. f. 3. Srm. 1X: 185. 970. pselaphiformis v. pselaphoides. ... testacea m. cf. Anthocoris rufescens Costa. Grm. IX. 187. -Micropus Spin. v. Pachymerus decurtatus. Microvelia Westw. - Serv. v. Hydroessa. Mictis Leach. - Westw. - Serv. - Lyg. F. - Cerbus Hhn. - Brm. VI. 85. f. 655. Guin. = boerhaviae F. nach Bem. eine Pyrrhocoris. = crucifera m. VI. 60. f. 622 .- ? L. profanus F. (Umboin.) Huftel. - dentipes Serv. pl. 4. f. 10. ... fuliginosa Klug.

- phasianus F. R. - Wolff. 69. mas. tristator F.

Sierra L.

... beros F.

= protractus m. AIX. o Sinb. for. ? scriptus Brm. Stoll. 161. = tenehrosus F. - Brm. - Foem. Lyg. fulvicornis F. -Cerbus Hhn. I. 7. 1, - Stoll. t. 190. C. Ind. or. foem. VI. 62. f. 624. 101 L 7. f. 1. a = tragus F. - Wolff. 188. China. VI. 73. f. 641. = tumidipes F. VI. 54. f. 614. (grossipes im Tert.) Sumatr. = umbilicatus F. - t. 190. A. VI. 51. f. 611. China. = valgus L. - F. - Hhn. - Stoll. 52. 53. I. 14. 7. - VI. 28. 586. Cap. Miris F. - Hhn. - Wolff. - Fll. - Brm. spec. Wolffii quaere sub Capsis. .: abbreviatus Wolff v. Lopus dolabratus. abietis F. v. Pachymerus. Car to a content . . - = albidus Hhn. Grm. II. 77. 162. = calcaratus Elle annun land a III. 30. dentata (Hhn. 1) ... Grm. 1 . 15. 18. - caucasica Kol. decrepitus F. Dan. cf. Caps. pinastr. dentatus Hhn. v. calcaratus. dolobratus L. v. Lopus. . = erraticus L. - Fll. Grm. II. 78. 163. 164. hortorum Wolff 154. ferrugatus Fll. v. Lopus. ferus F. v. Nabis. == holsatus F. Germ. III. 41. 256. hortorum Wolff v. erraticus.

```
= laevigatus L.
                         Grm. .. III. 43. 259.
   testaceus Scop.
     virens Hhn. (exclus. cit.) II. 79. 165 ....
   -Hhne v. virensa (b. ) & t dail ereifume me
   lateralis Wolff. - F. v. Lopus dolobr.
 = longicornis Fil. Germ. III. 43. 258.
   - Wolff ve Phythocaulmige a day's profit
   marginellus: F. v. Caps. added a relation -.
   pabulinus F. v. Caps.
   pallens F. v. Caps. revestit.
   pulchellus Hhn. v. ruficornis. 1977 - Al inbana =
; = ruficornis Fll. 170 Grm. III. 40. -
     - Hhn. v. virens.
   semiflavus Wolff v. Caps. unifasc.
   striatellus Wolff v. Caps.
   striatus F. y. Caps.
 .... ulmi F. v. Phytocoris.
   laevigatus Hhn.
                               II. 76. 161.
      ruficornis Hhn. II. 135. 220.
   - Hhn. v. laevigatus.
Molchina Serv
      Lygaeus F. - Pachylis Pert.
... compressicornis F. (Lyg.) Coq. t. 10. f. 10. -
     Pach. Hopei Pert. del. t. 31. f. 3. Cap.
Monalonion m. t. 312. A.
 = parviventre m. Brf. IX. 168. 958.
Monanthia Lep: - Serv. Fieb.
      Tingis F. - Fll. etc.
                            ... frunta m.
geit acuminata m. a . d. a . diff atolar IV. 63. -
```

gracilis Fieb.	# # # # # # # # # # # # # # # # # # #
= albida m.	. Gem. TV. 54. 390
schaefferi Fieb. p. 78	3. t. 6. f. 31—35.
= ampliata Fieb. t. 5. f.	10. Grm. IV. 62. 397. A.
= angustata Fieb. t. 5. f	. 16-18. Grm. 1V. 61. 397
= angusticollis m.	Grm. III. 72. 289
pilosa Fieb. p. 89. t	8. 1. 36. 37.
- auriculata (Catoplatus)	Costa nr. 4. t. 3. f. 3. Ita
brunnea Grm. v. Orthoste	ira.
capucina Grm. v. setulosa	
= cardui L Fieb. p. 0	11. t. 5. f. 1—8.
- 7 2 20 1	Grm. IV. 61. 1. 127. A
cassidea Fll. v. Ortbostein	a. out cultat
cervina Grm. v. Orthostei	ra.
ciliata Fieb. v. reticulata.	
convergens Kl m. v.	humuli.
corticea m. Dtschl. Ins. v	. quadrimac.
= costata F.	Grm. III. 55. 390. D-6
- m. v. vesiculifera.	
= crispata m Fieb. p.	66. t. 5, f. 28-30.
7.55	Grm. 111. 72. 399
- dentata Fieb. p. 71. t.	6. f. 2-4.
= dumetorum m. — Fieb	
	Grm. IV. 57. 391. A-E
= echii F Brmilydan	
	Grm. IV. 52. 392. F. G
- Wolff m. v. wolffi	. Anti- involt of
echinopsidis Fieb. v. testa	
- erosa Fieb. p. 71. t. 6.	f. 5-9. Harris of Grm
- fasciata Fieb. p. 81. t.	7. f. 13-16. Grm

- geniculata Fieb. p. 75. t. 6. f. 19-21.

Grm.

Grm.

... fracta m.

- gibba Fieb. p. 83. t. 7. f. 7-12. Grm. gracilis m. v. setulosa. - Fieb. v. acuminata. il .ld. lit .it silvenry - grisea Grm. - Fieb. p. 64. t. 5. f. 25-27. Grm. = humuli-F - Fieb. t. 70 f. 17. 18. convergens Kl. - m. Grm. IV. 15. 361. - liturata Fieb. p. 74. t. 6. f. 16-18. Grm. = lupuli Kunz. - Fieb. p. 85. t. 7. f. 19-21. Grm. IV. 58, 359. 22 . 11: . Grm. IV. 56. 389. = maculata m. stachydis Fieb. p. 73. t. 6. f. 13-15. = melanocephala Panz 100. 21. - Fieb. p. 77. t. 6. f. 26-30. Girm. III. 54. -= nigrina Fll. - Dtschl. Ins. 118. 16. - Fieb. p. 63. t. 5. f. 23. 24. Grm. IV. 62. t. 125. G. obscura m. v. Orthosteira. ... parallela Costa, cent. nr. 123. Meap. ... parvula Fll. Fieb. p. 66.1 . Will Mass Grm. pilosa Fieb. v. angusticollis. 1988 . 1883 Epin pusilla Fll. m. IV, 24. 373. v. Orthosteira. - Brm. v. Orthost, obscura. = quadrimaculata Wolff. - Fieb. p. 81. t.7, f. 1-3. Grm. IV. 58. t. 125. A. corticea m. Pz. 118, 22; .1 21300 mt - reticulata m. Grm. III. 72. 288. ciliata Fieb. p. 65. t. 5. f. 31-33. Ramb. - Fieb. p. 90. - ? rotundata m. v. echii. 21m. inf. VI. 85. 532. = sacchari F. scapularis Fieb. v. simplex.

schaefferi Fieb. v. albida.

= setulosa Fieb. p. 68. t. 5. f. 34-38.	
capucina Grm.	
gracilis m. Dtschl. Ins. 118. 20.	
= simplex m. g p to produce the second	IV. 59.
scapularis Fieb. p. 80. t. 6. f. 38-40.	Grm.
= sinuata Fieb. p. 60. t. 5. f. 12-15.	Grm.
cardui var. m. t. 127. B.	
stachydis Fieb. v. maculata.	
= tabida m Fieb. 170. t. 6. f. 1.	
V. 86. 535	. Grm.
= testacea m. Pz. 118. 23.	Grm.
echinopsis Fieb. p. 62. t. 5. f. 19-22.	
- variolosa (Catoplatus) Costa. cent. nr. 124. t	. 3. f. 3.
	Ital.
verna Fll. v. Campylosteira.	
= vesiculifera Fieb. p. 87. t. 7. f. 25. 26.	Grm.
costata m	
= wolffii Fieb. p. 86. t. 7. f. 22-24.	Grm.
echii Wolff. 124 m. t. 124. c. Fig. 30	30.
humuli Fall. Brm.	
Mononychus Guér.	
fuscipes Guér.	
laticollis Guéra	leuguin.
Mononyx Lap. — Brm. — Serv.	
Naucoris F. — Desj.	
Galgulus Lep. IX. 25. t. 291. B-G.	
= badius m. IX. 27. 801	
fuscipes Guer. Rev. Zool. 1843.	Columb.
grandicollis Grm.	· 2(m.
laticollis Guer, ibid.	deuguin.
= raninus Kl. Columb. IX. 2	8. 896.
= raptorius F	27. 895.

rugosus Desj. Guer. Rev. Erichs. Ber. 1843. p. 79. v.	
Peltophorus.	
= sordidus Grm. Guin. IX. 26. 893.	
suberosus Erichs. Wiegm. Arch. 1842. Ban Diem.	
Montina Serv.	
Reduv. Lep.	
= pungens m. cf. Euagoras. Brf. VIII. 37. 814.	
sinuosa Lep. Enc anti Brf.	
Mormydea Serv Dall. v. Pentatoma.	
Mozaena Serv.	
= lunata Bem. Mer. VI. 24. 580. 581.	
spinicrus Serv. The at all and the engineers Mer.	
= brunnicornis m. Mer. VI. 26. 582. 583.	
= mutica m. Mer. VI. 52. 612.	
Mucanum Serv.	
Tesseratoma Enc.	
canaliculatum Lep. Enc. Jav. Phil.	
Mustha Serv Dall.	
Halys Lef.	
Apodiphus Spin.	
serrata F L. Mus. Ulr S. N. Suin.	
= spinosula Lef Stoll, 169. 446. Ueg. Grac.	
serrata Serv. — hellenica Spin.	
Myocoris Brm. transact. of the Ent. Soc. 10 Urten	
Hiranetis Spin.	
- braconiformis Brm Stoll. 147. Um. m.	
= membranaceus Spin. Brf. VIII. 43. 811.	
nigripes Brm. Bahia.	
rubrithorax Serv.	
Myodocha Ltr. — Serv. — m. t. 314. A.	
Myodochus Oliv.	
= serripes Oliv Serv. Seneg. IX. 213. 966.	

Myodochus Brm. v. Stenocoris. Myrmus Hhn. v. Corizus. Myrochea Serv.

> Dichelops m. aerea m. v. Aegius.

= comma Thb.

... Cap: WIII 73. 744.

... vittata Serv.

ent genit ihr in magner Seneg.

Nabis Ltr. - Oliv. - Duf. - Burm. - I. f. 6. - III. t. 83. — VIII. t. 278.: A-D.:

Miris F. - Wolff.

= aptera F. - Cog. t. 21. f. 8. - Wolff, f. 200. Grm.

= brevipenis Hahn III. f. 253. - Scholz. Grm. = brevis Scholzana as linearingues Grm.

. . cinerea Ol. v. ferus.

... dorsalis Duf. pl. 5. f. 55.

Ball. m. = ericetorum Scholz. .. il mantagarest Gierm.

Miris vagans F. - Wolff, f. 153, - Scholz. Nabis cinerea Oliv.

Cim. testaceus Scop.

- flavomarginatus Scholz. .. Grm. ... geniculata Erichs. Wiegm. Arch. 1842. Ban. Diem.

guttula Ltr. II. f. 130. v. Metastemma. - longipennis Costa tab. 2. f. 10.

Meap.

... punctatus Costa.

. Meap.

subapterus Deg. VI. 679.

Aptus apterus Hhn. I. 35, 24. v. Harpactor.

vagans B. m. v. ferus.

viridulus Costa t. 2, f. 11. ... Calabr.

Nacogaeus. Spin. v. Hebrus.

Namacus Serv.

... transvirgatus Serv. and - Gurin.

Naucoris L. etc
acuta Spin.
aestivalis Coq. 1. 38. t. 10. f. 4. F. v. Aphelochira.
= bipunctulus m. IX. 39. 900. Brf.
= cimicoides L. — Panz. — Sulz. Eur.
?? cursitans F
= maculatus F. IX. 39. 899. Gall.
nepaeformis F
nepoides F
Sobliquata Spin. Antifura Bomb.
oculata F. v. Galgulus.
raptoria F. v. Mononyx.
rugosa Desji v. Mononyx.
Neides Ltr. v. Berytus.
Nematopus Ltr. — Lap. — Brm. —
Cimex L.
Lygaeus F. — Wolff. III. t. 91. F—H.
angustatus m. Aspathus.
bellicosus F. R
= brevicornis m
chalybaeus Pata. VI. 97
- dilatatus F Stoll. 284. Cap.
elegans Serv. Mag. v. Petalops,
gallus F Brm. v. indus.
= indus L F: 1. 44 A. 484
gallus F Wolff. 100 Brm Stoll. 73.
VII. 14. 682. Cap.
= meleagris F Wolff. 23 Stoll. 213. 278.
VI. 79. 650. Trang. China.
- nervosus Lap Stoll. 255
= ruficrus Pert. Para. III. 61. 272. VI. 78. 649.
Nepa L. etc. VIII. 19. t. 255. A-E. 1X. 29. t. 290. G.

annulata F. v. Diplonych.	Vancoriach. etc.
annulipes Lap. Silb.	mig Isle be. Fr.
? Catra L. S. N	
cimicoides L. fn. v. Naucoris.	
= cinerea L. fn.	VIII. 21. 796. Eur.
1919, fusca L. Mus. L. U F.	.i ennier Ind. for.
grandis L. Mus. L. U. v. Belost	oma.
. Serv. Serv.	Luimaninuge Seneg.
linearis L. fn Sulz. v. Rans	itra.
1400 maculata F.	and alsopil Ind. or.
nigra F.	Lit . A Anthere Guin.
planá Sulz. Gesch. v. Diplon.	
= rubra L. Mus. Ulr F	Stoll. pl. VII. f. V.
	groß .v!!! Ind. or.
rustica F. v. Diplonych.	
Neuroscia Serv. v. Agonoscelis.	THE REAL PROPERTY.
Nezara Serv. v. Rhaphigaster.	
Niesthrea Spin. v. Corizus.	
Notius Dall.	
— depressus Dall. pl. 4. f. 1.	Reuholl.
Notocyrtus Hffgg Brm m	. IX. pg. 33. t. 307.
'A'— C.	
Saccoderes Spin. — Ser	v Reduv. Pert.
clavipes F. — Brm.	ned d
- inflatus Pert. pl. 34. f. 12	- Serv. pl. 7. f. 1.
ph state - it is - with mater	calling Can.
= sexfoveolatus Spin. 20	m. m. IX. 124. 911.
- vesiculosus Pert. pl. 34. f. 1	1 Serv. pl. 7. f. 2.
All the same stands are	Braf.
Notonecta L. etc. 1442 11 17	•9
= americana F.	Um. IX. 44. 902.
bifasciata Guer	1 ,11

anh or

ciliata F

ciliata F.	a singularing Ind or.
furcata Coq. v. glauca.	
= glauca L Pz. 3. 20.	
var. furcata Coq. t. 10	0. f. 2.
maculata F. Coq.	f. 1. Eur. VIII. 23. 797.
grandis Grm. v. Enithares.	
indica F.	.e.f - extentione Sumatr.
lutea Müll. Zool. D. 117	6. , est connurs. Eur.
maculata F. v. glauca.	
marmorea F. cf. glauca.	
= mexicana Am. pl. 8. f.	7. Mer. IX. 43. 903.
minutissima v. Ploa.	
nivea F. — Costa Cent. n	. 6. v. Anisops, T
pallipes F.	or on thornas Um.
triangularis Guer.	
undulata Say.	" hennelbat, Um. fpt.
Nyttum Spin. cf. Homoeocerus.	
Ochetopus Hhn. v. Pygolan	apis.
Ochlerus Spin. — m. — VII.	63. t. 236. A. B.
Menipha Serv.	
- brunneus Serv. pl. 12.	
cinctus Spin.	Mer 196
= coriaceus Grm.	Columb. VII. 64. 734.
incisus VII. pg. 63. v. M	acropygium.
= flavicinctus (Am.)	II. 94. 435. Brf.
= lutosus Grm.	Brs. VII. 65. 735.
obscurus Dall.	Brf.
punctatus Dall.	Columb.
rufoscutatus Hop.	color we boot Columb.
= sordidus Grm. — m.	Columb. VII. 65, 736.
Ochterus Ltr. v. Pelogonu	s.
Odontopus Lap Serv.	
	13

Pyrrhocoris m.	
	Jav. VI. 27. 58
= coqueberti F.	
discoidalis Brm. 💜 👉	gill attended to Mani
maculicollis Bim, in li	it. 1865 and Ind. o
nigripes Brm.	
sanguinolens Lap.	ac boulen Benga
sexpunctatus Lap. (3.12)	e in a May were Sene
= versicolor	IX. 178. 969. Benga
Odontoscelis Lap. (Hope et G	rm. v. Coreomelas.)
Pachycoris Cost.	
Cimex L. etc.	
Tetyra F.	
Scutellera Lir.	
Ursocoris Hhn.	
Arctocoris Grm. —	m.
albipennis Esch. — Grm. v	Coreom.
basalis Grm. v. Coreomel.	-
= dors alis F Dall.	or and or a stay of the a single of
plagiatus Grm. — m.	38. 48
= fuliginosus L.	II. 49. 142. Eu
var. dorsalis F.	——————————————————————————————————————
lituratus F.	· · · · · · · · · · · · · · · · · · ·
carbonaria Tet. Zett	- Fall.
= hirta Costa Ann. Soc. Ent	. X. pl. 6. f. 10.
Pachycoris maculiventry	is Grm. fn.
villosus m.	Eur. m. V. 89. 489
= lanata F Pall Sto	11. 61.
Irochrotus Serv Da	ll. Sibir. V. 39. 490
lateralis F. v. Coreom.	
maculupennis v. Coreom.	
nitiduloides Wolff Grm.	v. Coreom.

plagiatus Grm. v. dorsalis. pulicarius Grm. v. Corcom. scarabacoides Brm. v. Corcomelas. schulzii F. v. Coreom. signatipennis v. Coreom. - silphoides Thb. - Dail. stigma F. - Brm. - Stoll. f. 21. a. Cap. smidtii F. v. Coreom. = tomentosus Grm. Dongola. V. 38. 488. unicolor Grm. v. Coreom. - Pal. v. Corcom. villosus m. v. hirta. vinculatus Grm. v.: Coreom. daldorf. Odontotarsus Lap. - Spin. - Serv. Cimex L. - Tetyra F. - Wolff. - Bellocoris Hhn. - Pachycoris Brm. - m. -= caudatus Kl. - productus Spin. Eur. m. VI. 28, 378. ... circumductus Grm. Silb. Westafr. = grammicus L. - Wolff. 166. - F. C. purpureolin. Rossi Hahn. Eur. m. II. 43, 138, ... obscurus Dall. Subafr. productus Spin. v. caudatus. Oedancala Serv. = dorsilinea Serv. pl. 12. f. 6. Um. fpt. Ufr. Oncocephalus Kl. - Brm. - Serv. -Redup, Ross. VIII. 92, t. 282, A-I. Cap. IX. 125. 950. = armipes Grm. ... desiccatus Serv. Can. ... notatus Kl. Meg. - obsoletus Kl. Symb. t. 19, f. 2. Meg.

= squalidus Ross. - Costa Cent. I. p. 12. - Klug.

```
Symb. t. 19. f. 1. Eur. m. VIII. 93. 861 et 862.
Oncomerus (- is) Lap. - Brm. - Merocoris Burm. olim.
                                         VII. 123.
  ... flavicornis Guér. Vov. Cog. pl. 12. f. 2. - Astrol.
       pl. 2. f. 10. - Brin. Serva - Singli Huftel.
= merianae F. - Stoll. 141. Sav. IV. 81. 411.
On coscelis Westw.
 -- australasiae Westw. Ent. Tr. II. pl. 2. f. 5.
                                            Menholl.
Ocedosoma Serv.
        Pentatoma Pert. - Cimex Bem.
  -- acroleucum Pert. del. pl. 33. 11.
        (non marginat. m. f. 320.)
Ophthalmicus Schill. - Brm. - m. - Serv. - Hhn. -
  Salda F. - Lep. - Geocoris Fil. - I. 85. t. 117. A-F.
  = albipennis F. - Fll. - Fieb. t. 10. f. 4. IV. 22. 370.
        megacephalus Cim. Ross.
                                            Gur. m.
  - angulatus Fieb. t. 10. f. 1. - Kol.
        siculus Fieb. foem. t. 9. f. 27.
                                              Sicil.
  = ater F. - Schill Fieb. t. 10. f. 5.
                                 I. 88. 49. 50. Gur.
colon Fieb. t. 10. f. 2.
                               Mad at 1117 Sinb. or.
  = dispar Waga Ann. Soc. VIII. pl. 18. 1.
                           Polon. VII. 16. 696. 697.
  = erythrocephalus Lep. - Costa. - Fieb. t. 9. f. 24.
        frontalis m. W. and Gur. m. IV. 23. 371.
  - figuratus Serv. pl. 5. f. 9. Seneg.
                                Buton.
  ... flaviceps Brm.
     frontalis Friv. - m. v. erythroceph.
 = grylloides L. - Schill. - Fieb. t. 10. f. 7.
                                     L. 86, 48, Gur.
```

lapponicus Zett unduce v .quil dent :	:: Lapp.
	Meap.
- lituratus Fieb. t. 9. f. 25.	Ind. or.
lonicerae Schill. v. Aphanus.	
- luridus Fieb. t. 9. f. 23.	Euphrat.
- ochropterus Fieb. t. 9. f. 26.	Ind. or.
pallidipennis Costa. — Duf. — Serv.	Meap.
phaeopterus Grm. m. Silb. And and all	Cap.
- plagiatus Fieb. t. 10, f. 3.	Ind. or.
ruficens Grm. m. in Silb.	Cap.
siculus Fieb, foem, ad angularis.	
steveni Lep Serv.	Gau.
ullrichii Fieb. t. 10. f. 6. hall sugarius !	Destr.
Opinus Lap Serv.	
Tapeinus Lap.	
Platymeris m. VIII. p. 54. t. 26	7. A—D.
discolor m. v. rubropict.	
= inconspicuus m. Jav. VIII.	
= pictus Lap. — Brm. Sav. VIII.	
proximus Serv.	Jav.
= rubropictus Serv.	Jav.
discolor m. VIII	
- rufus Lap (Durganda) Serv. pl. 7. f. 3.	, — Brm.
	Java.
Oplomus Spin. — Dall.	
Catostyrax Serv.	
Asopus Brm.	
Platynopus m.	
The second of th	
- catena Drur. ins. III. pl. 46. 1 Serv.	20 1000
quadrimaculata (Pent.) Enc. Brf. IX. 3	
	122. 779.

marginalis Hop. v. ebulinus.
nigripennia Dall Mer.
pulcher Dall. Mer.
rutilus Dall. Columb.
salamandra Brm. db. Columb.
tripustulatus F. R
ventralis Dall. (?)
violaceus Dall. Columb.
Oplomus Spin Kl. v. Reduvius VIII. 14.
Opsicoetus Kl. v. Reduvius.
Oriterus Hhn. v. Homoeocerus.
Orthochemis Westw.
(subgenus Holoptili.)
basalis Westw. 2uftral.
Orthonotus Westw. v. Capsus.
Orthosteira Fieb. p. 46. t. 3. f. 39-45. t. 4. f. 1-25.
IV. 53. Abth. II.
Monanthia m. etc.
= brunnea Grm. fn. 18. 23 Fieb. t. 3. f. 43. 44.
Grm. IV. 25. 374.
- carinata Pz Fieb. t. 4. f. 10. Grm.
- cassidea Fall Fieb. t. 3. f. 39-42.
Cim. musci Schr
= cervina Grm Fieb. t. 4. f. 1-3. t. 129. G.
IV. 26. 375. Grm.
- cinerea Fieb. t. 4. f. 11-14.
? Ac. marg. Wolff. 126. Grm.
- gracilis Fieb. t. 4. f. 19-21. Grm.
= macrophthalma Fieb. t. 4. f. 4-7.
pusilla m. IV. 24. 373, t. 129. C. F.
? Ac. marginata Wolff. 126 Fieb. t. 4. f. 8.
? T. carinata Pz. 99. 20. Grm.

= obscura m. Fieb. t. 4. f. 22-25. IV. 23. 272.
? pusilla Brm
= platycheila Fieb. t. 4. f. 15-18. Grm.
pusilla Fll Fieb. t. 4. f. 9. v. macrophth.
? quadricornis (Canthacader) Serv.
Oxynotus Lap Hop Hhn Grm.
Tetyra F.
Podops Brm. V. 36 VII. 27.
= gibbus F. etc. Brf. II. 28. 250.
- horridus Grm Stoll. 278. Surin.
= laceratus m Brf. III. 108. 334.
- monstrosus Grm Stoll. 279. Gurin.
trigonus Grm
Oxyrhinus Serv. v. Macropygium.
Oxythyreus Westw.
cylindricornis Westw. Trans. III. pl. 11. f. 7. (?)
Pachycoris Brm. — etc.
Tetyra F.
Scutellera Palis. V. 48
affinis F. v. arcuata.
afra m. v. Zophoessa.
angularis Grm. Z. v. guttula.
annularis Hop. v. Sphaeroc. annulus.
annulus F. — Drur. v. Sphaer.
apicalis Hop. And and Andreas H. Camb.
aquila m. v. klugii.
arcuatus F.
= atomarius Grm
attenuata Hop. v. Solenosthed, Dall.
aulicus Grm. v. Choerocoris.
bigatus Grm. Columb.
bipunctatus Sturm m. v. Macraulax.

boscii Palis. t. 5. B. f. 5. 6. - Coq. - F. caffer Grm. v. guttula. caudatus Kl. v. Odontotars.

. C 55 05

.... 2010

- = chrysorrhoea F. Carol V. 6. 460. circumductus Grm. Silb. v. Odontotars.
- ... confusa Hop.

. fabricii Wolff. - Palis.

- = conicus Grm. Brf. V. 55. 492. cordigera Palis. v. irrorata. curculionoides m. v. Hotea.
- 3 0 Brf. 1V. 3. 344. = deplanatus m. dichrous Pert. t. 33. 2. Brf. v. Agonosoma. exilis m. v. Homaemus.
 - = fabrici L. F. Brm. Beneg. III. 27. 240. . var. decorata Pert. del. t. 33. f. 1.
 - m. v. schusboei.
 - Wolff. Palis, v. confusa. farctus Grm. v. nitens.
 - ... flavescens Hop.

- = flavicinctus m. Mer. - IV. 8. 351. flavolineatus Grm. v. Agonosoma.
- ... flavonotatus Dall. (Sphaerocor.) Congo. ... gambiae Hop. The state of the state Gamb.

- -- gibbosa Palis. t. 5. B .- f. 3. grammicus v. Odontoscelis.
 - = guttatus m. Um. fpt. IV. 4. 345. guttula Grm. - m. v. nitens.
 - -- hebraica Palis, t. 7, f. 1. birta Cost. v. Odontoscelis.
- = hirtipes m.

Brf. "III. 97. 322.

piperata Hop.	
illustris F	the third Cap.
impluviatus Grm. v. Sphaeroc.	
= incarnatus Gem.	Brf. V. 9. 466.
irroratus F Grm. v. Symphilus.	in the control
= klugii Grm Brm m.	IV. 5. 347. 348.
aquila m	lm. aq. 10 V. 7. 463.
knochii Grm. : at in a and d :	dan materiere g Brf.
lanatus Grm. v. Irochrotus.	
	Brf. V. 11. 469.
lineatus m. v. Agonosoma flavolin.	
lineola F	f. in salan Cap.
: line olatus Dall.	Columb.
ter trumor trop.	de esitelia Brf.
lobata Hop: 10 or Ale a Mark	- and a course Brf.?
= luminosa Grm. (accorded per d	Mer. V. 6. 461.
maculiventris Grm. v. Odontoscelis.	
marginellus Dall.	(3)
= mexicanus m. horar areas	
nebulosa Palis. t. 5. f. 4. %	[*] (*)
nepalensis m. v. Poecilicoris.	
= nitens Dall Hop.	
fabricii Wolff. f. 87. — Palis.	
banna and	8 " 4 1 h d q
guttura arm.	350.
farctus Grm.	
- vondans onn	olumb. V. 54. 491.
voscutatus iii	m. m. IV. 86. 419.
vosculus Dam-	" . i har ee ! Columb.
ocellatus Kl. — Brm. — Dall.	
Sphaer. annulus Serv.	or april wishen Mby ff.

ornatus Grm. Silb. v. Choerocoris aulicus.
parvulus Grm. — m. v. Homaemus.
= pinguis Grm. Brf. V. 7. 462.
piperitia Hop. v. hirtipes.
porosus Grm. v. Zophoessa.
pumila Grm. Z. v. guttula.
punctatissimus Palis. t. 5. f. 3 Dall, Mer.
punctulatus Wied. Grm. v. Hotea.
quadrinotatus v. Sphaerocoris.
= rubrocinctus m. Mer. IV. 9. 352.
- rufilabris Grm. t. 1. f. 2
= schusboei F Grm Brm fabricii. m.
Ит. т. IV. 6. 349. —
sticticus Dall. Sondur.
stigma Brm Stoll. f. 21. v. Odontotars.
unicolor Dall. (Sphaerocor.) Conqo.
Congo
= variabilis m. :- Grm. (- Dall:
== variabilis m. :- Grm./ Dall. IV. 9. 353, 354. Mer.
IV. 9. 353. 354. Mer.
IV. 9. 353. 354. Mer. variegatus Grm. — m. v. Symphilus.
IV. 9. 353. 354. Mer. variegatus Grm. — m. v. Symphilus. virgatus Kl. Grm. v. Agonosoma.
IV. 9. 353. 354. Mer. variegatus Grm. — m. v. Sympbilus. virgatus Kl. Grm. v. Agonosoma wolffii F.
IV. 9. 353. 354. Mer. variegatus Grm. — m. v. Symphilus. virgatus Kl. Grm. v. Agonosoma wolffii F velutinus Dall.
IV. 9. 353. 354. Mer. variegatus Grm. — m. v. Symphilus. virgatus Kl. Grm. v. Agonosoma wolffii F velutinus Dall. Pachylis Lep. — Brm. — m. —
IV. 9. 353. 354. Mer. variegatus Grm. — m. v. Symphilus. virgatus Kl. Grm. v. Agonosoma wolffii F velutinus Dall. Pachylis Lep. — Brm. — m. — Lygaeus F. II. 62. A. 92. A—F.
IV. 9. 353. 354. Mer. variegatus Grm. — m. v. Symphilus. virgatus Kl. Grm. v. Agonosoma wolffii F velutinus Dall. Pachylis Lep. — Brm. — m. — Lygaeus F abbreviata Thb.
IV. 9. 353. 354. Mer. variegatus Grm. — m. v. Symphilus. virgatus Kl. Grm. v. Agonosoma. wolffii F.
IV. 9. 353. 354. Mer. variegatus Grm. — m. v. Symphilus. virgatus Kl. Grm. v. Agonosoma. wolffii F. Am. m. velutinus Dall. Benez. Pachylis Lep. — Brm. — m. — Lygaeus F. II. 62. A. 92. A—F. abbreviata Thb. Sub. or. biclavata F. — Brm. v. Spathophorus. gigas Kl. — Brm.
IV. 9. 353. 354. Mer. variegatus Grm. — m. v. Symphilus. virgatus Kl. Grm. v. Agonosoma. wolffii F. Am. m. velutinus Dall. Benez. Pachylis Lep. — Brm. — m. — Lygaeus F. II. 62. A. 92. A—F. abbreviata Thb. Sub. or. biclavata F. — Brm. v. Spathophorus. gigas Kl. — Brm. hospes Pert. v. Molchina compressic.
IV. 9. 353. 354. Mer. variegatus Grm. — m. v. Symphilus. virgatus Kl. Grm. v. Agonosoma. wolffii F 2m. m. velutinus Dall. Benes. Pachylis Lep. — Brm. — m. — Lygaeus F. II. 62. A. 92. A—F. abbreviata Thb. Sub. or. biclavata F. — Brm. v. Spathophorus. gigas Kl. — Brm. Mer. hospes Pert. v. Molchina compressic. = laticornis F. Brf. II. 63. 276. 277.
IV. 9. 353. 354. Mer. variegatus Grm. — m. v. Symphilus. virgatus Kl. Grm. v. Agonosoma. wolffii F. Am. m. velutinus Dall. Benez. Pachylis Lep. — Brm. — m. — Lygaeus F. II. 62. A. 92. A—F. abbreviata Thb. Sub. or. biclavata F. — Brm. v. Spathophorus. gigas Kl. — Brm. hospes Pert. v. Molchina compressic.

Pa	c h	ym	eru	8:	Schill.
----	-----	----	-----	----	---------

Pachymerus Schiil.
inclus. Polyacanthus, Rhyparochromus,
Beosus Serv Platygaster Schill.
= abietis L Pz. 99. 22. (Platygaster Schill.) Grm.
affinis Schill. I. 139 v. pictus.
= agrestis Fil.
sylvaticus Pz. 93. 16.
albostriatus F Brm. : Brm. : Guin.
- anomalus Kol. t. 9. f. 14. Andrew Rauf.
= antennatus Schill Pz. 120. 7 1. 58. 35. Grm.
arenarius Hhn. v. Aphanus rust.
armipes F. R. (Lyg.)
= bidentulus m
= brevipennis Schill. — Hhn. I. 59. 36. cf. biden-
tulus ; Grm.
brunnipennis Grm. Silb
?calidus F. R. 130. (Lyg.)
= chiragra F Schill Pz. 122. 8. I. 56. 34.
var. tibialis Hhn. I. 23. 14.
consutus Grm. Silb. Cap.
= contractus m. Grm. IV. 97. 440.
crassimanus F. R. (Lyg.)
decoratus Hhn. I. 139. 71. v. pictus.
= decurtatus (Micropus Gen.) IV. 10. 355.
parallelus Costa Ann. Soc. Ent. etc. p. 290. pl. 6.
f. 5. a—d
= dilatatus m,
- ditomoides Cost. cent. nr. 150. t. 3, f. 8. Neap.
= echii F Schill Pz. 72. 22. I. 137. 70.
Cim. carbonarius Rossi.
Lup glerringe Wolff.

Lyg. aterrimus Wolff. enervis m. VI. 37. 618. v. Aphanus:

- erraticus F. (non L.) - Pz. 121. 21.	Girm
= fenestratus m. Sung. IV. 9	
= ferrugineus L (Platygast, Schill.)	. 104.
Grin. 311: 4	:951
= fracticollis Schill. (Plociomerus Serv.) I.	
Lyg. sylvestris Fll. — L.	
geniculatus Hhn. I. 68. 41. v. nubilus.	Otini.
? gibbus F. R. (Lyg.)	ſm. ·m
hemipterus Schill. — Scholtz v. pallidipennis.	
: hirsutulus Schill, a f I befendennen	Schlor
= hirticollis m. data codes a sold at money	(Sort.
	Schles.
- ibericus Kol. t. 9. f. 13. (cf. pulcher.)	
lacertosus Er. Arch. 1842. Ban.	
= luniger Schill Pz. 121. 1.	~
sylvestris F. —? sahlbergi Fll.	Grm.
= luridus Hhn. Monogr.	· · · · · ·
? sabuleti Fll m. IV. 11. 356.	Girm.
= luscus F Schill	
Wolff. 139.	
L.quadrat. Pz. 92. 11.	Grm.
= lynceus Schill Pz. 118. 10. I. 44. 28.	Grm.
maculatus (Plociomerus) Serv.	Cap.
- maculipennis (Rhypar.) Curt. 1. 612.	Ungl.
- marginatus Kolen. (Platygaster).	Raut.
= marginepunctatus Schill. I. 5	2. 32.
Wolff. 144 Pz. 118. 7.	
griseus Wolff. 107.	
pilifrons Fll.	
arenarius F. E. S. it and the many that the	Grm.
maroccanus F. R. (Lyg.) and the set M	arocco.
modestus Fll. hem. v. Stenogaster basalis.	

moerens Grm. Silb.	simme enteren Cap.
= nebulosus Fil Schill	Pz. 121. 7.
	I. 46. 29. Grm.
nigroaeneus Erichs. Arch. 1	842. Ban Diem.
= nitidulus m.	Sung. IV. 96. 439.
= nubilus Fil Pz. 121. 5.	
geniculatus Hhn.	
oblongus F. R. (Lyg.)	will it it a 20m. m.
oculatus Grm. Silb	.7 10013 Cap.
= pallidipennis m.	- 14
hemipterus Schili imi	.b .161 E.
= pallidulus m.	A sa jagge Eur. m.
pallipes v. Aphanus.	
parallelus Costa Ann. Soc. Ent	. X. pl. 6. f. 5. v. de-
curtatus.	
= pedestris Pz. 92. 14 S	chill. I. 62. 38. Grm.
- Fll. v. Aphanus sabulosus.	
phoeniceus m. Pz. 118. 15	
= picipes m	. a
= pictus Schill Pz. 120. 5	i. 64. 39.
podugricus Fll.	The second second
	. X. 139. 71. Grm.
== pineti Hfiggs.gama a	
= pini L Schill.	
collinus Scoperati .dai 4.	d fill a trapper Grm.
= plebejus Fil.	
sylvestris Pz. — Schill.	
sylvaticus Hhn.	
podagricus F Fll. v. pictu	
= praetextatus m. Pz.	
- pulcher m. (cf. ibericus Kol	l.) IV. 13. 358. Eur. m.

W. pusillus Scholtz.	· Giles.
= quadratus F Schill Pz. 118. 9.	
I. 50. 31.	Grm.
rhombimacula Costa Cent. nr. 145.	Meap-
= rolandri L Pz. 118. 3.	Grm.
rufipes Wolff Scholtz. v. Aphanus.	
rusticus Fll Schill, v. Aphanus.	
= sabuleti Hhn Scholtz. Grm. II. 12	0. 201.
- m) f. 356. v. luridus.	
sabulosus Fll Schill I. 224. 117. v. A	phanus.
sahlbergi Fll. cf. luniger.	
= saturninus Ross Pz.	Gem.
sordidus (Lyg.) F. R.	Trang.
= staphyliniformis Schill Pz. 121. 4. I.	61. 37.
Grm. I. 22	6. 118.
- subaeneus m. Grm. VI. 3	6. 594.
= sylvaticus F Schill Pz. 120. I. 22	1. 115.
? Cim. ferrugineus Scop.	Grm.
- Hhn. f. 33. v. plebejus.	
= sylvestris L Schill Pz.	
plebejus Fll. — Scholtz.	Grm.
F. v. luniger.	
tibialis I. 23. 14. v. chiragra.	
- tineodes Kl Stoll. 146. 13.	Brs.
' torquatus Erichs. Arch. 1842. Ban.	Diem.
= varius Wolff. 123 Schill. I.	59. 42.
bimaculatus Fll. de	Grm.
= vulgaris Schill.	
pini Wolff. 71.	Grm.
Pachynomus Klug.	
brunneus.	

- picipes Kl. Symbol. t. 9. f. 9 Symbol.	Ufr.
Pachytoma Costa v. Capsus.	
Paracoris Hhn. v. Phloes.	
Paryphes Brm.	
Coreus Lep Lyg. F.	
andreae Brm.	Sierr.
diabolicus d'Orb.	Um: m.
fenestratus Brm.	Brf.
humeralis Kl. of Ser was a conditioned	Bah.
- lactus F Stoll. 13	Para.
cinctus (Cor.) Enc.	
- megaera Kl Stoll. 130.	Para.
miniaceus d'Orb. voy.	Um. m.
Passaleutus Serv Reduv. Lep. v. Euagoras.	
Pelogonus Lir Lep Duf Brm Ac	anthia et
Ochterus Ltr. IX. 23. t. 290. A-F.	
indicus Guér.	- Nilgh.
= marginatus Ltr. Gur. m. IX.	24. 892.
perboscii Guér.	ampeche.
Peltasticus Dall.	
- punctatus Dall. pl. 6. f. 5.	Subafr.
Peltophora Brm.	
Scutiphor. Duperr. Guer. Voy Lap.	
= rubromaculata Brm. (foem. cruenta.) III.	101. 326.
corallifera Hop. 101.	
picta Leach Serv Dall.	
Scutiphora picta Guer Lap Dall.	
Scutell. pedicellata Kirb.	
cruenta Brm.	Mustral.
Peltophorus Guér.	
Naucoris Desj.	

Mononyx Guer. Erichs. Ber. 1843. p. 79.
rugosa Desj.
Pentatoma Palis. — Lep. — Hhn. — m. — Serv. —
Sahlb.
Carpocoris Kol.
Mormidea Sahlb.
m=aberrans Grm. — Silb. — Dall.
1789 Cap. VII. 104. 715.
acinorum Grm. I. 105. 769. v. Agonoscelis versicolor.
acroleucum Pert. v. Vulsirea.
adspersa F. R. (Myrochea). VI. 69. 635. Guin.
@ aegyptiaca. def. v. Schizops.
aeola Dall A Die Benhoff.
aerea m. v. Aegius.
faffinis Dall
Dall. (Eysarc.)
aggressor F. R. Mustri.
aglaeopus Dall. (Mormyd.) : Brf.
albopunctata Palis. v. Proox. victor.
? alienata F. R. Guinea.
fanchora Thb. Dall: A de le let the angle China.
aparines Duf. v. Doryderes margin.
= apicalis m Dall. Cap. VI. 95. 666.
armata Dall. (Mormyd.) and the desire Brf.
atrox Hop. v. Euschistus.
= baccarum F. etc Eur. II. 63. 152
verbasci Deg Dall.
confusa Westw.
anfait depressa Hop.
baccarum L. sec. Dall. nigricornis autt.

Jest signand China.

... basalis Dall.

bifubula Palis. v. Euschistus.	
bilimulata Kol. v. eryngii.	
? binotata F. R	In and an Ind. for.
= binotata Hhn.	Eur. III. 130. 212.
bison Enc. X. cf. Edessa.	
bifasciatum m. v. Eurydema:	
= bipunctatum F.	Eur. m. II. 68. 156.
boxura Dall.	judg and Am. spt.
bubalus Lep. v. Dorypleura.	
bovillus Dall.	it Machanaphilip.
? calens F. R. to	e gerteffalles, Guin.
? calidus F. R.	Sierra.
camatula Dall.	- do mui gen Reuholl.
carnifex F. R Dall. (E	
	Um. fpt II. 117. 197.
cephalus Dall.	. manalgit Jav.
= cervinum Grm. Silb.	Cap. VII. 99. 764.
= chilense m.	1 1X. 322 Chile.
?: coelebs F.	martin . 13.2 12 Mustrl.
coeruleum v. Arma.	
collaris Dall. (Mormyd.)	A Bayantie Mer.
Hop. v. Euschist. perditor.	
coloratum (Cim.) Klug.	Umbukohl.
confusa Westw. v. baccarum.	
= conjungens Grm. Silb	Dall. (Mormyd.) m.
and the same of	Cap. VII. 99. 763.
conspicillaris (Eysarc. Da	all.) Calif.
convergens m. v. Euschistus.	
= corticinum Grm. Silb	Cap. VII. 98. 761.
crenatus Serv. v. Proox.	1
crenatum F.	Hall of Long Am. fpt.
	14

crossota Dall.	. Bengal.
crocipes Hop. Euschistus.	
= croceipes m Dall. (Morm	yd.) VII. 97. 759. Hondlur.
= cruciatum F Stoll. 157	7 Wolff. 59.0
	Bengatal Vi 63, 506.
cruenta Palis. pl. 10. f. 4:	d it in mill .
- cruentum Enc. X. Stoll. f.	113. Brf.
cubrosa Dall.	Mall bruved Jam.
= custator F. R m.	
curtana Dall. (Mormyd.)	.Hall entlive Sierra.
= debellator F m Da	all. (Mormyd.)
	VI. 63. 625. Beftafr.
= decoratum (Eysarc. Dall.)	
deplanatum f. 633. v. Thelim	a.
dentatum m. m.	Um. bor. V. 64. 507.
= deplanum m.	Menholl. V. 74. 518.
depressa Hop. cf. baccarum.	errinum lita. S
didyma Palis. v. Arma.	hillende m
= depressum m.	Cap. VI. 67. 631.
dimidiatum m. v. Euschist. pe	rditor.
discoideus F. R. Chevalla	P. 1 .Moll similles Cap.
discolor Palis. v. Canthecona.	Map. t. Susalir
= dissimile F Pz. 33. 13	
prasinus Deg Wolff.	f. 49 Fall. Eur.
distactus Dall. (Eysarc.)	(?)
divisum m.	Ufr. V. 62. 504.
dubia Dall. (Suff someed.	sirallingen Um: fot.
dubius Dall. (Eysarc.)	Tenaff.
? elatus F.	Il alle Mov. Cambr.
?? elector F. R. 7000	(8) cressles Surv. 1. 1
clongata Dall.	. 1 mulga Mordind.
+1	

? emeritus F.	i) if it innine Auftel.
= eryngii Ahr. fn. Pz. 126.	
- sec. Dall. var. nigric	
bilunulata Kol. Mel. t.	16, f. 35—37.
faceta Grm. Silb. v. variega	la.
? fasciator F. R.	de China.
fascifera Pal. v. Euschist. pe	
	Bengal. VII. 102. 768.
= fimbriolatum F.	
? flavescens F. R.	Tott . Itt Inb. or.
gladiator Palis Enc. v.	
- F. v. hastator.	
goniodes Dall. of the by	. 11 1 millorung Subafr.
W. grisea Dall? (Me 141) 11	Mm. fpt.
grisea Enc. 54. v. Acanthos	oma.
gutta Dall.	and . Anders China.
hastator F Dall. (Mo	
gladiator et jaculator I	
hirtipes Palis. v. Cydnus.	
guttigerus Thb Dall.	(Eysarc.)
	Hop. Offind.
humeralis Dall. (Eysarc.)	(9) i. oraliceltar D. d
humersa Dall.	(9) marghadesa 1. Val
ictericum L. v. Euschistus.	
impressum Grm. v. Aelia.	
inconspectum Hop. v. Euschis	stus.
inconspicuum Dall.	ending or Asia to ?
= inconspicuum m.	H (1010) direction Side.
in ermis Dall. (Mormyd.)	Honduras.
inflexum Hhn. v. Aelia.	
= intermedium W. 134.	Grm. II. 128. 209.
= irroratum m. Dall. (Morm	yd.) Mer. IV. 19. 367.
	1/1*

insularis Dall. (Eysarc.) Sandwich Inf.
jaculator F. v., hastator.
janus Enc. X. v. Aspongopus.
jucundum Kl. Symb. All der gent entig Arab. bef.
= juniperinum L. etc
latipes Dall.
= leporinum Panz cides e e fait embened Grm.
linea (Cim.) Klug. And the motivation of Spr.
lobulatus Ramb. v. lunatus.
longirostris Dall. A financia in Philip.
= lugens F Wolff. f. 180. Um. bor. VII. 96. 510.
albipes F.
punctipes Palis. pl. 8. f. 6. de and alle 2m, fpt.
= lunatum m Dall. (Eysarc.) Grm. II. 127. 208.
lobulatus Ramb.
lunula F. v. nigricornis.
luteicornis Enc. X Stoll. 137.
= lynx Pz. 113. 8. A notedogai, to notedoche Sung.
maculata Dall. (Mormyd.) Subafr.
maculata Dall. (Mormyd.) Columb.
maculatus Cydn. Wolff 183. cf. cruciat.
maculicollis Dall
marginale m. v. Vulsirea.
= marginella Hop
= melanocephalum (Cydn.) F Pz. 25. 24.
Grm. II. 130. 211
- Wolff. v. perlatum.
miliaris (Cim.) Kl Umbuf
mucronatum Palis Enc. v. Piezosternum.
natalensis Dall. (Eysarc.) Port Nat
neglectum v. intermedium.
nepalensis Hop. v. guttigerus:

= nigricorne F. etc.	II. 58. 147 et 148.
- sec. Dall. = baccarum L.	
notia Dall.	dente der neuholl.
= notulatum m Dall. (Morn	nyd.)
	Mer. VII. 100, 765.
obsoleta Dall.	Java.
orbitalis Hop. v. variegata.	
= ornatulum	IV. 93. 664. Hegypt.
orthacantha Palis. v. typhoeus.	
pallida Dall.	Nordind.
pallipes Dall.	Meuholl.
parvula Dall.	Offind.
pavoninum Hop. v. Coryssorhaph	
? perditor F. R.	Trans. Inder Am. m.
= perlatum Wolff Dall. (Eys	
aeneus Scop Kol.	
fucatus Ross. nr. 1311.	
melanocephalus Wolff.	. it ' Grm.
= perspicua F Dall m.	
St.	. Thom: IV: 91. 429.
sexpunctata L. (non cit. a	Dall.)
- persicum Kol.	Perf.
petitii Le Guill. v. Agonoscelis	nubil.
phymatophora Palis. v. Cantheco	na.
picea Dall.	Hubs: Ban.
Palis. p. v. Antiteuchus.	
= pictum m.	Fur. m. III. 14. 240.
pilipes Dall.	Florida.
plinthacra Grm. Silb.	
poecila Stoll. f. 118 Dall.	
poecilum Kl. (Cim.)	Arab. bef.
- politum Stoll. 194.	Gurin.
position about	

= prasinum L, etc. Eur. II. 60. 149.
prominula Dall. (Mormyd.) Columb.
proxima Dall
= pugillator F. R m. VI. 64. 627. Sierra.
= pugnax Grm, Silb Dall. (Mormyd.)
Cap.: VII; 163. 712.
pulchra Dall o'n gege geaft ginte. Dffind.
puncțatus L. v. / Arma.
punctata Palis. pl. 7. f. 6 Dall. (Mormyd.)
Sierra.
punctipes Palis. pl. 8. f. 6.
- Say. v. Euschistus.
- Hop. v. guttigerus.
punctulatum Hop. (Rhaphig.?) Um. bor.
punctulata Palis, pl., 11; f., 9. v. Proox.
purpuripennis v. Rhaphigaster. II. 62. 151.
== pusillum Pz. 115. 9: the art a of antener Grm.
pustulata Palis. v. Euschistus icter.
= pyrrhocerus m VI. 71. 638. Am. fpt.
quadrimaculata Enc. X. v. catena.
= regularis m Lurc.
= rufipes L Hhn. Eur. II. 54, 145.
Tropicoris: Dall,
- rufiventre Grm. Silb m
VII. 96. 757 et 758. Cap.
= rufocinctum m
- rutilans Hop Stoll. 122.
rutilus F. cf. tetrastigma.
= scabricorne m. Alex and Brf. II. 98, 762.
= scissicolle (cf. Discocephala)
Reuholl: VII. 105. 770.
scoruba Dall. fatt Para marit Congo.

= semivittatum m. 21m. fpt. VII. 101. 766.
17 maculatum Enc. X4 Palis. (117 15 parter 2(fr.
sordidum m. v. Euschist. punctipes.
= sphacelatum Pz. 134. 17 mil zo tronit Grm.
— F. — Wolff. 95. — Ramb. — Kol. — Dall.
Cim. albipes F.
- spectabilis Drur. III. 461 4.
spinipes m. v. Prooxys.
splendida Dall. Brandt et et M. Grande Columb.
- stolli Enc Stoll. 229.
taeniola Dall taeniola Dall iq.
taprobanensis Dall abant e en la Cent.
tarsatum (Cim.) Kl. 7. 14 .7 mis Sinai.
tenebrarium Palis. v. Piezosternum.
- tessellatum Serv. pl. 13. f. 5.
testacea Dall.
= tetrastigma m. P. Gashardy q . IX. 322.
timorensis Hop. gete anlosaber Cens.
= tomentiventre Grm. — Silb. — Dall. (Morm.)
VII. 103. 714. Cap.
transversalis m. v.! Euschist. perditor.
= triangulator m. VI. 95. 667. 26m. m.
trimaculata Hop. v. Dalpada.
= trinotatum m.
trisignatum Jav. VI. 64. 626.
= trisignatum Grm Dall. (Cap.) Jav. VII. 97. 760.
- m. f. 626. v. trinotatum.
tristigma m. v. Euschistus.
= typhoeus F Wolff, 174 Dall. (Mormyd.)
VI. 65. 628. 2(m. fpt.
orthacantha Palis. pl. 9. f. 9 vitripennis Brm.

= varicorne m.

variolare: Palis. pl. 10. f. 6.
variegata Thb Dall.
orbitalis Hop. 1000 and a fact of the state
facetus Grm. Silb: 121 of canal coning Cap.
varius F. v. nigricorne.
ventralis Dall.
verbasci Deg Dall. v. baccarum.
= vernale Wolff. Grm. II. 64. 153.
verrucosum Westw. v. Cazira.
versicolor F. v. Agonoscelis.
acinorum Grm.
vesiculosum cf. Strachia.
victor v. Proox.
virgata Dall. Reuholl.
violaceum F Stoll. 133. v. Rhaphig.
virens (Cim.) Klug. Sinai.
- viridis pensylvanicus Deg. t. 34. f. 5. Penfolo.
viridicollis Hop.
vitripennis Brm. v. typhoeus.
wilkinsonii Hop. nigricornis.
wolffii Guer. Coq. v. Agonoscel. rutila.
yolofa. v. Cathecona.
= ypsilon L F Dall. (Mormyd.) IV. 20. 368.
ypsilon aeneus Deg.
Pephricus Serv.
Cimex Sparm. — Coreus F. — Phyllomor-
phus Brm. — Phyllomorpha Guér. — Westw.
capicola Westw capicola was a fire Cap.
paradoxus Sparm. 10 100 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Peromatus Serv. — Dall.
Edessa Brm.

nodifera Hop! sq .Oles . well small zintered Brf.
= notatus Kl. (Edess.) Stoll. 128.
Brf. V IV. 17. 363.
validus Dall. viņs synembol Brf.
etalochirus Brm. — Palis.
rubiginosus Pal. pl. 11 fg. 2. hand 1. Ufr.
variegatus Pal. pl. 1. f. 1. A nambal Afr.
etalops Serv.
Diactor Brm. Lyg. F.
azureus Brm. (Diactor.) abel a abel attitude Brf.
elatus F Brm. et elegans Serv. Guer. Mug. pl. 27.
Stoll. 55. Stadiogram a call attention Cap.
Chatnoma Fieb. IX. t. 311. A. B.
= laciniata Fieb. IX. 149. 952. Ind. or.
Philia Schioedte v. Calliphara et Callidea.
Phimodera Grm. —
Podops Brm. — m. — Tetyra Dalm.
= galgulina Grm. Eur. m. IV. 29. 379.
humeralis Dalm. Anal Grm. (Suec. Ruff. m.)
= nodicollis Brm Grm. t. 1. f. 7. Barnaul.
Phlaea Lep. — Serv.
Phloeocoris Brm.
Paracoris Hhn.
Cimex Drur.
= corticata Drur Sulz. Gesch.
cassidioides Enc.
paradoxus Hhn.
corticinus Brm
longirostris Spin.
subquadrata Spin. all silvesavietell Brf.
Phloeocoris v. Phloea.
Phricodes Spin:

hystrix Guer. Mag. 1840. pl. 48.
Phyllocephala Lap. — Dall.
Aelia Bem.
Schyzops Spin.
Phyllocephala, Dalsira el Schizops Serv.
- et Basicryptus m. Jad enzonegidar
Edessa F. R.
= aegyptiaca Lef. — Brm. — Serv.
1 .p.y.d. VII. 69. 739a n Heg. Ceplon.
albivittis Grm. v. Dalsira. daget() and and
antica Dall. red and he he med . A solal Congo.
congesta Grm. v. senegalensis.
= costalis Grm. Silb m. VII. 82. 749. Gudafr.
distans m. (v. Diplorhinus furc.
foveata Dall. difficit to configlial ofe no Subafri
furcata m. v. Tetroda.
- gibbosa Dall. 197 mil squbol Gubafr.
- glandulosa Wolff. 170 Brm. Bengal.
historoides F. v. Tetrodales, and the citerian
interrupta (et rugicollis) Hop. Reuholl.
irrorata Hop
juvencus Brm golf zinananalit! Ufr.
— modesta F. R. — Wolff, f. 172. Súbafr.
notata Dall notata Dall. Samb.
= senegalensis Lap. Seneg. VII. 68. 741.
congesta Grm
eignata F Dall. andil sandarag Gamb.
strigosa Kl Brm
Phyllocheirus Spin.
Heteroscelis Ltr.
servillei Serv Lap de'l sinose Can!
Phyllocoris Costa. cim. regn. Neap. Cent. II.

cf. Anthocoris albipennis m.

Phyllomorpha Lap Serv. elc.
Coreus F Wolff. A smill
Syromastes Ltr. store of A
Graspedum Ramb. Hhn. t. 214. AB.
algirica Guer. Dict. at a "dell singuniques! Alg.
capicola Westw. Arc. t. 2. f. 2. Cap.
= erinaceus m. Balkan. VI, 107. 673.
lacerata m. Nomel. p. 41. Piemont.
laciniata Vill
latreillii Guér. dict. v. Craspedum Westw. Arc. t. 2.
f. 3.
- paradoxa Sparrm Westw. Arc. t. 2. f. 1. Cap.
- m. v. laciniata.
pellicula Westw. arc. addan angamistant 21fr.
persica Westw. Arc. t. 2. f. 4 perf.
Phyllonthocheila Fieb. p. 59.
Subgenus Monanthiae.
Phymata Ltr. etc. v. Syrtis.
Phylus Hhn, v. Capsus,
Physatocheila Fieb. v. Monanthia.
Physomerus Brm. — Cimex Drur. — Lyg. F.
= calcar F Wolff. 191, VI. 60. 621. Bengal.
- grossipes F.
? Cim. umbrosus Drur. III. pl. 45. 7. Jav.
terminalis Brm. and the salest me constraint Afre
Physopelta Serv.
affinis Serv
erythrocephala Serv. and A many Jav.
Physorhynchus Serv. v. Estrich.
Phytocoris man Meyer.
Capsus auti.
= divergens Meyer. t. 1. f.1.

Gur. m.

... meridionalis m. Nomel.

= populi L etc. Meyer: A - equal radgion
tiliae F. Intolline A excession Grm.
tiliae F. v. populi.
= ulm'i L. etc. Step A study agan III. 9. 234.
longicornis Wolff. 149.
= ustulatus m. Nmet. d and all al Grm. auftr.
Picromerus Serv. v. Arma hidens.
Piesma Lap. v. Agramma.
Piesma Lep Serv. v. Zosmenus.
quadricorne Lep. v. Cantacader.
Piestosoma Lap Serv. v. Aradus.
Piezogaster Serv.
Cerbus Brm. — m.
Archimerus m.
albonotatus Serv! 4 1/ 2m. fpt.
= squalus Brm. Um. fpt. VI. 24. 579.
= umbrinus Kl Brm. Para. VI. 61. 623.
= umbrinus Kl. — Brm. Para. VI. 61. 623.
Piezopleura Serv. Strayer of the Alexander
Piezopleura Serv. Reduv. Lep. — Arilus Hhn. — Brm. = angulosa Lep. Enc. — Hhn. Arch. quadr. III. 21. 245. Stf.
Piezopleura Serv. Reduv. Lep. — Arilus Hhn. — Brm. = angulosa Lep. Enc. — Hhn. Arch. quadr.
Piezopleura Serv. Reduv. Lep. — Arilus Hhn. — Brm. = angulosa Lep. Enc. — Hhn. Arch. quadr. III. 21. 245. Stf.
Piezopleura Serv. Reduv. Lep. — Arilus Hhn. — Brm. = angulosa Lep. Enc. — Hhn. Arch. quadr. III. 21. 245. Stf. Piezosternum Serv. — Dall.
Piezopleura Serv. Reduv. Lep. — Arilus Hhn. — Brm. = angulosa Lep. Enc. — Hhn. Arch. quadr. III. 21. 245. Stf. Piezosternum Serv. — Dall. Pentatoma Palis. — Lep. Edessa F. mucronatum Palis. pl. 6. f. 5. — Serv.
Piezopleura Serv. Reduv. Lep. — Arilus Hhn. — Brm. = angulosa Lep. Enc. — Hhn. Arch. quadr. III. 21. 245. Stf. Piezosternum Serv. — Dall. Pentatoma Palis. — Lep. Edessa F.
Piezopleura Serv. Reduv. Lep. — Arilus Hhn. — Brm. = angulosa Lep. Enc. — Hhn. Arch. quadr. III. 21. 245. Stf. Piezosternum Serv. — Dall. Pentatoma Palis. — Lep. Edessa F. mucronatum Palis. pl. 6. f. 5. — Serv.
Piezopleura Serv. Reduv. Lep. — Arilus Hhn. — Brm. = angulosa Lep. Enc. — Hhn. Arch. quadr. III. 21. 245. Brf. Piezosternum Serv. — Dall. Pentatoma Palis. — Lep. Edessa F. mucronatum Palis. pl. 6. f. 5. — Serv. vicina Hop.
Piezopleura Serv. Reduv. Lep. — Arilus Hhn. — Brm. = angulosa Lep. Enc. — Hhn. Arch. quadr. III. 21. 245. Brf. Piezosternum Serv. — Dall. Pentatoma Palis. — Lep. Edessa F. mucronatum Palis. pl. 6. f. 5. — Serv. vicina Hop. subulatum Thb. nov. sp.
Piezopleura Serv. Reduv. Lep. — Arilus Hhn. — Brm. = angulosa Lep. Enc. — Hhn. Arch. quadr. III. 21. 245. Brf. Piezosternum Serv. — Dall. Pentatoma Palis. — Lep. Edessa F. mucronatum Palis. pl. 6. f. 5. — Serv. vicina Hop. subulatum Thb. nov. sp. vacca F. — Coq.
Piezopleura Serv. Reduv. Lep. — Arilus Hhn. — Brm. = angulosa Lep. Enc. — Hhn. Arch. quadr. III. 21. 245. Brf. Piezosternum Serv. — Dall. Pentatoma Palis. — Lep. Edessa F. mucronatum Palis. pl. 6. f. 5. — Serv. vicina Hop. subulatum Thb. nov. sp. vacca F. — Coq. Pilophorus Hhn. v. Capsus.

= abdominalis m. Um. fpt. VIII. 63. 832.
affinis Serv. (Lestomera). 305 1917 - 21 1 2 Sav.
- bimaculatus Serv. pl. 7. f. 6. Seneg.
brevipennis Serv. (Catamiarus). Ind.
carinatus F. — Coq. (Rasahus). Um. spt.
ephippiger White in Dieffenb. Trav. H. p. 283.
— fenestratus Klug. Symb. t. 19. 7. Umbuf.
fuliginosus Erichs. Arch. 1842. Ban Diem.
= fulvoguttatus m. VI. 105. 676. Hisp.
- luridus Klug. Symb. t. 9. f. 8. Umbuf.
maculipennis Lepell Serv. Brf.
= mutillarius F. Mer. VIII. 61. 829.
= picipes m. VIII. 62. 831. Um. fpt.
= pictus m. VIII. 63. 827. (?)
quadrimaculatus Serv. Geneg.
= roseus m. Origin Bright VIII. 61. 830.
,, Wrufus Serv. mit and einim reingin . Can.
= spheginus m. VIII. 61. 828. Brf.
spinipes Serv. (Lestom.) Seneg.
= stridulus F 2000 2000 (III: 89. 313.
Cim. hybridus Scop
sulcicollis Serv. (Rasah.) Ean.
- ululans Rossi. nr. 1360. t. 7. f. 5. Stal.
= unicolor m. Hisp. III. 90. 314.
Placosternum Sery. — Dall:
(Edessa F.)
= taurus F. Stoll. IX. 305. 1002. Java, Silhet.
Platacantha m. forces Jandard of all W. of VII. 124.
= cerea Grm. Silb. Cap. VII. 124. 750.
lutea Dall. — Hop.
transversalis Hop. in Indianal

Th. 1
Plataspis Westw. Hop. — Scutellera Guér. — Cano-
pus Lap. — Thyreocoris Brm. — Gfm.
bucephala White Erichs. Ber. 1841. p. 114. v. Cerato-
coris.
Chinensis Dallievit) 400 il sultaniani China.
caenosal Westiv. v. Cantharodes.
cocciformis Hopely. coccinell.
coccinelloides Lap. pl. 55. 5. Serv. (Thyreoc.)
madayascariens. Guér. Dict. pl. 72. f. 3. (Platy-
ceph.)
cocciformis Hop. (Platasp.) Germ. (Thyreoc.)
= deplanatus Eschs. Brm. (Manil.) V. 14. 475.
coracina White Erichs. Ber. 1839. p. 100. v. Hetero-
rtrates.
flaviceps Hop. Grm. v. Brachypl:
higrith Hope v. Thyreoc.
nigriventris Hop. — Grm. Manil.
hemisphericus Hop. — Grm. Brf.?
oth.
Waterorata Dall. (andend) . men enginige . Afr.
Waterorata Dall. (andend) . men enginige . Afr.
100-irrorata Dall. (.andeni) . rom enginiqu . Ufr.
W. irrorata Dall. (Landsol) was sogistique Affr.
W. metallicus Grm. 1000 nitens Dall. Canded) river explicitly Afr. A substitut = (?) April 2000 nitens Dall.
Weirrorata Dall. (and soil) and society Afr. W. metallicus Grm. A substitute (?) Will nitens Dall. (and soil of the Morbino. It is not soil of the more of the mo
Weirrorata Dall. (and soil) and soiling Afr. W. Metallicus Grm. A substitute (?) Will nitens Dall. And substitute (?) w. nitidus Hop. — Grm. 111 and Substitute Gnb. or. nigriventris Hop. v. Brachypl. papua Guer. Voy. — Grm. v. Brachypl. vahlii.
Weirrorata Dall. (and soil) and society Afr. W. metallicus Grm. A substitute (?) Will nitens Dall. (and soil of the Morbino. It is not soil of the more of the mo
Weirrorata Dall. W. metallicus Grm. Wild nitens Dall. Which is a substitute of the control of
10. irrorata Dall. (and said) and said in Afr. 11. Metallicus Grm. A substitute (?) 11. Metallicus Grm. A substitute (?) 11. Metallicus Grm. A substitute (?) 12. Metallicus Grm. (?) 13. Metallicus Grm. (?) 14. Metallicus Grm. (?) 15. Metallicus Grm. (?) 16. Metallicus Grm. (?) 16. Metallicus Grm. (?) 17. Metallicus Grm. (?) 18. Metal
Weirrorata Dall. W. metallicus Grm. Generallicus
Two irrorats Dall. W. metallicus Grm. Onitens Dall. Onitidus Hop. — Grm. And Andrew Morbind. Onitidus Hop. — Grm. V. Brachypl. pspus Guer. Voy. — Grm. v. Brachypl. vshlii. punctata (Canopus) Leach. — Gray Kingd. pl. 92. 2. Fantee. Tu ficeps Dall. Silphoidés Fr V Brachypl. compl. silphoidés Fr V Brachypl.
Two irrorats Dall. W. metallicus Grm. W. nitens Dall. W. nitidus Hop. — Grm. W. Brachypl. pspua Guer. Voy. — Grm. v. Brachypl. vshlii. punctata (Canopus) Leach. — Gray Kingd. pl. 92. 2. Fantee. Tuficeps Dall. Mar. M. Mar. M. Brachypl. silpholdes Fr. & Brachypl. Brm. v. Brachypl. vshlii.
Two irrorats Dall. W. metallicus Grm. W. nitens Dall. W. nitidus Hop. — Grm. W. Brachypl. pspua Guer. Voy. — Grm. v. Brachypl. vshlii. punctata (Canopus) Leach. — Gray Kingd. pl. 92. 2. Fantee. Tuficeps Dall. Mar. M. Mar. M. Brachypl. silpholdes Fr. & Brachypl. Brm. v. Brachypl. vshlii.

```
vahlii F. - Wolff. 90. - v. Brachypl.
subachea Hop. v. Brachypl.
                         louncins na
... Varie'g ata Guer. Dict. (Platyceph.). - Dall.
       Thyreoc. punctat. Serv. Beftafr.
    xanthogramma White v. Brachypl.
                             ding silaretzeil
Platistus m. t. 168. A-E.
= spiniceps m.
                              V. 72, 517. Brf.
Platycephala Lap. Spin. v. Thyreocoris, Plataspis
 Coptosoma, Brachyplatys.
Platychyria m. IXV f. 745. D.
                 4 1 1 7
 = umbrosa Grm.
                           IX. 126. 945. Ufr.
Platycoris Guer. Coq. Setv.
... affinis Dall.
                               Meuholl.
 -- rubromarginatus Guér, Coq. pl. 11. f. 10.
                                      Meuholl.
Platygaster Hhn. v. Pachymerus
                 lemestica Seep. v. Emesodeem.
Platymerus Serv.
                             .VISC TOLEVILLE 29.
- is Lap. - Spin.
biguttata L. - Wolff. 79. - Stoll 04. Geneg.
                            Nav. VIII. 31. 805.
= discolor m.
                            Guin.
 ... ducalis Westw. Proc.
= formicaria F.
                             Brf. VIII. 33. 808.
= myrmecodes m.
                          Cuba. VIII. 32. 807.
 = rubropicta m.
                       Brf. VIII. 31. 806.
                                   Polisme m.
    umbrosus m. v. Platychiria.
Platynopus Serv. 1912a mider 12 19 19 19 19
       Asopus m. Gem
                         1 rmei Illin . -
 = calens Germ.
                           Buin. VII. 117. 709.
"= catena Drur. III. 56. 1.
                            Brf. IX. 337. 1008.
 = dichtous m.
                            Met. IV. 89, 426.
leprosus Germ. in Silb. v. Macrorhaphis.
```

= militaris m.	Brf. IX. 336. 1007.	
= rhodomelas m.	Mep. IV. 90. 428.	
= sanguinipes F.	Eur. m. IV. 101. 449.	
, variegatus m. v. Stiretrus.	Some complet Mer.	
Platynotus Hhn. v. Pyrrhocor.	is:	
Plaxiscelis Spin.	The second second	
fusca: Spin.		
Plea Leach. v. Ploa.	THE PERSON NAMED IN	
Ploa Leach Brm Serv	IX. 45. t. 295. A-D.	
- frontalis Fieb. t. 1. f. 36-	39. Ind. or.	
- liturata Fieb. t. 2. f. 1-6.	meil Dans Ind. or.	
= minutissima F. (Noton.) -	- Panz. 2. 12. — Costa	
Cent. nr. 7.	Het Eur.	
striola Fieb. t. 2. f. 1-3.	minatione Um. bor.	
Plociomerus Say Serv. v. P	achymerus Schill. —	
Hahn.		
Plocaria Scop. v. Gennis.		
domestica Scop. v. Emesodema.		
Plocogaster Serv.	is Lop Spin.	
Arilu's m UK THON	VIII. 35. 809.	
= aurantiacus m.	un volazzit Brf.	
- m album Serv. pl. 6. f. 8.	Born.	
= guttifer m.	Brf. VIII. 36. 810.	
mammosus: Serv.	a entere mer en Cap.	
Ploiania Litr. v. Gerris.		
Podisus m.	No. of Street, or other Persons	
Asopus et Rhaphigast	er m. et al.	
Arma Hhn. — Cermat	ulus Dall.	
= albiseptus Grm. (Rhaphigast. in tab.)		
, 50 t 33d, 13, 33k, t	Brf IX. 339., 1000.	
= chrysopterus m.	Brf. VII. 115. 781.	
= confluens m.	Mep. V. 77. 522.	

= fucosus Grm. Cap: VII. 115. 780.
= luridus F. etc
= nummularis Erichs. VII. 114. 776.
Cermatulus nasalis Dall. pl. 2. f. 3.
Aelia Hop. Cat
= pallipes'm. Paths to I meanignated Brf.
= punctipennis m. ad glar - Page and Mer.
= strigipes m
= vittipennis m. and of state a fining on a Brf.
Pododus Serv. v. Sciocoris.
Podops Lap Brm Grm. del at the popular, V. 44.
Scuteller a Palis.
- Brm. v. Oxynotus.
- bispinosus F. E. S Dall. V. 45. 496.
C. coarctatus F. E. S
cinereus Le Guill. Erichs. Ber. 1841. p. 115.
Huftral.
- curvidens Costa Cent. nr. 99. t. 2. f. 12. Meap.
= dubius Palis. (Scutell.) t. 5. f. 6. V. 44. 495.
Tet. cinctipes Say. Am. bor.
fibulatus Grm Dall Cap Seneg.
galgulinus m. v. Phimodera.
gibbus Burm. v. Oxynotus.
= inunctus F Pz. 36. 21 Wolff. 5. Cur.
tangirus Grm. Zts. — siculus Cost. Ann Soc. X.
pl. 6. f. 8.
laceratus m. v. Oxynotus.
lapponicus Zett. Grm! ataure jai Lapp.
luridus Brm. act. leop. — Grm. — Dall. Ching.
? neglectus Rossi. — Grm. — Dan. Conna.
niger Dall. white her to real signals Dftinb.
obscurus Dall

nallinas Dall	Sierra.
Larrie and	Reuholl.
rudis Grm. Zts. — Dall.	,
siculus Costa ann. Soc. ent. X. pl. 6. f. 8. v.	
spinifer Hop.	Bengai.
tangirus F Grm. v. inunct.	
Poechilochroma White trans. III. 84. v. Poecil	ocoris.
Poecilometis Dall. — Halys Brm.	
The state of the s	Meuholl.
= australasiae Don. Souths. pl. 3. f. 6 1	
V. 1	76. 521.
flavopunctata Guer. Coq. pl. 11. f. 17.	Neuholl.
gravis F Hop.	Meuholl.
lineatus Hop.	Meuholl.
- strigatus Hop Dall. pl. 5. f. 3.	Neuholl.
Poecilocoris Dall. Ent. Trans. 1848.	
Cimer F. E. S Tetyra F. S. R	- Scu-
tellera Brm. — Grm. — HS. — P	oecilo-
chroma White Ent. Trans.	
childrenii White Mag. et Ent. Tr. III. pl.	7. f. 1.
,	Mepal.
dives Guer. Ic Dall.	Jav.
- druraei Linn, Mant Drur. I. t. 42. f. 1	
F. — Brm. — Grm. — Stoll. f. 267.	
— Dall. Ent. Tr. V. v. obsolet.	Ollytti
= hardwickii Hop Grm Dall. Ent. Tr.	V 107
	IV.
Pri and the	
nepalensis HS. 339.	
= interruptus Hop. — Grm. V. 73. 531.	
- latus Dall. Ent. Tr. V. 101. 1. pl. 13. f. 4.	
longirostris Dall. Ent. Tr. V. pl. 13. f. 9.	Inva.
nepalensis HS. v. hardtwickii.	
obesus Dall. p. 13.	Uffam.

- obsoletus Dall. Ent. tr. 1848. druraei	Dall. Ent. Tr
V. 103. 4. pl. 13. f. 16.	Ind. or.
ornatus Dall. p. 15.	Mordind.
pinguis Grm. in Silb.	
- pulcher Dall. Ent. Tr. V. 105. 6. pl.	13. f. 7.
	Malabar.
purpurascens Hop. — Grm. — Dal	l. Nepal.
rufigenis Dall. p. 14.	Uffam.
Poecilosoma.	
Poecilotoma Dall.	
centrolineata Hop	neuholl.
— grandicornis Dall. pl. 6. f. 2. Eric	hs. Arch.
	Reuholl.
- spinosa Dall. pl. 6. f. 1.	Meuholl.
Polyacanthus Lap. — Serv. v. Pachym	erus.
Polymerus Hhn. v. Capsus.	
Ponerobia Serv.	
rubronotata Serv.	Ean.
Pothea Serv.	
Reduv. Lep.	£ , , ,
frontalis Lep. Enc.	Cap.
ventralis Lep. Enc.	Cap.
Prionaca Dall.	
lata Dall.	Silh.
Prionotus Lap. — Serv. —	
Reduv. F Lep Arilus H	hn.
= cristatus L.	
Cim. carinat. Drur. H. 36. 6.	
Red. serrat. F Lep. Enc 1	Hhn. I. 33. 22.
Stoll. f. G.	Brf.
Prismatocerus Serv.	
Spartocerus Brm. t. 205.	

- auritulus Serv. pl. 4. f. 3. = laticornis m. Brf. VI. 75. 643. Pristhesancus Serv. Redur. Boisd. -- doricus Boisd. Astrol. pl. 2. f. 22. Rov. Guin. Pristevarma v. Ectinoderus. Probaenops White Trans. III. p. 84. - Erichs. Ber. 1842. p. 121. - Dall. ... dromedarius White. Prolobodes Serv. Synops. In a ratogotiim Terte: Lobostoma. - Dall. Cydnus Brm. - giganteus Brm. - Serv. pl. 2. f. 6. Prooxys Spin. - Dall. - Serv. VII. 107. crenatus Serv. v. hastator. - delirator F. - Serv. pl. 3. f. 7. St. Dom. wintert . t. ? Can. ... hastator F. crenatus Serv. -- punctulata Pal. pl. 11. f. 9. cepi Dall. 2(m. m.? VII. 94, 772. = spiniger m. cf. delirator. = victor F. - Stell, 159. albopunctata Palis. pl. 9. f. 8. . (11 geffint - . m. IV. 21; 369) 2(m. m. Prostemma Lap. etc. v. Metastemma. Psacasta Grm. - m. Tetyra F. - Brm. - etc. V. 46.

- anthriboides Grm. - Wolff. 167. (cerinthe). Uft.

Ventocoris Hhn.

afra m. v. Zophoessa.

= cerinthe F Grm. Z	nigra Grm. Z.	m.
	: Ufr. V.	
conspersa Grm.	Becors II	Russ. m.
= galii Wolff 91 Grm.	Gur. m. IV.	27. 376.
nigra Grm. v. cerinthe.		
= neglecta m.	Spung. IV.	27. 377.
nodicollis Brm. v. Phimodera:		
= pedemontana F Hhn.	II.	37. 134.
allionii L.		
exanthematicus Scop. cari	n. of the literal	Gur.
= tuberculata F Rossi.	- Pa. 35, 21.	- m.
	V. 46.	Eur. m.
Pseudophloeus Brm.		
Coreus Schill.		
Atractus Curt.		
Arenocoris Hhn.		
dalmanni Schill. v. Atractus.		
fallenii Schill. v. Coreus.		
lituratus Curt. pl. 500. v. At	ractus.	
lobatus v. Atractus.	2.14%	
genei Costa cent. nr. 128.		- , Neap.
obscurus v. Coreus.		
Pterotmetus Serv. v. Pachym	erus m.	
Ptilocerus Gray v. Ptilocnem	us.	
Ptilocnemus Westw Serv.		
affinis	er i eta esa	Java.
fuscus	in it.	Nepal.
lemur Westw. trans. II. pl.	22. 7.	Hustral.
Ptilomera Serv.		
Gerris Hardw.	- IX.	65. t. 305.
- laticauda Hardw. Sery. pl.	8. f. 3.	
	Java. IX	65. 940.

Pycanum Serv. - Dall. Eusthenes Hop. Edessa F. Tesseratoma Lep. Aspongopus Brin. - in. = amethystinum F. Tesser. alternata Enc. Java. IV. 85. 417. = jaspideum m. -? Stoll. f. 29. Java. cf. Edessa rubens F. Mfam. IX. 308, 1009. ... laticollis Hop. Pygoda Serv. Pentatoma Lep. Edessa Brm. ... ? brunnipes F. Mm. m. - dolichocera Brm. Stoll. f. 208. = elegans m. Brf. IV. 18. f. 365. ... haematopoda Brm. ... miniata (Edessa) Hop. cf. scutellata. nervosa Brm. Stoll. f. 174. v. polita. = nigridens F. Brf. VII. 128. f. 775. - polita Lep. (nervosa Brm.) Stoll. 174. = scutellata m. Can. V. 101. f. 552. = serrata m. Brf. Pygolampis Grm. - Brm. - Serv. - m. VIII. p. 850. -L. t. 28, f. 92, Gerris F. - Fil. Ochetopus Hhn. = denticulata F. sp. - Rossi fn.

Och. spinicollis Hhn. I. 177, 92.

bifurcata Grm. fo. 8. 22.
foem. pallipes F Serv. Grm. VIII. 92. 860.
Pygoplatys Dall.
acutus Dall. (?)
validus Dall. p. 11. f. 1. (?)
Pyrrhocoris Fall Brm.
Cimex L.
Lygaeus F. — Wolff.
Platynotus Schill. — Hho.
Astemma Brull.
= aegyptius L. II. 101. 21.
italicus Rossi. — Pz. 118. 14. Eur. m.
annulus v. Dysdercus.
= apterus L. etc. Eur. I. 19. 11.
bicolor m. v. Odontopus.
carnifex v. Dysdercus.
= clavimanus F. Ufr. aq. VIII. 102. 871.
coqueberti v. Odontopus.
discoidalis Brm. v. Odontopus.
= forsteri F. Cap. VIII. 102. 872.
haematideus Hhn. v. Leptocoris.
königii v. Dysdercus.
nigripes Brm. v. Odontopus.
obliquus v. Dysderc.
poecilus m. v. Dysd.
pyrrhomelas m. v. Dysd.
scutellaris m. v. Dysdercus carnifex.
solenis Esch. v. Dysd.
suturellus F. v. Dysd.
Rachava Serv.
- orbicularis Serv. pl. 12, f. 13. Cap.

Ranatra F. IX. 30. t. 290. H-M. VIII. 21. t. 255. F-K. II. 29, t. 42, = elongata F. IX. t. 290. J. : Tranqueb. = filiformis F. IX. t. 290. H. Tranqueb. = linearis L. IX. t. 290. M. - II. 30. 131. Cur. = macrophthalma m. IX. t. 290. K. 3nb. or.? = nigra m. IX. t.:290. M.) 2fm. fpt. Rasahus Serv. (olim Pirates). Reduv. F. etc. Minis -- carinatus F. - Coq. t. 10: f. 15. and al. Um. fpt. ... sulcicollis Serv. .: Can. Reduvius Serv. VIII. p. 40. t. 262. E-J. vielleicht zu Yolinus Serv. ober Helonotus. aegyptius F. v. Harpact. Wolff 80. albipes F. bie Befchreibung paßt zu feiner europ. Urt; wohll ein Harpactor. albomarginatus F. v. Ectrichotes. amoenus Guér. Ic. v. Eulyes. - Lep. Enc. v. Sphaeridops. analis Pal. pl. 2. f. 34. v. Ectrichodia hirticornis. angulatus Lep. Enc. v. Arilus. angulosus Lep. Enc. v. Piezopleurus. annulatus F. v. Harp. Wolff 78. apterus Wolff 200. v. Nabis subapterus. apterus F. v. I. 36. non Nabis subapt. fonbern Wolff 200. Harpact. pedestris. Brm. armillatus Lep. Enc. v. Diplodus. ater Lep. Enc. v. Spiniger. barbicornis F. v. Physorhynchus.

bifidus F. Donov. v. Arilus.

biguttatus F. v. Platymerus Wolff. 79, binotatus Lep. Enc. v. Heza, Il 20015 bipustulatus F. cf. Harpactor. brasiliensis Lep. v. Diplodus. carinatus F. v. Rasahus Coq. pl. 10. f. 15. chirargra F. v. Pirat. cinctus F. v. Harpact. clavipes F.; cf. Notocyrt. coracinus Lep. Enc. v. Harpact. cordatus Wolff 157. v. Pirates. crassipes F. v. Apiomerus. crinipes F. v. Trichoscelis. cruciatus Lep. v. Physorhynch. crux. ... ? cruciger F. Buin. crudelis F. v. Echtrichotes. cruentus F. v. Harpact. Wolff 38. cylindripes F. v. Apiom. dorsalis F. cf. Acanthaspis. - Gray anim. K. pl. 91. 12. v. Notocyrtus. dorycus Boisd. Astrol. pl. 2. f. 22. v. Pristhesancus, eburneus Enc. v. Spiniger. Suin. ... ? elegans F. elongatus Lep. Enc. v. Isocondylus. erythrocephalus Wolff. 120. v. Ectrychotes. fasciatus Palis. v. Harpactor. Can. ... ?flavicans F. 20 3 2 19 2 2 3 17 2 17 2 m. m. ... ?flavipes F. flavovarius Hhn. v. Acanthaspis sexgutt. formicarius F. v. Platymerus.

frontalis Lep. Enc. v. Pothea.

furcifer Hag. v. Arilus.

... ? fuscipes F.

Ind. or.

geniculatus Lep. Enc. v. Passaleucus.

gibbus F. cf. Notocyrt.

gigas F. v. Conorbinus.

griseus Rossi F. v. Harpactor.

- m. Nomel. v. Harpact. pedest.

guttula F. v. Prostemma.

haematogaster Brm. Act. L. v. Ectrichotes.

haemorrhoidalis F. v. Harpactor.

hamatus F. v. Rahasus, cf. mutillar,

heros F. v. Arilus.

hirticornis F. v. Ectrichotes.

hirtipes F. v. Apiomerus.

- Deg. v. Apiomerus.

inflatus Pert. v. Notocyrtus.

iracundus F. v. Harp. Rossi. - Scop. - Schrk. v. cruentus.

lanipes F. v. Apiom.

lepturoides Wolff 150. v. Pirates.

... ? leucocephalus F. limbatus Lep. Enc. v. Spiniger. Guin.

limbatus Lep. Enc. v. Spiniger

... ? litura F. cf. Reduv. myrmecodes.

Can.

longicollis Lep. Enc. v. Sycanus.

lugens F. v. Echtrichot.

lunatus F. v. Beharus.

luridus Klug. v. Pirates. maculatus F. v. Ectrichotes.

maculipennis Lep. Enc. v. Pirates.

marginatus F. v. Harpactor.

marginellus F. v. Harpactor.

maurus F. v. Holotrichius.
? miltosoma d'Orb. Voy.
minutus F. cf. Anthocoris.
morbillosus F. v. Micrauch.
mutillarius F. v. Pirates.
= nebulosus Kl. Symb. t. 19. f. 5.
= nigricans Kl. Symb. tab. 19. f. 6.
nigripennis F. v. Ectrich. cf. bicolor.
nigripes F. v. Apiom.
nitidulus F. cf. Ectrich.
nycthemerus Ill. v. Hammaloc.
? obsoletus d'Orb. Voy.
- pallipes Kl. Symb. t. 19. f. 3.
pedestris Wolff 199. v. Harpact.
= personatus F Wolff 16. Eur. II. 17. 125.
pictus Kl. Symb. v. Arilus.
pilicornis F. v. Ectrichotes.
pilipes F. v. Apiom.
plumicornis Grm. v. Oncocephalus squalidus.
productus Hag v. Cimbus.
pulchellus Lep. Enc. v. Eusgoras.
- Klug. v. Harp.
pulcher v. Hov. v. Arilus.
punctum F. cf. Pirates.
? pustula F Geneg.
? quadridens F
quadriguttatus F. cf. Pirates.
quadrinotatus F. cf. Pirates.
quiquespinosus Wolff 39. v. Tetroxia.
rubidus Lep. v. Euagor.
rubricus Grm. fo. v. Harp. cruentus
? rufipennis F. Guin.

rufipes F. v. Trichoscelis. sanctus F. Wolff 77, Stoll. 62, v. Pirat. sanguineus Rossi v. Prostemma Buessii. ? - F. gen. incerti. sanguinolentus Wolff 160. v. Harp. ... ? scutellaris F. C. A. Can. serratus F. v. Prionotus. sexguttatus F. v. Acanthaspis. sexspinosus Wolff 118. Sinea subarmata.. sinuosus Lep. Enc. v. Montina. spinidorsis Gray anim. K. v. Spiniger. squalidus Rossi Wolff 117. v. Oncoceph. stollii Enc. v. Heniartus. stria :F. v. Micrauchenum. stridulus F. Rossi Wolff 119, v. Pirates. subapterus Fall. Deg. II. 25. v. Harpact. pedestr. thoracicus Enc. v. Spiniger. tibialis F. v. Harpactor. tuberculatus Guer. Voy. pl. 12. f. 17. v. Arilus. ululans Rossi Wolff 116. v. Pirates. umboniferus Hagb. v. Arilus. unifasciatus Wolff 158. v. Platymeris. variegatus Lep. Enc. v. Petalocheirus. ... ? varius F. Joed tot can Muftel. ventralis Lep. Enc. v. Pothea. vesiculosus Pert. v. Notocyrtus. villosus F. cher Harp. pedestr. ale acgyptus. Resthenia Spin. ... scutata Spin. ... scutata Spin. Brf. Rhabdocoris Klti.

arcuata Klti. 31. t. 8. f. 1.	Rauk.
Rhaphidisoma Serv.	
Lophocephala Brm.	
- burmeisteri Serv. pl. 12. f.	1. Cap.
Rhaphigaster Lap. — m. — Kol	. — et Nezara Serv.
Edessa F.	
abdominalis Hop.	. in it i Um. m.
acutus Dall.	. and a ser to Sierra.
alliacea Grm. v. purpureipennis	
amyoti Dall.	alatt name Meufeel.
	- (:: tabas tabas (3)
apicalis Dall.	Mordind.
armatus Dall.	. Reufühwal.
atomarius F. v. griseus.	
capicola Dall.	gut inche Cap.
== bicinctus Grm. Silb.	Cap. VIII. 9. 785.
carrenoi le Guill. Rev. cf. Ede	
catinus Dall.	a. A le . 1 Eanaba.
catinus Dall.	Canada.
catinus Dall cinctus F. R concinnus Dall.	Ganada. Ganada. Ganada.
catinus Dall. cinctus F. R.	Canaba. Ind. or. ? Um. hq.
catinus Dall cinctus F. R concinnus Dall discoideus Dall discolor Dall.	Canaba. Ind. or. ? Um. dq.
catinus Dall cinctus F. R concinnus Dall discoideus Dall discolor Dall flayolineatus Hop.	Amba Canaba. Ind. or. Um. dq. Columb.
catinus Dall cinctus F. R concinnus Dall discoideus Dall discolor Dall flavolineatus Hop. virescens Serv.	American Sav.
catinus Dall cinctus F. R concinnus Dall discoideus Dall discolor Dall flavolineatus Hop. virescens Serv.	Americant Norbind.
catinus Dall cinctus F. R concinnus Dall discoideus Dall discolor Dall flavolineatus Hop. virescens Serv flavovarius Dall fulvescens Dall.	Um. dq. Columb. Indicate Sav. Indicate Sav. Indicate Sav. Indicate Sav.
catinus Dall cinctus F. R concinnus Dall discoideus Dall discolor Dall flavolineatus Hop. virescens Serv flavovarius Dall fulvescens Dall geniculatus Dall. — Amyo	Um. dq. Columb. Ind. Or. Ind. dq. Columb. Ind. Or. Ind. dq. Columb. Ind. (i) Ind. (i) Ind. (i) Ind. (ii) Ind. (ii) Ind. (iii) Ind. (
catinus Dall cinctus F. R concinnus Dall discoldeus Dall discolor Dall flavolineatus Hop. virescens Serv flavovarius Dall fulvescens Dall geniculatus Dall. — Amyo = griseus F. — Pz. 33. 19. —	Um. dq. Columb. Ind. Or. Ind. dq. Columb. Ind. Or. Ind. dq. Columb. Ind. (i) Ind. (i) Ind. (i) Ind. (ii) Ind. (ii) Ind. (iii) Ind. (
catinus Dall cinctus F. R concinnus Dall discoldeus Dall discolor Dall flavolineatus Hop. virescens Serv flavovarius Dall fulvescens Dall geniculatus Dall. — Amyo griseus F. — Pz. 33. 19. — Ramb. — Kol.	Um. dq. Columb. 3av. Morbind. (f) (aschoenia) Wolff. f. 56. — Enc. —
catinus Dall cinctus F. R concinnus Dall discolor Dall discolor Dall flavolineatus Hop. virescens Serv flavovarius Dall fulvescens Dall geniculatus Dall. — Amyo griseus F. — Pz. 33. 19. — Ramb. — Kol. stigmatica Palis. — atom.	Um. dq. Columb. 3av. Morbind. (f) (t. (aschoenia) Gall. Wolff. f. 56. — Enc. —
catinus Dall cinctus F. R concinnus Dall discoldeus Dall discolor Dall flavolineatus Hop. virescens Serv flavovarius Dall fulvescens Dall geniculatus Dall. — Amyo griseus F. — Pz. 33. 19. — Ramb. — Kol.	Canaba. Ind. or. Um. dq. Columb. Idv. Adv.

guinensis F. R Dall.	· 18 (?)
	Silhet.
= impluviatus Grm.	Cap, VIII. 9. 784.
lituratus Kl. v. purpureipenn	is.
? longitudinalis Hop.	
= loriventris Grm.	Cap. VIII. 8. 782.
luteus Hop.	. jult - 13 j -,
= lythrodes Grm.	Cap. VIII. 10. 787.
macracanthus Dall.	were in genet Nordind.
.,, macula Dall.	. W. of (10 / 10 . : (?)
maculiventris Dall.	Beftafr.
marginatus Pal.? pl. 10.	
,, naspirus Dall.	Title out the Affr.
mensor Grm. Silb. m. v. Med	
monsoni Hop.	! of ton, Cap.
1 4 - 77	
neglectus Hop.	Congress of the state of Eur. ?
nigripes F. v. Catacanth.	Compared and experience Gur.?
	Cap. VIII. 11. —
nigripes F. v. Catacanth.	
nigripes F. v. Catacanth.	Cap. VIII. 11. —
nigripes F. v. Catacanth pallescens Grm pallipes Dall parnisus Dall parvulus Dall.	Eap. VIII. 11. —
nigripes F. v. Catacanth pallescens Grm pallipes Dall parnisus Dall.	Cap. VIII. 11. —
nigripes F. v. Catacanth pallescens Grm pallipes Dall parnisus Dall parvulus Dall.	Eap. VIII. 11. —
nigripes F. v. Catacanth. , pallescens Grm. pallipes Dall. parnisus Dall. parvulus Dall. poecilus Dall. prasinus L. — Dall.	Eap. VIII. 11. —
nigripes F. v. Catacanth. , pallescens Grm. pallipes Dall. parnisus Dall. parvulus Dall. poecilus Dall. prasinus L. — Dall.	Eap. VIII. 11. — ? (?) (?) (?) Súbafr.
nigripes F. v. Catacanth. ,,, pallescens Grm. ,, pallipes Dall. ,, parnisus Dall. ,, parvulus Dall. ,, poecilus Dall. = prasinus L. — Dall. torquatus F. — H. S. N	Eap. VIII. 11. — ? (?) (?) (?) Sůbafr.
nigripes F. v. Catacanth pallescens Grm pallipes Dall parnisus Dall parvulus Dall poecilus Dall prasinus L. — Dall. torquatus F. — H. S. N	Eap. VIII. 11. — ? (?) (?) (?) Sůbafr. Nomel. IV. 100. 447.
nigripes F. v. Catacanth pallescens Grm pallipes Dall parnisus Dall parvulus Dall poecilus Dall prasinus L. — Dall. torquatus F. — H. S. Noiridissimus Wolff. f. 52. flavicollis Palis. pl. 11. f.	Eap. VIII. 11. — ? (?) (?) (?) Sůbafr. Nomel. IV. 100. 447.
nigripes F. v. Catacanth pallescens Grm pallipes Dall parnisus Dall parvulus Dall poecilus Dall presinus L. — Dall. torquatus F. — H. S. Noiridissimus Wolff. f. 52. flavicollis Palis. pl. 11. f. smaragdulus F. — H.S.	Eap. VIII. 11. — ? (?) (?) (?) Sůbafr. Nomel. IV. 100. 447.
nigripes F. v. Catacanth. pallescens Grm. pallipes Dall. parnisus Dall. parvulus Dall. precilus Dall. presinus L. — Dall. torquatus F. — H. S. Noiridissimus Wolff. f. 52. flavicollis Palls. pl. 11. f. smaragdulus F. — HS. viridulus L. — F. hemichloris Grm. Silb. prunasis Dall.	Eap. VIII. 11. — ? (?) (?) (?) Subafr. Nomel. IV. 100. 447.
nigripes F. v. Catacanth. pallescens Grm. pallipes Dall. parnisus Dall. parvulus Dall. precilus Dall. prasinus L. — Dall. torquatus F. — H. S. Noridissimus Wolff. f. 52. flavicollis Palis. pl. 11. f. smaragdulus F. — HS. viridulus L. — F. hemichloris Grm. Silb. prunasis Dall.	Eap. VIII. 11. — ? (?) (?) (*) Sůbafr. Nomel. IV. 100. 447. 7. 4. Nomel. — Kolen.

punctulatus Hop.	Um. bor.
= purpurcipennis Deg Ramb.	II. 62. 151.
incarnatus Grm. fn. 4. 23 Kol.	
alliaceus Grm. fn. 9. 14.	
lituratus Brm.	
rinapsus Dall.	Sierra.
rugiventris Grm Cap.	VIII. 11. —
runapsis Dall.	Guanaq.
sarpinus Dall.	Um. bor.
sparnius Dall.	Jam.
sparsus Grm. v. Anischys.	
spinosus Dall.	Philip.
spirans F. — Dall.	Mer.
sticticus Dall.	Um. aq.
stigmaticus Palis. pl. 0, f. 3.	š
subscriceus Hop. — Dall.	
chinensis Hop.	
? smaragdulus Wolff. 63.	
transversalis Hop.	Ufr. int.
validus Drur.	
tarandus F.	Ufr. int.
varipennis Hop.	Ind. Jav.
varicornis Dall.	Sierra.
= violaceus F Stoll. 183. Brf.	
virescens Hop.	Iava.
Rhopalimorpha White. — Dall.	
obscura White Zool. Terror. et Ereb.	Reuseel.
Rhynarius Hhn. v. Anthocoris.	
Rhynchocoris Westw. — Serv.	
(Edessa F.)	
Acanthosoma Brm.	
aggressor F.	Ind. or.

australis Hop.	it ist falle fann Auftel.
defensor F.	el samergi sangen Austel.
hamata F. v. humeral.	
humeralis Thb. — Dall.	incres that It.
hamata F. Brm.	. wit antuqutil Offind.
inquinata Hop.	Mind and geni Austri.
ligata Erichs. Arch.	1. 275.
roei Hop.	Mill ein Swan Riv.
serratus Don. Ind. pl. 8.	f. 2 Serv. pl. 3. f. 2.
	Java.
thoracica Hop.	. ich Neuholl.
.: unimaculata Hop.	. S G and an Meuholl.
Rhynocoris Hhn. v. Harpac	tor.
Rhyparochromus Serv. v. Pe	achymerus.
Saccoderes v. Notocyrtus.	
Sachana Serv.	
Ceriplatus White.	apolt six
depressa White.	W riebymana ? Am. m.
Saica Serv.	. Leonardas Inch.
= rubella Serv.	enbetter Cap.
Salda F Brm Serv.	
Lygaeus F. — Wolff.	. gott ainengia
Acanthia Ltr. II. t.	55. — IX. t. 308. A—D.
albipennis F. v. Ophthalmic	us.
atra F. v. Ophth.	apoli attorestit
- bicolor Costa t. 2. f. 7.	wiil H ung gemalle Meapi
campestris F. cf. Anthocoris	nemora
= cincta m.	VI. 41. 598)
clavipes F. cf. Pachymerus.	Abyachaentis Mans -
coriacea F. cf. saltatoria.	
= elegantula Fall.	Eur. 11, 84, 168.
erythrocephala Lep. v. Opht	
	naim.

flaviceps Brm. v. Ophth. flavipes F. v. Sciodopterus. grylloides L. - F. v. Ophth. ... lateralis Fil. cf. cincta. = littoralis L. - Costa. - Wolff. 81. VI. 41, 599. Acanth. maculata Ltr. A. zosterae F. - Ltr. - Fll. Grm. = luteipes m. Grm. VI. 40. 597. ? maculata F. Tranqueb. = marginella Fil. Grm. IX. 130. 943. nemoralis F. cf. Anthocoris austriaca. ocellata Costa t. 2. f. 5. v. pallipes. orsiniana Costa in litt. v. Ophthalmicus erythroceph. = pallipes F. - Costa t. 2. f. 7. VI. 43. 600. ocellata Cost. Grm. ... pilosa Fll. - Grm. fn. attachmant and Grm. pratensis F. cf. Anthoc. austriaca. = pulchella Curt. Ungl. IX. 131. 947. = riparia F. - Costa t. 2. f. 4. II. 82. 166. variabilis m. Nomel. Grm. = saltatoria F. . II. 83, 167, ? coriacea F. S. R. n. 8. serratulae F. cf. Anthoc: austr. ... striata F. Cim. alpinus Scop. cf. pallipes. sylvestris F. cf. Anthoc. austr. variabilis m. Nomel. v. riparia. zosterae F. v. littoralis. Saliavata Serv. m. t. 306; K. - variegata Serv. pl. 6. f. 6. Can.

Sastragala Serv.

= ferrugator L. F. etc.

Grm. II. 72. 159.

bispinus Pz. 26. 23 Wol	ff. 8. — Fall, etc.
uniguttata Donov.	Ind. or.
Sastrapada Serv.	
flava Serv.	Jav.
- subspinosa Serv. pl. 7. f. 9.	Geneg.
Sava Serv.	
coronata Serv.	Can.
Scaptocoris Pert Brm Serv.	
castaneus Perty. del. t. 33. f.	5. Brf.
	Brf. IX. 341. 1003.
Schismatops Dall.	
- obscurus Dall.	Westafr.
Schizops Spin.	
Pentatoma Lef.	
Aelia Brm.	
Phyllocephalla m.	
= aegyptiaca Lef.	Heg. VII. 69. 739.
Sciocoris Fall.	
Sciocoris Fall. = aradiformis Gem.	? V. 71516.
aradiformis Grm atomarius Dall.	? V. 71. 516. Subafr.
= aradiformis Grm.	
aradiformis Grm atomarius Dall.	Subafr.
aradiformis Grm atomarius Dall ater Dall.	Subafr. Sierra.
aradiformis Grm atomarius Dall ater Dall boris Dall.	Súbafr. Sierra. ? Ueg. Urab. bef.
aradiformis Grm atomarius Dall ater Dall boris Dall conspurcatus Klug. Symb.	Súbafr. Sierra. ? Aeg.
aradiformis Grm atomarius Dall ater Dall boris Dall conspurcatus Klug. Symb cribrosus Klug. Symb. = ellipticus m europaeus Serv.	Súbafr. Sierra. ? Aeg. Arab. bef. Sibir. V. 79. 524. Eur. m.
= aradiformis Grm atomarius Dall ater Dall boris Dall conspurcatus Klug. Symb cribrosus Klug. Symb. = ellipticus m.	Súbafr. Sierra. ? Aeg. Urab. bef. Sibir. V. 79. 524. Eur. m. Reuholl.
aradiformis Grm atomarius Dall ater Dall boris Dall conspurcatus Klug. Symb cribrosus Klug. Symb ellipticus m europaeus Serv humeralis Dall indicus Dall.	Súbafr. Sierra. ? Aeg. Urab. bef. Sibir. V. 79. 524. Eur. m. Neuholl. Norbind.
aradiformis Grm atomarius Dall ater Dall boris Dall conspurcatus Klug. Symb cribrosus Klug. Symb ellipticus m europaeus Serv humeralis Dall indicus Dall leucogrammus Grm. Silb.	Súbafr. Sierra. ? Ueg. Urab. bef. Sibir. V. 79. 524. Eur. m. Reuholl. Rorbind.
aradiformis Grm atomarius Dall ater Dall boris Dall conspurcatus Klug. Symb cribrosus Klug. Symb ellipticus m europaeus Serv humeralis Dall indicus Dall.	Súbafr. Sierra. ? Ueg. Urab. bef. Sibir. V. 79. 524. Eur. m. Reuholl. Rorbind.
aradiformis Grm atomarius Dall ater Dall boris Dall conspurcatus Klug. Symb cribrosus Klug. Symb ellipticus m europaeus Serv humeralis Dall indicus Dall leucogrammus Grm. Silb. — longulus Grm. Silb. — m. marginatus Brm. v. Doryderes.	Súbafr. Sierra. ? Ueg. Urab. bef. Sibir. V. 79. 524. Eur. m. Reuholl. Rorbinb. Cap. VII. 88. 756. Cap. VII. 86. 753.
= aradiformis Grm atomarius Dall ater Dall boris Dall conspurcatus Klug. Symb cribrosus Klug. Symb. = ellipticus m europaeus Serv humeralis Dall indicus Dall. = leucogrammus Grm. Silb. — = longulus Grm. Silb. — m.	Súbafr. Sierra. ? Ueg. Urab. bef. Sibir. V. 79. 524. Eur. m. Reuholl. Rorbinb. Cap. VII. 88. 756. Cap. VII. 86. 753.

NAME OF THE OWNER, WHEN PERSON AND PARTY OF THE OWNER, WHEN PERSON	
marmoreus Brm. v. Discocephala.	
morio Dall.	Gamb.
obscurus Dall.	Ban Diem.
orbicularis Brm. v. Pododus.	
ovulus Dall.	
nercivus Dall.	š
pallens Klug. Symb.	Alexandr.
pallidus Dall.	Sůbafr.
philippinensis Dall.	Philip.
= planus F.	öubafr. V. 75. 519.
= - m.	Cap. VII. 87. 755.
promus Dall.	Reuholl.
tibialis Dall.	Congo.
umbraculatus Brm. v. Discocephala	
= umbrinus Wolff Pz. 93. 15	. — Fall. etc.
	I. 195. 100.
varicornis Dall.	Ostind.
= ventrali; Grm. Silb. — m.	Cap. VII. 87. 754.
vittatus Dall.	21 fr. ?
Sciodopterus Serv.	
Salda F.	
flavipes F.	Gall.
Scutellera Dall. v. Calliphara.	
fasciata, morgani, nobilis et	oblonga.
- Lam Hhn Hop. v. Grapho	soma.
- Brm. v. Tectocoris, Coeloglos	sa et Calliphara.
- m. v. Tectocoris.	
Scutiphora Guér. Coq. — Lap. v. P	eltophora.
Sehirus Serv Dall. v. Cydnus.	
Sephala Serv.	
- linearis Serv. pl. 12. f. 7.	Seneg.
Sephina Serv. — Lyg. F. — Spart	ocerus Brm.
	16*

VI. 89. 659. 2fm. m. = bicolor m. Spart. erythromelas White Trans. Ent. Soc. III. = pustulata F. (Lyg.) Brm. (Spart.) - Stoll. 81. Para. VI. 15, 569. Serenthia Spin. m. v. Agramma. Serinetha Spin. cf. Leptocoris. Sethenira Spin. cf. Gonocerus. Sinea Serv. IX. p. 101. Zelus F. = cincta F. 26m. fpt. IX. 83, 853. ... javanensis Serv. Sav. - multispinosa Deg. III. pl. 35. 11. Zel. diadema F. Meg. - pulchella Kl. Symb. t. 19. f. 11. Can. ... punctipes Serv. = sexspinosa Wolff. 118. -- subarmata m. 2fm. fpt. VIII. 83. 852. VIII. 82. 851. Brf. = spinipes m. (Harp.) Sigara F. - Leach. - Brm. Notonecta L. ... assimilis Fieb. coleoptrata F. v. Corisa. ... ehrenbergii Fieb. - grisea Fieb. t. 1. f. 21. Ind. or. Sumatr. ... hyalinipennis F. . Garb. ... leucocephal'a Spin. Ind. or. ... lineata Fieb. t. 1. f. 25. ... lugubris Fieb. = minuta F. - Fieb. t. 1. f. 11-19. Not. minutiss. L. · .. Gur. Um. inf. ... ? nigripennis F. ... punctata Fieb. t. 1. f. 26. Ind. or.

... scholtzii Fieb. ! In Ind. or. - striata Fieb. t. 1. f. 22-21. Grm. - Pz. est Panzerii Fieb. Sirthenea Spin. v. Pirates. Solenosthethium Spin. - Serv. v. Coeloglossa Grm. Sondarus Serv. - naeniator Serv. pl. 4. f. 9. Can. Spathophora Serv. Lugaeus F. Pachulis Brm. = biclavata F. - Brm. Cap. IX. 260. 986. VI. 55. 615. 616. Brf. = phyllocnemis Brm. Spartocera Serv. Spartocerus Brm. - m. Corecoris Hhn. Lugaeus Coq. Coreus F. II. 14. t. 38. A-C. t. 181. A-C. Can. - batatas F. - Coq. t. 19. f. 10. bicolor m. v. Sephina. = cinnamomeus Hhn. (Coreocoris). Brf. II. 15. 124. ... erythromelas White Trans. Ent. Soc. Lond. III. p. 92. v. Sephina bicolor. Can. VI. 89. 660. - geniculatus Brm. - Serv. laticornis m. v. Prismatocerus. lunatus v. Menenotus. pustulatus F. v. Sephina. Braf. -- sculptus Pert. Brf. VI. 12. 568. - serrulatus Pert Sphaerocoris Brm. - Dall.

Tetyra F.

annularis Hop. - Grm. v. annulus. = annulus F. - Stoll. f. 268. - Grm. Cim. argus Drur. III. t. 46. f. 9. - III. 105. 330. Voet. IV. t. 47. 9. Sph. annularis Hop. Sph. ocellatus m. V. 49. Stoll. f. 268. 2(fr. = argus F. - Brm. - Grm. multipunctatus Thb. simplex Grm. - m. III. 104. 329. impluviatus Grm. m. Ufr. V. 49. 499. flavonotatus Dall. v. Pachyc. impluviatus Grm. v. argus. general av Ind. or. ... lateritius Hop. ... polysticta Hop. Cap. ocellatus Brm. Kl. Serv. v. Pachyc. ... poecilus Dall. Gamb. punctaria Hop. v. tigrinus. = quadrinotatus Hop. Cap. V. 8. f. 464. rusticus F. Stoll. f. 203, 202. Tranqueb. simplex m. v. impluviat. = tigrinus Grm. Stoll. f. 261. punctaria Hop. V. 8. f. 467. - 21fr. unicolor Dall. p. 7. v. Pachyc. Sphaerodema Lap. Diplonychus Brm: Nepa F. = annulatus F. VIII. 25. 798. Sinb. or. rotundata Lap. Spiniger Brm. - Hhn. - Serv. (cum Tetroxia). Reduvius Lep. etc. III. 22. - VIII. 64. t. 270. A.

= ater Lep. Brf. III. 66. 835.
= eburneus Lep Serv. pl. 6. f. 7. Brf. 65. 833.
= flavovarius m. Brf. III. 65. 834.
line atus Lep. Enc. Cap.
= limbatus Lep. — Brm.
circumscriptus Hhn. III. 23. 236.
spinifera Palis. pl. 1. f. 4
thoracius Lep. Brf.
tricolor Lep. Brf.
- quinquespinosus F Wolff. 39. Ind. or.
Spudaeus Dall.
reticulatus Hop. Neuholl.
Stauralia Dall.
- chloracantha Dall. pl. 10. f. 1. Reuholl.
Stenocephalus Ltr. — Brm. etc. III. 54.
Coreus F. — Schill.
Lygaeus Wolff.
Dicranomerus Hhn. t. 89. A-F.
= neglectus m. Eur. m. III. 55. 272.
= mugax F.
Cim. agilis Scop. I. 22. 13. Grm.
Stenocoris Brm. Corrig.
Leptocorisa Ltr. — Serv. — Lap. — Spin.
Myodochus Brm. m. — t. 289. A—C.
Myodocha Ltr. — Stoll. f. 162.
= costalis m Jav. VIII. 96. 861.
linearis Lap.
= tipuloides Deg. (Cim.) Oliv. Enc. VIII. 106. 2.
Brm. — Deg. f. 18. Cap. u. Philad.
= trinotatus m. Jav. VIII. 95. 863.
= varicornis F. (Gerr.) Wolff. 196 Brm. Act.
Leop. p. 422. 25. Sumatra, Luz.

Stenocoris Ramb. nomen mutandum.	
gracilis engrette per ter en ant an	and al.
Stenogaster IX. 213	
annulipes Grm. in Silb.	Cap.
= basalis Dtschl. Ins. 135. 18.	
Lyg. modestus Fll. nr. 14.	· Gur. m.
cf. Schillingii Scholtz.	
= costalis m. IX. 216.	- Eur. m.
= costatus m. VI. 94. f. 59	2. Eur. m.
= ditomoides Costa. Cim. Neap. II. t. 3. 1	
· · · · · · · · · · · · · · · · · · ·	. 216. 964.
= fasciatus Dtschl. Ins. 135. 19.	
insignis Costa Cim. Neap. I. t. 1. f. 7	7. Eur. m.
însignis Costa v. fasciatus.	
= lavaterae F. — Dtschl. Ins. 122. 8. —	tardus H.
	1. Eur. m.
= lineolatus Schill Dtschl. Ins. 121.	
origani Kol. t. 10. f. 19.	
= pallens m. IX. 215.	
	Cap.
schillingii Scholtz. cf. basalis.	Giles.
= siculus m. Sicis.	IX: 217 -
Stenopoda Lap Brm Serv. VIII. 90. t.	
— cinerea Lap. pl. 52. f. 2. — Brm. 2(m. fpt. V	
Sthienera Spin.	
Stibaropus Dall.	•
- brunneus Dall. t. 3. f. 1.	Markink
Stiretrosoma v. Stiretrus crytrocephalus c	
Stiretrus Lap. V. 2	
abdominalis Grm. n. 6.	9. viii. 14. Brf.
anchorago F. E. S. — Dall. v. diana.	श्रा.
anthorago F. E. S. — Dan. v. diana.	26
, ; and cae is. mins. Off.	amer.

= atricapillus Hop Grm. nr. 16. Brf. V. 4. 456.
caeruleus Dall Mer.
= chalybeus m. Grm. nr. 2. Brf. III. 68. 283.
chamberti le Guill.
chrysoprasinus m. v. smaragdulus.
cinétellus Grm. nr. 18.
coccineus F Grm. nr. 17. Iste be Fr.
= - m
= decemguttatus Lep Hop Enc Grm. nr.
15. Brf. IV. 87. 421. V. 3. 455.
decostigma m. 422. v. septemgutt.
= dianae F Grm. nr. 19 Brm.
anchorago F. E. S Dall Hop.
Carol. V. 3. 451.
erythrocephalus Enc. — Grm. nr. 7.
Stiretrosoma Dall. Bras. 5. 459.
eupus Perty (latipes Tert) delect. 53. 3 Grm. nr. 9.
Umaz.
fimbriatus Say. amer. ent. t. 43. 1. Pennfylv.
variegatus m. IV. 90. 427.
gibbus Brm Grm. n. 4.
Discocera cayennens. Lap. Can.
latipes Perty Tert v. eupus.
- loratus Grm. nr. 10. Brf.
= lythrodes Grm. n. 8. Brf. V. 4. 457.
ornatus Dall. Mer.
ornatus Dall. Mer personatus Grm. nr. 12. Mer.
ornatus Dall. Mer personatus Grm. nr. 12. Mer quinquepunctatus Grm. nr. 20. Guin.
ornatus Dall. Mer personatus Grm. nr. 12. Mer quinquepunctatus Grm. nr. 20. Guin. rubromaculatus Hop. — Dall. v. septemgutt.
ornatus Dall. Mer personatus Grm. nr. 12. Mer quinquepunctatus Grm. nr. 20. Guin. rubromaculatus Hop. — Dall. v. septemgutt ruficeps Dall.
ornatus Dall. Mer personatus Grm. nr. 12. Mer quinquepunctatus Grm. nr. 20. Guin. rubromaculatus Hop. — Dall. v. septemgutt.

= septemguttatus Grm. nr. 14.	Brf.
rubromacul. Hop.	
decastigma m. V. 27	. 422 .
= smaragdulus Enc Grm. nr. 1.	Brf.
chrysoprasinus m. IV. 88	3. 423.
- trilineatus Grm. nr. 11. Brf. V. 5	. 458.
variegatus (Asopus) m. v. fimbriatus.	
violaceus Say Grm. nr. 3. Serv. pl. 1. f.	1.
· ·	florida.
Storthia livida v. Dryptocephala.	
Strachia Hhn. I. 180. mit Eurydema, wofelbft bie	übrigen
und Dallafifchen Strachien zu fuchen finb.	
Strombosoma Serv.	
unipunctatum Serv.	Parag.
? pallipes F.	Cap.
Sundarus Serv.	
- neniator Serv. pl. 4. f. 9.	Can.
Sycanus Serv.	
Zelus F Reduv. Lep Arilus Br	m.
= collaris L F. China	
longicollis Lep. Enc Stoll. 295.	
Brf. VIII, 3	7. 813.
Symphilus Dall.	
Pachycoris Grm. Z.	
Scutell. Palis.	
= irroratus F Grm m. V. 58	5. 500.
cordigera (Scut.) Pal. pl. 5, B. f. 7.	
knochii Grm. Z. — Dall.	Brf.
obtusus Dall.	
poecilus Dall.	
= variegatus Grm.? III. 106. 332.	Jam.
Sympiczorhynchus Spin.	

```
- punctipes Dall. pl. 4. f. 2.
                 3 .. .: Srf. VII. 47. -
 ... tristis Spin.
Syromastes Ltr. - Serv. - Brm.
       Coreus F. - Wolff. - Coq. etc. - Brm. v.
         Verlusia.
       Coreus H. II. p. 101. t. 61. B-D.
 = fundator Hffgg.
                             IV. 98. 444. Eur. m.
 = inconspicuus m. VI. 14. 570. Mer.
                                  III. 102. 185.
 = marginatus L. - Wolff.
                                    IV. 98. 443.
       auriculatus Deg.
       venator Cog.
       Stoll. 37.
                                           Gur.
    obscurus Grm. fn. v. Atractus lobat.
    quadrat, v. Verlusia.
    scapha Brm. v. Enoplops.
    sulcicornis v. Verlus.
    phyllomorpha Ltr. v. Craspedum.
Syrtis F.
  ... carinata F.
                              Um. m. III. 55. -
    crassimanus F. v. Macrocephalus.
  = crassipes F. - Pz. 23. 24.
                               Gur. III. 58. -
                            2(m. m. VII. 15. 694.
  = erosa L.
 = fortificata Kl. Brf. VII. 15. 605.
    manicata v. Macroc. cim.
  ... marginata F. De remark and come at 20m. inf.
  prehensilis F. Macroceph.
  ... serrata F.
                   Jud. or. in the Sand. or.
Taphrostethus Fieb. IX. t. 311. C. D.
  - quinque costatus Fieb. Ind. or. IX. 149. 953.
Tapinus Lap. VIII. 54. v. Opinus.
```

Tarisa Serv. - m. IX, t. 324. A. B. - flavescens Serv. pl. 12. f. 3. Turc. IX. t. 324. A-C. = virescens m. Taurocerus, Serv. - Dall. Ind. or. ? IX. 316. 1001. = cinctus m. ... edessoides Spin. Brf. Taurodes Dall. boops Dall. pl. 8. f. 3. Tectocoris Hhn. - Dall. Tetura F. Scutellera Lap. - Am. = banksii Don. South. S. pl. 3. f. 1. - Guer. - Coq. HS. 341. 342. Grm. - Am. et Serv. schönherri Eschsch, Brm. HS. 340. tongae Boisd. Astr. Grm. Ind. or. Neuholl. = cyanipes F. - Wolff. f. 165. Hahn. f. 132. -Brm. banksii foem. Grm. Stoll. f. 58. 94. 167. diophthalmus Thb. nov. p. 30. t. 2. f. 45. Java; Neuholl. Teleia Fieb. IX. t. 311. F-K. - coronata Fieb. IX. 149. 954. Ind: or. Tenecantha Dall. - marginata Dall. pl. 2. f. 4. Tesseratoma Lep. - Brm. etc. alternata Enc. v. Pycan. ame. apicalis Lep .: - Brm. v. Hypencha. bicornis Lep. v. Eurypleura. canaliculata Lep. v. Mucanum.

= chinensis Thb. — Dall.
papillosa F.

sonneratii Lep. - Guer. ic.

javana (foem.) Brm.
cornuta Dall.
cuprea Hop. Repal.
flavicornis Guér. v. Oncomer.
= javanica Thb Serv Stoll.
papillosa Drur. — Hhn. II. 123. 204. Jav.
nigripes Dall,
obscura Lep. v. Cyclopelta.
ossa cruenta Hop. v. papill.
papillosa Drur. v. javan.
picea Dall. Sav.
proxima Hop
robusta Lep. v. Eusthenes.
scutellaris Hag Hhn. v. Eusthenes.
sonneratii Guer. v. chin.
? taurus Hop. China.
Tetrarthria Dall.
variegata Dall. Philip.
Tetroda Serv.
Phyllocephala m.
Aelia F.
Acanthia F.
africana Dall. Afr. m.
atomaria Dall. Nordind.
= histeroides F Serv Stoll. f. 197. (?)
Aelia furcata F. — Phylloc. furcata m.
VII. 70. 738. China.
- juvencus Brm
divaricata Dall. Repal.
nigripennis Dall Morbinb.
obtusa Dall Orbind.
,

-- transversalis Westw. Royl. Hym. pl. 10. f. 7.

Morbind.

Tetroxia Serv.

Reduv. Pal. - Lep. v. Spiniger.

- quinquespinosa F. (Zelus.) Wolff. 39. Snb. or.

-- spinifera Pal. pl. 1. f. 4. mod neathign; Afr. ag. Tetyra F.

Die Urten ber Fabricischen Sammlung erlautert Schiobte in Kropers naturbift. Tibsfr. IV. 279.

affinis F. v. Pachycor. irror.

albolineata F. v. Ancyros.

alternata Say. Am. Ent. t. 43. f. 3. v. Eurygast.

anchorago F. v. Stiretrus dianae.

annulus F. v. Pachyc.

arcuata F. R. v. Pachyc.

argus F. R. v. Sphaerocoris.

- var. v. Sphaer. impluv.

baro F. v. Callidea Dall.

bispinosa F. v. Podops.

boscii F. v. Pachycoris.

carbonaria Zett. v. Odontosc.

cerinthe Wolff. 167. v. Psacasta.

chrysorrhoea F. v. Pachyc.

cinctipes Say. v. Podops.

comes F. v. Scutell. Poeciloc. Dall.

costata F. v. Coleotichus .- . wanna

cyanipes F. v. Scutell. Tector. Dall.

daldorffii F. v. Coreomelas.

-- Wolff. v. Tect. banksii.

desfontainii F. v. Trigonosoma.

dispar F. v. Cantao.

donovani Brm. v. Scutell. dorsalis F. v. Odontosc. druraei F. v. Scutell. Poeciloc. Dall. duodecimpunctata F. v. Libvssa. eques F. v. Galostha. Callidea Dall. excellens Brm. v. Callid. praslin. Dall. fabricii F. v. Pachyc. flavipes F. R. v. Brachyplatys. flavolineata Wolff. 166. v. Odontotars. fuliginosa F. v. Odontosc. furcifer F. v. Coeloglossa. gibba F. v. Oxynotus. grammica: Wolff. 166. v. Odontotars. helopioides Wolff. 168. v. Corcomelas unicolor. hottentota F. v. Eurygaster. humeralis Dall. v. Phimodera. illustris F. R. v. Pachyc. imperialis F. v. Callidea Dall. impressa F. v. Pentat. inuncta Brm. etc. v. Podops. lapponica Zett. v. Podops. lateralis Wolff. 169. v. Coreomelas. lineola F. R. v. Pachyc. litura F. v. Odontosc. lundii F. v. Cyptocoris. lurida Brm. Act. leop. v. Podops. lyncea F. v. Coeloglossa. maura F. v. Eurygaster. mucorea Klug. Symb. v. Alphocoris. neglecta m. v. Psacasta. nigellae F. v. Trigonosoma.

nigra F. v. Eurygaster.

ocellata Kl. Symb. v. Sphaerocor. Dall.

nigrolineata F. v. Graphosoma. nobilis F. v. Calliphara. pallipes F. v. Brachyplatys. pagana F. v. Chaerocoris. pedemontana F. v. Psacast. picta F. v. Eurygaster. punctata Wiedem. - Grm. v. Pachyc. rustica F. v. Sphaerocoris. scarabaeoides F. v. Coreomelas. schultzii F. v. Coreom. schusboei F. R. v. Pachvc. sehestedii Wolff. index 128. v. Coeloglossa. semipunctata F. v. Graphosoma. signata F. v. Libyssa. sexpunctata F. R. v. Augocoris gomes. silphoides F. v. Brachyplatys.

stigma F. R. v. Pachyc. stockerus F. (non L.) v. Callidea purpurea.

tangira F. v. Podops inunct.

tibialis F. v. Coreom.

schmidtii F. v. Coreom.

tuberculata Pz. v. Psacasta.

vahlii F. v. Brachyplatys.

wolfii F. v. Pachyc.

Thelima Serv. v. Chlorocoris.:

Theraneis Spin. cf. Largus.

Therapha Serv. v. Corizus.

Thyreocoris Grm. — Serv. v. Plataspis, Coptosoma, Brachyplatys — Schrk. v. Graphos.

adspersus Brm. v. Coptosoma bufo.

atomarius Grm. v. Copt. bipustulatus Grm. v. Copt. bufo Eschsch. v. Copt. circumscript. Grm. v. Copt. cinctus Eschsch. v. Copt. cocciformis Grm. - Hop. v. Plataspis coccinelloides. coccinelloides Lap. pl. 55. 5. v. Plataspis. complanatus Brm. - Grm. Act. Leop. t. 51. 3. v. Brachyplat. cribrarius F. v. Copt. deplanatus Eschsch. v. Platasp. duodecimpunct. m. v. Copt. flavicens Hop. - Grm. v. Brachyplatys. flavipes F. v. Brachypl. flavip. globus ;v. Copt. hemisphaericus Hop. Grm. v. Platasp. maculatus Grm. v. Copt. melolonthoides Brm. Grm. (Cap.) gen. nov. ? metallicus Grm. v. Plat. nepalensis Grm, v. Copt. nigrita Hop. (Platasp.) Grm. nigriventr. Hop. Grm. v. Brach. nitidus Hop. Grm. v. Plat. nubilus Grm. v. Copt. pallipes F. - Grm. - v. Brachyplatys. papua Grm. v. Brachypl. vahlii. punctat. Serv. v. Plataspis. scarabaeoides Schrk, v. Coreomelas. seminulum Brm. v. Copt. cinctus. septus Grm. v. Brachypl. subaen. silphoides Grm. v. Brachyplat. - m. v. Br. nigriventr.

silphoides Brm. v. Br. vahlii.
sphaerula v. Coptosoma.
stigmaticus Grm. v. Copt.
silphoides Brm. v. Platasp.
transversus Grm. v. Copt.
vahlii F. etc. v. Brachypl.
variegatus m. v. Copto. cinct.
— Guer. dict. v. Platasp. punctat.
vermiculatus Grm. v. Coptos.

Tiarodes Brm. - Serv.

1 1X. t. 309. B.

Cymbidus Spin.

— versicolor Lap.

Jav. IX. 128. 949.

Tingis F. - Brm.

= affinis m. - Fieb. p. 106. t. 9. t. 13-16.

alata F. Rh. v. Arad. depress. of and allerem antica Stph. v. Zosmenus. brunnea Grm. v. Orthost. capitata Wolff v. Zosmenus. - var. β. Fall. v. Zosm, antic. capucina Grm. v. Monanth. setul. cardui F. v. Monanth. carinata Pz. v. Orthosteira. cassidea Fall. v. Orthost. cervina Grm. v. Orth. ciliata Fieb. v. Mon. circumdata d'Orb. Voy. clavicornis L. v. Laccometop. collaris Zett. v. Zosmen, ant. cortices m. v. Monanth. 4 mac. costata F. v. Mon.

crassicornis Fil. v. Dictyon.
cristata Pz. v. Derephys.
echii F. v. Mon.
eryngii Ltr. v. Mon. melanoceph.
erythrophthalma Grm. v. Dictyon.
foliacea Fil. v. Derephys.

= gossypii F. 3nb. occ. V. 85. 634.
gracilis v. Mon.
grisea m. v. Mon.
— Grm. v. Mon.
humuli F. v. Mon.
— Fll. Brm. v. Mon. wolffii.

= hyalina Mus. Berol. 2(m. bor. V. 84. 532. laeta Fll. v. Agramma.

maculata m. Grm. . IV. 68. 393.

marginata Brm. (Piesm.) v. Dictyon. crass.

melanocephala Pz. v. Mon.

nigrina Fall. v. Mon.

obscura Stph. v. Laccomet.

parvula Fall. v. Mon.

pedicularis m. v. Zosm. ant.

pilicornis m. v. Dictyon.

pusilla Fall. v. Orthost.

⇒ pyri Geoff. — Fieb. t. 8. f. 34-36. III. 74. 395. t. 130. D. . Germ.

- m. v. subglob. quadrimaculata Wolff. v. Mon. reticulata m. v. Mon. ciliata.

- rhomboptera Fieb. p. 103., t., 8, f. 37, 38.

Inf. Luzon.

rotundata m. v. Mon. echii. ruficornis Grm. v. Agramma.

sachari F. v. Mon.
sidae F
simplex v. Mon.
= sinuata m Fieb. p. 108. t. 9. f. 22.
init 11. 68. 395. 11 Hung.
- spinifrons Fall Fieb. t. 9. f. 6-12. Stal.
? spinosa Rossi 1280.
= subglobosa m Fieb. t. 9. f. 17. 20. III. 68.
291. t. 130. A-C. G. H. was at alle Berm.
testacea m. v. Mon.
triangularis d'Orb. Voy. and and there Um. m.
verna Fll. v. Campylost.
? virescens F
Trachelium m. IX. 274. —
= bicolor m. 274. 989.
= fulvipes m. 19 19 19 19 19 19 19 19 19 275. 999.
Trachyops Dall.
— australis Dall. pl. 7. f. 1. 1
Trichoscelis Serv.
Heniartes Spio. — m.
Apiomerus Brm.
Reduv. F Lep. t. 275. A. B.
= annulatus Spin
- crinipes F. Stoll. f. 86:
= erythromeirus Spin. Can. VIII. 78. 848.
rufipes F. Can
- stollii Lep. Enc. Brm Stoll. 153: and She Um.
Trigonoscelis Kl.
subspinosa Kl. Symb.
Trigonosoma Lap. — Brm. — Grm. — Tetyra F. —
Pz. — Ventocoris Hhn.
Brm. v. Graphos.

affine Hop. Meg.
albolineata v. Ancyrosoma.
apicale Hop. v. Pachyc.
bufo Eschsch. Sav.
desfontainesii F Coq. Gur., m Berb.
galii Grm. v. Psacasta.
gambiae Hop. v. Pachyc.
= nigellae F Wolff 86. Eur. m. II. 36. 133.
rufa f. 494. v. variolos.
subfasciata Hop. Cap.
subspinosa Kl. Reg.
variolosa V. 43. 493. var. rufa ibid. 494. v. Bolho-
coris.
Tritomacera IX. 217. —
- aphanoides Annal. de la Soc. Ent. X. pl. 6. f. 6.
Gur. m.
Tropicoris Spin. v. Pentatoma. — Dall. (rusipes L.)
Tropidocheila Fieb. IX. v. Monanthia.
Tynotoma Serv. Leptocoris Hhn.
Typhlocoris m. V. 79-525, v. Urolabida.
Urochela Dall. Ent. Tr. I. 2.
bimaculata Dall. Ind.
obscura Dall. Ind.
Urolabida Westw Hop Dall.
Urostylis Westw Hop.
Calliprepes White.
Typhlocorys m.
grayii White Mag. nat. h. III. 543 Ent. Tr. III.
94. Repal.
= semicircularis m. Ind. or. V. 59. 525.
tenera Hop.
Urostylis Westw. — Hop. — Dall.

A. gracilis Dall
histrionica Hop. Antarteryne A.
pallida Dall apilia igs Ind.
punctigera Hop.
Ursocoris Hhn. v. Odontoscelis.
Velia Ltr Guer Duf Brm Schumm Serv.
Hydrometra F W.
Gerris Cog! de half A selfrein = IX.
aptera F. R. an ad currens?
bicolor d'Orb. Voy il abare al in . Brf.
= brasiliensis m. Brf. IX. 76. 937.
= currens F. Costa cent. nr. 13.
aptera (Hydrom.) F. IX. 76. 933. 934.
= rivulorum F Ross Costa cent. nr. 14. Staf.
Ventocoris Hhn. 1 are at the same
albolineatus Hhn. v. Ancyrosoma.
albolineatus Hhn. v. Ancyrosoma.
nigellae Hhn. v. Trigonos.
nigellae Hhn. v. Trigonos. pedemontanus Hhn. v. Psacasta.
nigellae Hhn. v. Trigonos. pedemontanus Hhn. v. Psacasta. Verlusia Spin. — Serv. Angerstyre
nigellae Hhn. v. Trigonos. pedemontanus Hhn. v. Psacasta. Verlusia Spin. — Serv. Coreus F. — Wolf. — Lep. — Schill. — Hhn.
nigellae Hhn. v. Trigonos. pedemontanus Hhn. v. Psacasta. Verlusia Spin. — Serv. Coreus F. — Wolf. — Lep. — Schill. — Hhn. Lygaeus Coq.
nigellae Hhn. v. Trigonos. pedemontanus Hhn. v. Psacasta. Verlusia Spin. — Serv. Attachande Lep. — Schill. — Hhn. Lygaeus Coq. = quadrata F. etc.
nigellae Hhn. v. Trigonos. pedemontanus Hhn. v. Psacasta. Verlusia Spin. — Serv. Attantonomy. Coreus F. — Wolff. — Lep. — Schill. — Hhn. Lygaeus Coq. = quadrata F. etc. Cim. rhombeus L. — Ross.
nigellae Hhn. v. Trigonos. pedemontanus Hhn. v. Psacasta. Verlusia Spin. — Serv. Adams 14. Coreus F. — Wolff. — Lep. — Schill. — Hhn. Lygaeus Coq. = quadrata F. etc. Cim. rhombeus L. — Ross. — sulcicornis Coqueb. 40. 10. 9. Stat. H. 104. 442.
nigellae Hhn. v. Trigonos. pedemontanus Hhn. v. Psacasta. Verlusia Spin. — Serv. Coreus F. — Wolf. — Lep. — Schill. — Hhn. Lygaeus Coq. = quadrata F. etc. Cim. rhombeus L. — Ross. = sulcicornis Coqueb. 40. 10. 9. Stat. H. 104. 442. Vulsirea Stoll. 142. cf. Arocera Spin.
nigellae Hhn. v. Trigonos. pedemontanus Hhn. v. Psacasta. Verlusia Spin. — Serv. Coreus F. — Wolf. — Lep. — Schill. — Hhn. Lygaeus Coq. = quadrata F. etc. Cim. rhombeus L. — Ross. = sulcicornis Coqueb. 40. 10. 9. Stat. H. 104. 442. Vulsirea Stoll. 142. cf. Arocera Spin. aequinoctialis Hop.
nigellae Hhn. v. Trigonos. pedemontanus Hhn. v. Psacasta. Verlusia Spin. — Serv. Coreus F. — Wolff. — Lep. — Schill. — Hhn. Lygaeus Coq. = quadrata F. etc. Cim. rhombeus L. — Ross. = sulcicornis Coqueb. 40. 10. 9. Stal. H. 104. 442. Vulsirea Stoll. 142. cf. Arocera Spin. aequinoctialis Hop.
nigellie Hhn. v. Trigonos. pedemontanus Hhn. v. Psacasta. Verlusia Spin. — Serv. Coreus F. — Wolff. — Lep. — Schill. — Hhn. Lygaeus Coq. = quadrata F. etc. Cim. rhombeus L. — Ross. = sulcicornis Coqueb. 40. 10. 9. Ital. H. 104. 442. Vulsirea Stoll. 142. cf. Arocera Spin. aequinoctialis Hop. ancora Spin. dispar Hop. Reuholf.
nigellae Hhn. v. Trigonos. pedemontanus Hhn. v. Psacasta. Verlusia Spin. — Serv. Coreus F. — Wolff. — Lep. — Schill. — Hhn. Lygaeus Coq. = quadrata F. etc. Cim. rhombeus L. — Ross. = sulcicornis Coqueb. 40. 10. 9. Ital. H. 104. 442. Vulsirea Stoll. 142. cf. Arocera Spin. aequinoctialis Hop. ancora Spin. VIII. 12. Brf. dispar Hop. formosa Dall.

cf. Arocera aurantiaca Spin. Brf. III. 95. 320.
nigrorubra Spin A anbulk
? anchorago Drur. And A A San Cuba.
- pulchella Drur. Ins. pl. 46. 8 Stoll. 142.
concentrica Brm. (assa) and suletonid
= transversalism.hund wolf if Transacodd (?)
- variegata Drur. Ins. pl. 38. f. 4.
validus Drur. pl. 45. f. 6. 3) A 3 manual
mt mK tarandus Fm engairem (?)
Cylocoris Leon. Duf Brm. wilesyd w A Strailer
Nacogeus Lap.
= albipennis m. 171. 971. Sar.
dimidiata Spin. cf. albipennis.
= ater Leon. Duf. Annal. de la Soc. Ent. II. pl. 6. B.
3. a 4 e. and a dra dra dra . 11 . 11. 170. 972.
parisiensis Cost. Cim. regn. Nesp. Cent. II.
paristensis cost. cim. regn. Meap. cent. it.
rufipennis Leon. Duf. Ann. d. sc. nat. Vol. 22. pl. 13. f.3. — Ann. de la Soc. Ent. II. p. 106. Westw.
rufipennis Leon. Duf. Ann. d. sc. nat. Vol. 22. pl.
Tufipennis Leon. Duf. Ann. d. sc. nat. Vol. 22. pl. 13. f.3. — Ann. de la Soc. Ent. II. p. 106. Westw.
Tufipennis Leon. Duf. Ann. d. sc. nat. Vol. 22. pl. 13. f.3. — Ann. de la Soc. Ent. II. p. 106. Westw. ibid. III. pl. 6. 1. tarda m. nomel. v. ater.
Tu fipennis Leon. Duf. Ann. d. sc. nat. Vol. 22. pl. 13. f.3. — Ann. de la Soc. Ent. II. p. 106. Westw. ibid. III. pl. 6. 1. tarda m. nomel. v. ater.
Tufipennis Leon. Duf. Ann. d. sc. nat. Vol. 22. pl. 13. f.3. — Ann. de la Soc. Ent. II. p. 106. Westw. ibid. III. pl. 6. 1. tarda m. nomcl. v. ater. Yolinus Serv. sufflatus Serv. pl. 6. f. 9. ? Cim. acantharus Wolff. 115.
rufipennis Leon. Duf. Ann. d. sc. nat. Vol. 22. pl. 13. f.3. — Ann. de la Soc. Ent. II. p. 106. Westw. ibid. III. pl. 6. 1. tarda m. nomcl. v. ater. Yolinus Serv. sufflatus Serv. pl. 6. f. 9.
Tufipennis Leon. Duf. Ann. d. sc. nat. Vol. 22. pl. 13. f.3. — Ann. de la Soc. Ent. II. p. 106. Westw. ibid. III. pl. 6. 1. tarda m. nomcl. v. ater. Yolinus Serv. sufflatus Serv. pl. 6. f. 9. ? Cim. acantharus Wolff. 115.
Tufipennis Leon. Duf. Ann. d. sc. nat. Vol. 22. pl. 13. f.3. — Ann. de la Soc. Ent. II. p. 106. Westw. ibid. III. pl. 6. 1. tarda m. nomel. v. ater. Yolinus Serv. 2 Cim. acantharus Wolff. 115. Amer. Inf. Leitha Serv. Nepa F. Belostoma Lep. — Brm. etc. IX. 35. t. 296. A—H.
Tufipennis Leon. Duf. Ann. d. sc. nat. Vol. 22. pl. 13. f.3. — Ann. de la Soc. Ent. II. p. 106. Westw. ibid. III. pl. 6. 1. tarda m. nomcl. v. ater. Yolinus Serv. 2 Cim. acantharus Wolff. 115. Amer. Inf. Laitha Serv. Nepa F. Belostoma Lep. — Brm. etc. IX. 35. t. 296. A—H. = boscii Serv. Enc. — Stoll. t. 12. f. 14?
Tufipennis Leon. Duf. Ann. d. sc. nat. Vol. 22. pl. 13. f.3. — Ann. de la Soc. Ent. II. p. 106. Westw. ibid. III. pl. 6. 1. tarda m. nomcl. v. ater. Yolinus Serv. 2 Cim. acantharus Wolff. 115. Amer. Inf. Laitha Serv. Nepa F. Belostoma Lep. — Brm. etc. IX. 35. t. 296. A—H. = boscii Serv. Enc. — Stoll. t. 12. f. 11?
Tufipennis Leon. Duf. Ann. d. sc. nat. Vol. 22. pl. 13. f.3. — Ann. de la Soc. Ent. II. p. 106. Westw. ibid. III. pl. 6. 1. tarda m. nomcl. v. ater. Yolinus Serv. 2 Cim. acantharus Wolff. 115. Amer. Inf. Laitha Serv. Nepa F. Belostoma Lep. — Brm. etc. IX. 35. t. 296. A—H. = boscii Serv. Enc. — Stoll. t. 12. f. 14? Diplonych. anurus. VIII. 26. 799. Brf. = stollii Serv. — Stoll. pl. 1. f. 1. — IX. 35. 897.
Tufipennis Leon. Duf. Ann. d. sc. nat. Vol. 22. pl. 13. f.3. — Ann. de la Soc. Ent. II. p. 106. Westw. ibid. III. pl. 6. 1. tarda m. nomcl. v. ater. Yolinus Serv. sufflatus Serv. pl. 6. f. 9. ? Cim. acantharus Wolff. 115. Zimer. Inf. Zaitha Serv. Nepa F. Belostoma Lep. — Brm. etc. IX. 35. t. 296. A—H. = boscii Serv. Enc. — Stoll. t. 12. f. 14? Diplonych. anurus. VIII. 26. 799. Brf. stollii Serv. — Stoll. pl. 1. f. 1. — IX. 35. 897. 898.
Tufipennis Leon. Duf. Ann. d. sc. nat. Vol. 22. pl. 13. f.3. — Ann. de la Soc. Ent. II. p. 106. Westw. ibid. III. pl. 6. 1. tarda m. nomcl. v. ater. Yolinus Serv. 2 Cim. acantharus Wolff. 115. Amer. Inf. Laitha Serv. Nepa F. Belostoma Lep. — Brm. etc. IX. 35. t. 296. A—H. = boscii Serv. Enc. — Stoll. t. 12. f. 11? Diplonych. anurus. VIII. 26. 799. Brf. stollii Serv. — Stoll. pl. 1. f. 1. — IX. 35. 897. 898.
Tufipennis Leon. Duf. Ann. d. sc. nat. Vol. 22. pl. 13. f.3. — Ann. de la Soc. Ent. II. p. 106. Westw. ibid. III. pl. 6. 1. tarda m. nomcl. v. ater. Yolinus Serv. sufflatus Serv. pl. 6. f. 9. ? Cim. acantharus Wolff. 115. Zimer. Inf. Zaitha Serv. Nepa F. Belostoma Lep. — Brm. etc. IX. 35. t. 296. A—H. = boscii Serv. Enc. — Stoll. t. 12. f. 14? Diplonych. anurus. VIII. 26. 799. Brf. stollii Serv. — Stoll. pl. 1. f. 1. — IX. 35. 897. 898.

Zelus F Brm Serv. sodnovno prosont. Ja
Alydus F
attelaboides F. R. Huftel. cf. Passaleutus.
bifidus F. R. China, cf. Hammatocerus. Is a stug
binotatus Lep. (Heza). and apining Brf
bispinosus F. R. Nov. Cambarch Saica.
ciliatus F. R. 22 de ant nord alayer Mm. m.
cinereus F. R. (Carol.) cf. Sinea. Il andina
1 coccineus m. A zahnatat Um. m.
collaris F. v. Sycanus and - and mond aireard by
coronatus F Brm. v. quadrispinosus.
crassicornis Brm. (Montevid.) cf. Atrachelus.
cursitans F. R. Stoll. 147. cf. Myocoris.
diadema F. Sinea multispin. A 3 1 10 10 10 10 10 10 10 10 10 10 10 10 1
dispar F. R. Um. m. cf. Darbanus. v. Arilus.
elongatus F. R. Ufr. aq. incerti gen.
Gerrans F. R
erythrocephalus F. R. v. Euagoras. 2 2 2m. m.
erythropterus Brm. Act. L. v. Arilus. All Aldi
fasciatus F. R. Can. cf. Myocoris. mon an abret
femoratus F. R. Um. m. cf. Sinea multispin.
festinans F. R. did all ly and aufallt Um. m
flavicans Servi Mall amedinana and & Can
fornicatus F. R. Can. cf. Notocyrtus.
heros F. R. Sumatra, cf. Passaleutus.
heterogeneus Serv. (Atrachelus). Philad
ichneumoneus F. R. Am. m. cf. Myocoris.
= lateralisim. Br
Vi lineatus Seiv. 3 .1 .10 Mais and ielle Um. fpt
longimanus F. R. Surin
longipes F. R.
macilentus Kl. Stoll. 192.

- Bimeans F. R	1 21 21m. m.
= ochraceus m. L - ond amesil	Brf. 1X. 121
octospinosus F. R.	ana Ta Um. m.
- ? pedestris E. R. del alaliges -	date ensit Um. m.
phalangium F. R. doi'd - mon .at	sirelavibaUm. Inf.
precatorius F. act - 621 ft.	Teatation Buin.
punctiger m.	(9) 1.2.1.18.
880 201Heza. 2846 Kl 3 2 4 d	
= quadrispinosus L. F. (Alyd.) c	
modell f. 155. 12 02 1 2 1 VIII.	
quinquespinosus Wolff. f. 39. Ind.	
recurvatus F. R. Um. m. cf. Acan	
rufescens Gray pl. 97.	Zasmeras falls Mr.
ruficornis F. R. Um, m. cf. Passal	
	Um. m.
sexdens F.	
sexspinosus F. R. Moluff. cf. Mon	tina.
sphegeus F. R. Um. m. cf. Saica.	
spinosus F. R.	2(m. m.
taurus F. R.	Carolina.
tipuliformis F. R.	Guin.
triacantharis F. R. Auftrl. cf. Saic	a.
vagans F. R. Um. m. cf. Myocoris	Min Division in
varipes m.	Brf. IX. 121. —
Zicca Serv.	
= horrida Grm.	Sap. IX. 271. 991.
massulata Serv.	Cap.
Zicrona Serv. v. Arma.	
- fasciata Serv. Stoll. 119.	Can.
Zophoessa Dall.	
Pachycoris Grm.	
= afra m. (Psacasta)	Ufr. V. 47. 497.
= porosa Grm. Z.	. 108. 56. Florida.

Zosmenus Lsp. — Brm. — Fieb. — Acanthia Wolf. —
Tingis Fall. — Piesma Enc. — Aspidotoma Curt. —
Salda Panz.

= anticus Siph. — capitata Fall. var. \(\beta\). — collaris Zett. —
pedicularis m. nom. — Fieb. t. 2. f. 19. Germ.

= capitatus Wolff 125. — Panz 100. 19. etc. — Fieb.
t. 2. f. 18. Germ.

= laportei Fieb. t. 2. f. 17. Auftr. IX. 193. 983.

— maculatus Costa Cim. regn. Neap. t. 3. f. 4. Neap.
— stephensii Fieb. t. 2. f. 20. 21. Bohem.

= quadratus Fieb. t. 2. f. 7. 9. 11. Auftr.
— variabilis Fieb. t. 2. f. 8. 10. 12—16. Germ.

Zosmerus falfc für Zosmenus.

ruffrornis F. R. Am. m. cf. Passalentus.

spheren F. K. Here 4000

Druck von Junge & Sohn in Erlangen.